

MongoDB CRUD Aggregation x Big Data Technologies Lab Te... Crimes_2022_20260507.csv x Airports & Runways - Databricks x airport_volume - Databricks x Ask Gemini

dbc-9de78227-c577.cloud.databricks.com/editor/notebooks/788440092496448?o=7474658871666604#command/648544222519839

Gmail YouTube Maps ScaleX-AI Console Home | Co... Databricks All Bookmarks

databricks Search data, notebooks, recents, and more... CTRL + P workspace

New Home Learn Workspace Recents Catalog Jobs & Pipelines Compute Discover Beta Marketplace SQL SQL Editor Queries Dashboards Genie Spaces Alerts Query History SQL Warehouses Data Engineering Runs

Airports & Runways x File Edit View Run Help Python Last edit was 1 minute ago Run all Serverless Schedule Share

```
# Cast columns to numeric types

# Airports dataframe
df_airports = df_airports \
    .withColumn("latitude_deg", col("latitude_deg").cast("double")) \
    .withColumn("longitude_deg", col("longitude_deg").cast("double")) \
    .withColumn("elevation_ft", col("elevation_ft").cast("integer"))

df_airports: pyspark.sql.connect.dataframe.DataFrame = [id: integer, ident: string ... 17 more fields]

# Runways dataframe
df_runways = df_runways \
    .withColumn("length_ft", col("length_ft").cast("integer"))
```

MongoDB CRUD Aggregation x Big Data Technologies Lab Te... Crimes_2022_20260507.csv x Airports & Runways - Databricks x airport_volume - Databricks x Ask Gemini

dbc-9de78227-c577.cloud.databricks.com/editor/notebooks/788440092496448?o=7474658871666604#command/648544222519839

Gmail YouTube Maps ScaleX-AI Console Home | Co... Databricks All Bookmarks

databricks Search data, notebooks, recents, and more... CTRL + P workspace

New Home Learn Workspace Recents Catalog Jobs & Pipelines Compute Discover Beta Marketplace SQL SQL Editor Queries Dashboards Genie Spaces Alerts Query History SQL Warehouses Data Engineering Runs

Airports & Runways x File Edit View Run Help Python Last edit was 1 minute ago Run all Serverless Schedule Share

```
# Display first rows
df_airports.show(5, truncate=False)
df_runways.show(5, truncate=False)
See performance (2)
```

id	ident	type	name	latitude_deg	longitude_deg	elevation_ft	continent	iso_country	iso_region	municipality	scheduled_service	icao_code	iata_code	gps_code	local_code	home_link	wikipedia_link	keywords
1523	00A	heliport	Total RF Heliport	40.070985	-74.933689	11	NA	US	US-PA	Bensalem	no	00A	00A	00A		https://www.pennDOT.pa.gov/travelinPA/airports-pa/Pages/Total-RF-Heliport.aspx		
1333361	00AA	small_airport	Aero B Ranch Airport	38.704822	-101.473911	3435	NA	US	US-KS	Leoti	no	00AA	00AA	00AA				
1524	00AK	small_airport	Lowell Field	59.947733	-151.692524	450	NA	US	US-AK	Anchor Point	no	00AK	00AK	00AK				
1525	00AL	small_airport	Epps Airpark	34.86479949951172	-86.77038181884766	820	NA	US	US-AL	Harvest	no	00AL	00AL	00AL				
506791	00AN	small_airport	Katmai Lodge Airport	59.093287	-156.456699	80	NA	US	US-AK	King Salmon	no	00AN	00AN	00AN				

MongoDB CRUD Aggregation x Big Data Technologies Lab Te... Crimes_2022_20260507.csv x Airports & Runways - Databricks x airport_volume - Databricks x Ask Gemini

dbc-9de78227-c577.cloud.databricks.com/editor/notebooks/788440092496448?o=7474658871666604#command/648544222519839

workspace

Search data, notebooks, recent, and more... CTRL + P

New

Home

Learn

Workspace

Recents

Catalog

Jobs & Pipelines

Compute

Discover Beta

Marketplace

SQL

SQL Editor

Queries

Dashboards

Genie Spaces

Alerts

Query History

SQL Warehouses

Data Engineering

Runs

Airports & Runways x

File Edit View Run Help Python Last edit was 1 minute ago

Run all Serverless Schedule Share

3

Part A - Loading & preparation

4

12:16 PM (13s)

Python

```
# Load airports.csv and runways.csv

df_airports = spark.read.format("csv") \
    .option("header", "true") \
    .option("inferSchema", "true") \
    .load("/Volumes/airport_catalog/airport_schema/airport_volume/airports.csv")

df_runways = spark.read.format("csv") \
    .option("header", "true") \
    .option("inferSchema", "true") \
    .load("/Volumes/airport_catalog/airport_schema/airport_volume/runways.csv")

df_airports: pyspark.sql.connect.dataframe.DataFrame = [id: integer, ident: string ... 17 more fields]
df_runways: pyspark.sql.connect.dataframe.DataFrame = [id: integer, airport_ref: integer ... 18 more fields]
```

5

12:17 PM (2s)

Display first rows

MongoDB CRUD Aggregation x Big Data Technologies Lab Te... Crimes_2022_20260507.csv x Airports & Runways - Databricks x airport_volume - Databricks x Ask Gemini

dbc-9de78227-c577.cloud.databricks.com/editor/notebooks/788440092496448?o=7474658871666604#command/648544222519839

workspace

Search data, notebooks, recent, and more... CTRL + P

New

Home

Learn

Workspace

Recents

Catalog

Jobs & Pipelines

Compute

Discover Beta

Marketplace

SQL

SQL Editor

Queries

Dashboards

Genie Spaces

Alerts

Query History

SQL Warehouses

Data Engineering

Runs

Airports & Runways x

File Edit View Run Help Python Last edit was 1 minute ago

Run all Serverless Schedule Share

1: Cell 1

2

12:15 PM (1s)

Python

```
import pyspark

# PySpark import
import pyspark



# Spark SQL functions
from pyspark.sql.functions import *

# Column functions
from pyspark.sql.functions import col

# Alias for functions
import pyspark.sql.functions as F

# Spark SQL data types
from pyspark.sql.types import *
```

3



Search data, notebooks, recents, and more...CTRL + P

2XS

airport_schema

OverviewDetailsPermissionsPolicies

Description

AI generateAdd

Filter tables

Tables 0Volumes 0Models 0Functions 0

Sort

Name	Owner	Created at	Popularity	Comment
You either don't have access to any tables or there are no tables in this schema. Either contact your administrator or create a new sample table .				

About this schema

Owner akhilabhishek1711@gmail.com

Tags

Add tags

Schema created

Your schema airport_schema has been added to the Catalog airport_catalog. [View schema](#)

MongoDB CRUD AggregationBig Data Technologies Lab TestCrimes_-_2022_20260507.csvHome - DatabricksCatalog Explorer - DatabricksAsk Gemini

dbc-9de78227-c577.cloud.databricks.com/explore/data?o=7474658871666604

GmailYouTubeMapsScaleX-AIConsole Home | Co...Databricks

New

Home

Learn

Workspace

Recents

Catalog

Jobs & Pipelines

Compute

Discover Beta

Marketplace

SQL

SQL Editor

Queries

Dashboards

Genie Spaces

Alerts

Query History

SQL Warehouses

Data Engineering

Runs

Catalog

Serverless Starter Warehouse

Type to search...

For you

My organization

workspace

system

airport_catalog

hadoop

vita

Delta Shares Received

samples

Create a new catalog

A catalog is the first layer of Unity Catalog's three-level namespace and is used to organize your data assets. [Learn more](#)

Catalog name*

airport_catalog

Type*

Standard

Storage location

Use default storage

Catalogs that use default storage are only accessible from this workspace by default. You can grant other workspaces access, but they must use serverless compute to access data in the catalog. [Learn more](#)

Cancel

workspace

spark

hadoop

workspace

Schema

workspace

Schema

Hot weather Now

Search

ENG IN

12:07

09-05-2026

mongodb CRUD Aggregation x Big Data Technologies Lab Te... Crimes_-_2022_20260507.csv x Airports & Runways - Databricks x airport_volume - Databricks x Ask Gemini

dbc-9de78227-c577.cloud.databricks.com/editor/notebooks/788440092496448?o=7474658871666604#command/648544222519839

workspace

New

Home

Learn

Workspace

Recents

Catalog

Jobs & Pipelines

Compute

Discover Beta

Marketplace

SQL

SQL Editor

Queries

Dashboards

Genie Spaces

Alerts

Query History

SQL Warehouses

Data Engineering

Runs

Airports & Runways

File Edit View Run Help Python Last edit was 2 minutes ago

Run all Serverless Schedule Share

PART C - SQL ANALYSIS

12:23 PM (x1)

Python

Create Temp View

```
df_combined.createOrReplaceTempView("airports_view")
```

See performance (1)

12:24 PM (2)

Top 10 countries with highest runways

```
spark.sql("""
SELECT
    iso_country,
    COUNT(*) AS runway_count
FROM airports_view
GROUP BY iso_country
ORDER BY runway_count DESC
LIMIT 10
""").show()
```

12:22 PM (1)

Python

Verify

```
df_combined.select(
    "name",
    "length_ft",
    "runway_category"
).show(10, truncate=False)
```

See performance (1)

name	length_ft	runway_category
Total RF Heliport	180	Short
Lowell Field	12500	Short
Epps Airpark	2100	Short
Katmai Lodge Airport	14517	Short
Fulton Airport	11450	Short
Cardes Airport	11700	Short
Goldstone (GTS) Airport	6000	Medium
Grass Patch Airport	13200	Short
River Oak Airport	14700	Short
Lt World Airport	2600	Short

only showing top 10 rows

12:32 09-05-2026

MongoDB CRUD Aggregation x Big Data Technologies Lab Te... Crimes_2022_20260507.csv x Airports & Runways - Databricks x airport_volume - Databricks x Ask Gemini

dbc-9de78227-c577.cloud.databricks.com/editor/notebooks/788440092496448?o=7474658871666604#command/648544222519839

Gmail YouTube Maps ScaleX-AI Console Home | Co... Databricks All Bookmarks

databricks Search data, notebooks, recents, and more... CTRL + P workspace

New Home Learn Workspace Recents Catalog Jobs & Pipelines Compute Discover Beta Marketplace SQL SQL Editor Queries Dashboards Genie Spaces Alerts Query History SQL Warehouses Data Engineering Runs

Airports & Runways x File Edit View Run Help Python Last edit was 1 minute ago

11

part 8 JOIN & TRANSFORMATIONS

12

4 minutes ago (1) Python

```
# Inner Join

df_combined = df_airports.join(
    df_runways,
    df_airports.id == df_runways.airport_id,
    "inner"
)

df_combined = df_airports.alias("a").join(
    df_runways.alias("r"),
    col("a.id") == col("r.airport_id"),
    "inner"
).select(
    col("a.id").alias("airport_id"),
    col("a.id"),
    col("r.type"),
    col("a.name"),
    col("a.latitude_deg")
```

MongoDB CRUD Aggregation x Big Data Technologies Lab Te... Crimes_2022_20260507.csv x Airports & Runways - Databricks x airport_volume - Databricks x Ask Gemini

dbc-9de78227-c577.cloud.databricks.com/editor/notebooks/788440092496448?o=7474658871666604#command/648544222519839

Gmail YouTube Maps ScaleX-AI Console Home | Co... Databricks All Bookmarks

databricks Search data, notebooks, recents, and more... CTRL + P workspace

New Home Learn Workspace Recents Catalog Jobs & Pipelines Compute Discover Beta Marketplace SQL SQL Editor Queries Dashboards Genie Spaces Alerts Query History SQL Warehouses Data Engineering Runs

Airports & Runways x File Edit View Run Help Python Last edit was 1 minute ago

10

Python

```
# Runways

df_runways.printSchema()

print("Runway Rows:", df_runways.count())

> See performance (1)

-- airport_ref: integer (nullable = true)
-- airport_id: string (nullable = true)
-- length_ft: integer (nullable = true)
-- width_ft: integer (nullable = true)
-- surface: string (nullable = true)
-- lighted: integer (nullable = true)
-- closed: integer (nullable = true)
-- id: string (nullable = true)
-- le_latitude_deg: double (nullable = true)
-- le_longitude_deg: double (nullable = true)
-- le_elevation_ft: integer (nullable = true)
-- le_heading_degI: double (nullable = true)
-- le_displaced_threshold_ft: integer (nullable = true)
-- he_id: string (nullable = true)
-- he_latitude_deg: double (nullable = true)
-- he_longitude_deg: double (nullable = true)
-- he_elevation_ft: integer (nullable = true)
-- he_heading_degI: double (nullable = true)
-- he_displaced_threshold_ft: integer (nullable = true)
```

MongoDB CRUD Aggregation x Big Data Technologies Lab Te... Crimes_2022_20260507.csv x Airports & Runways - Databricks x airport_volume - Databricks x Ask Gemini

dbc-9de78227-c577.cloud.databricks.com/editor/notebooks/788440092496448?o=7474658871666604#command/648544222519839

Gmail YouTube Maps ScaleX-AI Console Home | Co... Databricks All Bookmarks

databricks Search data, notebooks, recent, and more... CTRL + P workspace

New Home Learn Workspace Recents Catalog Jobs & Pipelines Compute Discover Beta Marketplace SQL SQL Editor Queries Dashboards Genie Spaces Alerts Query History SQL Warehouses Data Engineering Runs

Airports & Runways x File Edit View Run Help Python Last edit was 1 minute ago Run all Serverless Schedule Share

```
# Runways dataframe
df_runways = df_runways \
    .withColumn("length_ft", col("length_ft").cast("integer")) \
    .withColumn("width_ft", col("width_ft").cast("integer"))

df_runways: pyspark.sql.connect.dataframe.DataFrame = [id: integer, airport_ref: integer ... 18 more fields]
```

```
# Print schema and row count
# Airports
df_airports.printSchema()

print("Airport Rows:", df_airports.count())
> See performance (1)
```

```
-- id: integer (nullable = true)
-- ident: string (nullable = true)
-- type: string (nullable = true)
-- name: string (nullable = true)
-- latitude_deg: double (nullable = true)
-- longitude_deg: double (nullable = true)
```

12:32 09-05-2026

MongoDB CRUD Aggregation x Big Data Technologies Lab Te... Crimes_2022_20260507.csv x Airports & Runways - Databricks x airport_volume - Databricks x Ask Gemini

dbc-9de78227-c577.cloud.databricks.com/editor/notebooks/788440092496448?o=7474658871666604#command/648544222519839

Search data, notebooks, recent, and more... CTRL + P workspace

New Home Learn Workspace Recents Catalog Jobs & Pipelines Compute Discover Beta Marketplace SQL SQL Editor Queries Dashboards Genie Spaces Alerts Query History SQL Warehouses Data Engineering Runs

Airports & Runways x File Edit View Run Help Python Last edit was 3 minutes ago Run all Serverless Schedule Share

3 minutes ago (1) 26 Python

```
# Verify parquet data

df_parquet.show(10, truncate=False)

> See performance (1)
```

6524	00AK	small_airport	Lowell Field	59.947733	-151.692524	450	NA	US	US-AK	Ancho
Point 6524	00AK	small_airport	2500	40	GRVL	0	0	N	S	Short
6525	00AL	small_airport	Epps Airpark	34.86479949951172	-86.77830181884766	820	NA	US	US-AL	Harves
t 6525	00AL	small_airport	2100	90	TURF	0	0	01	19	Short
506791	00AN	small_airport	Katmai Lodge Airport	59.093287	-156.456699	80	NA	US	US-AK	King S
alson 506791	00AN	small_airport	4517	60	GVL	0	0	3	21	Short
1322127	00AS	small_airport	Fulton Airport	34.9428028	-97.8180194	1100	NA	US	US-OK	Alex
1322127	00AS	small_airport	1450	60	Turf	0	0	1	19	Short
6527	00AZ	small_airport	Cordes Airport	34.305599212646484	-112.1650091552734	3810	NA	US	US-AZ	Cordes
6527	00AZ	small_airport	1700	60	GRAVEL	0	0	15	33	Short
6528	00CA	small_airport	Goldstone (GTS) Airport	35.35474	-116.885329	3038	NA	US	US-CA	Barsto
w 6528	00CA	small_airport	6000	80	ASPH	0	0	04	22	Medium
6531	00FA	small_airport	Grass Patch Airport	28.64550018310547	-82.21900177001953	53	NA	US	US-FL	Bushne
11 6531	00FA	small_airport	3200	100	TURF	0	0	08	26	Short
6533	00FL	small_airport	River Oak Airport	27.230899810791016	-80.96920013427734	35	NA	US	US-FL	Okeech
obee 6533	00FL	small_airport	4700	60	TURF	0	0	12	30	Short
6534	00GA	small_airport	Lt World Airport	33.76750183105469	-84.06829833984375	700	NA	US	US-GA	Lithon
ia 6534	00GA	small_airport	2600	80	TURF	0	0	09	27	Short

only showing top 10 rows

MongoDB CRUD Aggregation x Big Data Technologies Lab Te... Crimes_2022_20260507.csv x Airports & Runways - Databricks x airport_volume - Databricks x Ask Gemini

dbc-9de78227-c577.cloud.databricks.com/editor/notebooks/788440092496448?o=7474658871666604#command/648544222519839

Search data, notebooks, recent, and more... CTRL + P workspace

New Home Learn Workspace Recents Catalog Jobs & Pipelines Compute Discover Beta Marketplace SQL SQL Editor Queries Dashboards Genie Spaces Alerts Query History SQL Warehouses Data Engineering Runs

Airports & Runways x File Edit View Run Help Python Last edit was 2 minutes ago Run all Serverless Schedule Share

4 minutes ago (2) 25 Python

```
# Read parquet file

df_parquet = spark.read.parquet(
    "/Volumes/airport_catalog/airport_schema/airport_volume/airport_parquet"
)

df_parquet.show(10, truncate=False)

> See performance (1)
```

> df_parquet: pyspark.sql.connect.dataframe.DataFrame = [airport_id: integer, ident: string -- 19 more fields]

airport_id	ident	type	name	latitude_deg	longitude_deg	elevation_ft	continent	iso_country	iso_region	municipality
6523	00A	heliport	Total RF Heliport	40.070985	-74.933689	11	NA	US	US-PA	Bensal
em 6523	00A	heliport	80	80	ASPH-G	1	0	H1	NULL	Short
Point 6524	00AK	small_airport	Lowell Field	59.947733	-151.692524	450	NA	US	US-AK	Anchor
6525	00AL	small_airport	Epps Airpark	34.86479949951172	-86.77830181884766	820	NA	US	US-AL	Harves
t 6525	00AL	small_airport	2100	90	TURF	0	0	01	19	Short
506791	00AN	small_airport	Katmai Lodge Airport	59.093287	-156.456699	80	NA	US	US-AK	King S
alson 506791	00AN	small_airport	4517	60	GVL	0	0	3	21	Short
1322127	00AS	small_airport	Fulton Airport	34.9428028	-97.8180194	1100	NA	US	US-OK	Alex
1322127	00AS	small_airport	1450	60	Turf	0	0	1	19	Short
6527	00AZ	small_airport	Cordes Airport	34.305599212646484	-112.1650091552734	3810	NA	US	US-AZ	Cordes

MongoDB CRUD Aggregation x Big Data Technologies Lab Te... Crimes_2022_20260507.csv x Airports & Runways - Databricks x airport_volume - Databricks x Ask Gemini

dbc-9de78227-c577.cloud.databricks.com/editor/notebooks/788440092496448?o=7474658871666604#command/648544222519839

workspace

Search data, notebooks, recent, and more... CTRL + P

New

- Home
- Learn
- Workspace
- Recents
- Catalog
- Jobs & Pipelines
- Compute
- Discover Beta
- Marketplace

SQL

- SQL Editor
- Queries
- Dashboards
- Genie Spaces
- Alerts
- Query History
- SQL Warehouses

Data Engineering

Runs

Airports & Runways x

File Edit View Run Help Python Last edit was 2 minutes ago

Run all Serverless Schedule Share

23

```
# PART D - SAVE AS PARQUET
```

24

```
# Save parquet file

df_combined.write \
  .mode("overwrite") \
  .parquet("/Volumes/airport_catalog/airport_schema/airport_volume/airport_parquet")

> See performance (1)
```

25

```
# Read parquet file

df_parquet = spark.read.parquet(
  "/Volumes/airport_catalog/airport_schema/airport_volume/airport_parquet"
)

df_parquet.show(10, truncate=False)

> See performance (1)
```

MongoDB CRUD Aggregation x Big Data Technologies Lab Te... Crimes_2022_20260507.csv x Airports & Runways - Databricks x airport_volume - Databricks x Ask Gemini

dbc-9de78227-c577.cloud.databricks.com/editor/notebooks/788440092496448?o=7474658871666604#command/648544222519839

workspace

Search data, notebooks, recent, and more... CTRL + P

New

- Home
- Learn
- Workspace
- Recents
- Catalog
- Jobs & Pipelines
- Compute
- Discover Beta
- Marketplace

SQL

- SQL Editor
- Queries
- Dashboards
- Genie Spaces
- Alerts
- Query History
- SQL Warehouses

Data Engineering

Runs

Airports & Runways x

File Edit View Run Help Python Last edit was 2 minutes ago

Run all Serverless Schedule Share

22

```
# Top 5 airports with longest runway

spark.sql("""
SELECT
  name,
  iso_country,
  MAX(length_ft) AS max_runway_length
FROM airports_view
GROUP BY name, iso_country
ORDER BY max_runway_length DESC
LIMIT 5
""").show()

> See performance (1)
```

name	iso_country	max_runway_length
Gunflint Seaplane...	US	38000
Libby Camps Seap...	US	26000
Brookville Reserv...	US	25000
Long Lake Seaplan...	US	25000
Conchas Lake Seap...	US	21120

MongoDB CRUD Aggregation x Big Data Technologies Lab Te... Crimes_-_2022_20260507.csv x Airports & Runways - Databricks x airport_volume - Databricks x Ask Gemini

dbc-9de78227-c577.cloud.databricks.com/editor/notebooks/788440092496448?o=7474658871666604#command/648544222519839

workspace

Search data, notebooks, recent, and more... CTRL + P

New

Home

Learn

Workspace

Recents

Catalog

Jobs & Pipelines

Compute

Discover Beta

Marketplace

SQL

SQL Editor

Queries

Dashboards

Genie Spaces

Alerts

Query History

SQL Warehouses

Data Engineering

Runs

Airports & Runways x

File Edit View Run Help Python Last edit was 2 minutes ago

Run all Serverless Schedule Share

```
# Airports in India with lighted runway
spark.sql("""
SELECT
    name,
    municipality,
    COUNT(*) AS lighted_runways
FROM airports_view
WHERE iso_country = 'IN'
AND lighted = 1
GROUP BY name, municipality
ORDER BY lighted_runways DESC
""").show()

> See performance (1)
```

name	municipality	lighted_runways
[Indira Gandhi Int...]	New Delhi	3
[Navi Mumbai Inter...]	Navi Mumbai	2
[Raja Bhoj Interna...]	Bhopal	2
[Rajiv Gandhi Inte...]	Hyderabad	2
[Netaji Subhash Ch...]	Kolkata	2
[Agra Airport / Ag...]	Agra	2
[Prayagraj Airport]	Allahabad	2
[Jabala Air Force ...]	Jabalpur	2
[Chennai Internati...]	Chennai	2

12:33 09-05-2026

MongoDB CRUD Aggregation x Big Data Technologies Lab Te... Crimes_-_2022_20260507.csv x Airports & Runways - Databricks x airport_volume - Databricks x Ask Gemini

dbc-9de78227-c577.cloud.databricks.com/editor/notebooks/788440092496448?o=7474658871666604#command/648544222519839

workspace

Search data, notebooks, recent, and more... CTRL + P

New

Home

Learn

Workspace

Recents

Catalog

Jobs & Pipelines

Compute

Discover Beta

Marketplace

SQL

SQL Editor

Queries

Dashboards

Genie Spaces

Alerts

Query History

SQL Warehouses

Data Engineering

Runs

Airports & Runways x

File Edit View Run Help Python Last edit was 2 minutes ago

Run all Serverless Schedule Share

```
# Average runway length per continent
spark.sql("""
SELECT
    continent,
    AVG(length_ft) AS avg_runway_length
FROM airports_view
WHERE length_ft IS NOT NULL
GROUP BY continent
ORDER BY avg_runway_length DESC
""").show()

> See performance (1)
```

continent	avg_runway_length
AN	7768.857142857143
AS	6925.6469996647675
AF	6787.526448362721
EU	4103.151335311572
OC	3558.8401785714284
SA	2857.0891141239963
NA	2599.724218941758

12:33 09-05-2026

MongoDB CRUD Aggregation x Big Data Technologies Lab Te... Crimes_-_2022_20260507.csv x Airports & Runways - Databricks x airport_volume - Databricks x Ask Gemini

dbc-9de78227-c577.cloud.databricks.com/editor/notebooks/788440092496448?o=7474658871666604#command/648544222519839

workspace

New

Home

Learn

Workspace

Recents

Catalog

Jobs & Pipelines

Compute

Discover Beta

Marketplace

SQL

SQL Editor

Queries

Dashboards

Genie Spaces

Alerts

Query History

SQL Warehouses

Data Engineering

Runs

Airports & Runways x

File Edit View Run Help Python Last edit was 2 minutes ago

12:24 PM (2)

19

Python

Run all Serverless Schedule Share

Top 10 countries with highest runways

```
spark.sql("""
SELECT
    iso_country,
    COUNT(*) AS runway_count
FROM airports_view
GROUP BY iso_country
ORDER BY runway_count DESC
LIMIT 10
""").show()
```

See performance (1)

iso_country	runway_count
US	26458
BR	5825
AU	2103
CA	1578
AR	761
FR	659
GB	600
DE	592
RU	489
ID	414

12:33 09-05-2026