









# TECHNICAL SPECIFICATIONS

## Clay Tiles - MARSEILLE 12

Last Updated on 2020.07.23







No.	Image	Details	
1		Name : GCI Marseille 12 Length (L) : 440 mm Horizontal Width (W) : 270 mm (230 + 40mm) Weight : 4.1 kg/pcs (approximately) Coverage : 11.6 - 13.8 pcs/m <sup>2</sup> (12 pcs/m <sup>2</sup> based on 360mm Batten Gauge) Minimum Pitch : 20° - 29.9° Batten Spacing : 315 - 365mm Minimum Headlap : 75 - 125mm	30° and above 315 - 375mm 65 - 125mm
		Laying Pattern : 20° - 24.9° Cross Bond ONLY	25° and above Cross / Straight Bond
2		Name : Ridge Tile / Hip Tile Length (L) : 425 mm Horizontal Width (W) : 270 mm Height (H) : 80 ~ 87 ~ 105 mm Weight : 4.0 kg/pcs (approximately) Coverage : 2.5 pcs/m	
		Effective Length : 395 mm	
3		Name : Ridge End Cap Length (L) : 285 mm Horizontal Width (W) : 100 ~ 270 mm Weight : 1.7 kg/pcs (approximately)	
4		Name : Hip End Length (L) : 465 mm Horizontal Width (W) : 270 mm Height (H) : 80 ~ 90 mm Weight : 3.7 kg/pcs (approximately)	
5		Name : 135° Ridge Bend Length (L) : 152 + 152 mm (measured center) Horizontal Width (W) : 265 mm Weight : 3.0 kg/pcs (approximately)	
6		Name : Ridge Connector (2 Way Ridge) Length (L) : 420 mm Width (W) : 265 mm Height (H) : 80 ~ 85 ~ 90 mm Weight : 3.4 kg/pcs (approximately)	
		Effective Length : 360 mm	



# TECHNICAL SPECIFICATIONS

## Clay Tiles - MARSEILLE 12

Last Updated on 2020.07.23







No.	Image	Details
7		Name : Sword (Right Hand) Length (L) : 415mm Width (W) : 205mm Weight : 2.6 kg/pcs (approximately) Coverage : 2.7 - 3.2 pcs/m (Depends on Headlap Length)
8		Name : Sword (Left Hand) Length (L) : 415mm Width (W) : 205mm Weight : 2.6 kg/pcs (approximately) Coverage : 2.7 - 3.2 pcs/m (Depends on Headlap Length)
8		Name : 3 Way Apex Horizontal Width (W) : 380 mm Spread Angle ( $\theta$ ) : 135° from main ridge line to hip line : 90° between hip lines Weight : 4.1 kg/pcs (approximately)
9		Name : 4 Way Apex Horizontal Width (W) : 380 mm Spread Angle ( $\theta$ ) : 90° Weight : 5.3 kg/pcs (approximately)
10		Name : Right Hand Verge Length (L) : 440 mm Horizontal Width (W) : 270 mm (230 + 40mm) Weight : 4.6 kg/pcs (approximately) Coverage : 2.7 - 3.2 pcs/m (Depends on Headlap Length) Batten Spacing : Refers to Main Tile's Specifications
11		Name : Half Right Hand Verge Length (L) : 440 mm Horizontal Width (W) : 156 mm Weight : 2.5 kg/pcs (approximately) Coverage : 2.7 - 3.2 pcs/m (Depends on Headlap Length) Batten Spacing : Refers to Main Tile's Specifications



# TECHNICAL SPECIFICATIONS

## Clay Tiles - MARSEILLE 12

Last Updated on 2020.07.23

No.	Image	Details
12		<p>Name : Half Tile</p> <p>Length (L) : 440 mm</p> <p>Horizontal Width (W) : 156 mm</p> <p>Weight : 2.5 kg/pcs (approximately)</p> <p>Coverage : 2.7 - 3.2 pcs/m (Depends on Headlap Length)</p> <p>Batten Spacing : Refers to Main Tile's Specifications</p>
13		<p>Name : Vent Tile (Ventilation)</p> <p>Length (L) : 440 mm</p> <p>Horizontal Width (W) : 270 mm (230 + 40mm)</p> <p>Weight : 5.2 kg/pcs (approximately)</p> <p>Batten Spacing : Refers to Main Tile's Specifications</p>
14		<p>Name : V-Pipe Tile</p> <p>Length (L) : 440 mm</p> <p>Horizontal Width (W) : 270 mm (230 + 40mm)</p> <p>Internal Opening Dia. : 4"</p> <p>Weight : 5.3 kg/pcs (approximately)</p> <p>Batten Spacing : Refers to Main Tile's Specifications</p>
15		<p>Name : Lantern Cap</p> <p>Internal Opening Dia. : 115 mm ~ 155mm</p> <p>Height : 160 ~ 165 mm</p> <p>Weight : 2.1 kg/pcs (approximately)</p>
16		<p>Name : Mono Ridge Capping (60°)</p> <p>Length (L) : 410mm</p> <p>Horizontal Width (W) : 135 ~ 155mm</p> <p>Height (H) : 105 ~ 125mm</p> <p>Weight : 2.9 kg/pcs (approximately)</p> <p>Coverage : 2.80 pcs/m (assumed lapping 50mm)</p>
16		<p>Name : Universal Capping (Cone)</p> <p>Diameter : 450mm</p> <p>Height (H) : 120mm</p> <p>Weight : 6.7 kg/pcs (approximately)</p>