

```
INSERT INTO Employee Values ( 'E4401', 'Manish Maurya' , TO_DATE('04/16/1990',  
'MM/DD/YYYY'), TO_DATE('04/16/2007', 'MM/DD/YYYY'),  
150000, 'Doctor', 'M', '10:00:00', '14:00:00', 'MBBS', 98253658);
```

```
INSERT INTO Employee Values ( 'E4402', 'Ashok Parmar' ,  
TO_DATE('11/17/1984', 'MM/DD/YYYY'), TO_DATE('12/04/2010', 'MM/DD/YYYY'),  
8000, 'Security', 'M', '08:00:00', '16:00:00', 'HSC', 97253654);
```

```
INSERT INTO Employee Values ('E4403', 'Tanvi Shah' ,  
TO_DATE('05/25/1995', 'MM/DD/YYYY'), TO_DATE('06/21/2015', 'MM/DD/YYYY'),  
30000, 'Receptionist', 'F', '10:00:00', '17:00:00', 'B.Com', 92253758);
```

```
INSERT INTO Employee Values ('E4404', 'Pooja Goswami' ,  
TO_DATE('10/12/1985', 'MM/DD/YYYY'), TO_DATE('07/23/2009', 'MM/DD/YYYY'),  
125000, 'Doctor', 'F', '13:00:00', '18:00:00', 'MD', 98456758);
```

```
INSERT INTO Employee Values ('E4405', 'Varsha Gohel' ,  
TO_DATE('11/09/1994', 'MM/DD/YYYY'), TO_DATE('10/16/2014', 'MM/DD/YYYY'),  
26000, 'Nurse', 'F', '10:00:00', '16:00:00', 'MSN', 94783658);
```

```
INSERT INTO Employee Values ('E4406', 'Anup Mehta' ,  
TO_DATE('04/03/1988', 'MM/DD/YYYY'), TO_DATE('08/02/2010', 'MM/DD/YYYY'),  
130000, 'Doctor', 'M', '10:00:00', '15:00:00', 'MBBS', 98245858);
```

```
INSERT INTO Employee Values ('E4407', 'Avkaran Singh' ,  
TO_DATE('03/26/1982', 'MM/DD/YYYY'), TO_DATE('02/27/2008', 'MM/DD/YYYY'),  
75000, 'Doctor', 'M', '10:00:00', '13:00:00', 'MBBS', 78953658);
```

```
INSERT INTO Employee Values ('E4408', 'Daksh Gondaliya' ,  
TO_DATE('07/15/1986', 'MM/DD/YYYY'), TO_DATE('01/16/2005', 'MM/DD/YYYY'),  
175000, 'Doctor', 'M', '11:00:00', '16:00:00', 'MD', 99253657);
```

```
INSERT INTO Employee Values ('E4409', 'Arnab Goswami' ,  
TO_DATE('10/23/1987', 'MM/DD/YYYY'), TO_DATE('09/26/2011', 'MM/DD/YYYY'),  
80000, 'Doctor', 'M', '13:00:00', '17:00:00', 'MBBS', 98248571);
```

```
INSERT INTO Employee Values ('E4410', 'Gopal Prasad' ,  
TO_DATE('07/14/1980', 'MM/DD/YYYY'), TO_DATE('07/02/2012', 'MM/DD/YYYY'),  
125000, 'Doctor', 'M', '10:00:00', '14:00:00', 'MD', 73833658);
```

```
INSERT INTO Employee Values ('E4411', 'Anupam Yadav' ,  
TO_DATE('10/14/1996', 'MM/DD/YYYY'), TO_DATE('07/17/2014', 'MM/DD/YYYY'),  
22000, 'Ward Boy', 'M', '00:00:00', '10:00:00', 'MSN', 94712358);
```

```
INSERT INTO Employee Values ('E4412', 'Darshna Chotaliya' ,  
TO_DATE('12/12/1997','MM/DD/YYYY'), TO_DATE('03/17/2014','MM/DD/YYYY'),  
25000, 'Nurse', 'F', '10:00:00', '16:00:00', 'MSN', 94451658);
```

```
INSERT INTO Patient Values ('P1101', 'Rahul Bhardwaj',  
TO_DATE('04/14/1985','MM/DD/YYYY') , 'M', TO_DATE('02/12/2015','MM/DD/YYYY') ,  
'10:56:23', TO_DATE('02/14/2015','MM/DD/YYYY') , '16:45:25', 'Vishal Bhardwaj', 'Brother',  
75451151);
```

```
INSERT INTO Patient Values ('P1102', 'Anilkumar Ramavat',  
TO_DATE('03/12/1992','MM/DD/YYYY') , 'M', TO_DATE('02/15/2015','MM/DD/YYYY') ,  
'15:56:23', TO_DATE('02/18/2015','MM/DD/YYYY') , '10:45:25', 'PravinKumar Ramavat',  
'Father', 75489651);
```

```
INSERT INTO Patient Values ('P1103', 'Shubham Singh',  
TO_DATE('11/12/1993','MM/DD/YYYY') , 'M', TO_DATE('02/13/2015','MM/DD/YYYY') ,  
'12:50:25', TO_DATE('02/20/2015','MM/DD/YYYY') , '20:02:56', 'Sushil Kumar', 'Friend',  
75899889);
```

```
INSERT INTO Patient Values ('P1104', 'Prem Shankar', TO_DATE('10/07/1995','MM/DD/YYYY')  
, 'M', TO_DATE('02/20/2015','MM/DD/YYYY') , '10:15:02',  
TO_DATE('02/22/2015','MM/DD/YYYY') , '17:40:25', 'Suryakumar Yadav', 'Friend', 73834551);
```

```
INSERT INTO Patient Values ('P1105', 'Vikul Kumar', TO_DATE('07/07/1994','MM/DD/YYYY')  
, 'M', TO_DATE('02/19/2015','MM/DD/YYYY') , '08:50:51',  
TO_DATE('02/23/2015','MM/DD/YYYY') , '10:35:27', 'Nikhil Sachan', 'Brother', 75842555);
```

```
INSERT INTO Patient Values ('P1106', 'Ishan Kishan', TO_DATE('08/24/1997','MM/DD/YYYY')  
, 'M', TO_DATE('02/15/2015','MM/DD/YYYY') , '09:46:33',  
TO_DATE('02/18/2015','MM/DD/YYYY') , '20:04:15', 'Parthiv Patel', 'Friend', 78855351);
```

```
INSERT INTO Patient Values ('P1107', 'Mitali Raj', TO_DATE('03/15/1989','MM/DD/YYYY') , 'F',  
TO_DATE('02/22/2015','MM/DD/YYYY') , '12:45:11', TO_DATE('02/27/2015','MM/DD/YYYY') ,  
'19:40:35', 'Krunal Raj', 'Husband', 85697151);
```

```
INSERT INTO Patient Values ('P1108', 'Krishna Makadiya',  
TO_DATE('09/24/1996','MM/DD/YYYY') , 'F', TO_DATE('02/25/2015','MM/DD/YYYY') ,  
'17:57:17', TO_DATE('02/27/2015','MM/DD/YYYY') , '10:10:13', 'Parimal Makadiya', 'Father',  
88771151);
```

```
INSERT INTO Patient Values ('P1109', 'Vinita Sharma', TO_DATE('12/25/1975','MM/DD/YYYY')
,'F', TO_DATE('02/27/2015','MM/DD/YYYY') , '11:26:13',
TO_DATE('03/04/2015','MM/DD/YYYY') , '14:47:26', 'Mohit Sharma', 'Husband', 94441151);
```

```
INSERT INTO Patient Values ('P1110', 'Disha Patel', TO_DATE('07/01/1987','MM/DD/YYYY')
,'F', TO_DATE('03/11/2015','MM/DD/YYYY') , '09:42:27',
TO_DATE('03/15/2015','MM/DD/YYYY') , '17:05:36', 'Ashok Patel', 'Uncle', 79990001);
```

```
INSERT INTO Doctor Values ('E4401', 'Permanent');
INSERT INTO Doctor Values ('E4404', 'Permanent');
INSERT INTO Doctor Values ('E4406', 'Permanent');
INSERT INTO Doctor Values ('E4407', 'Visiting');
INSERT INTO Doctor Values ('E4408', 'Permanent');
INSERT INTO Doctor Values ('E4409', 'Permanent');
INSERT INTO Doctor Values ('E4410', 'Visiting');
```

```
INSERT INTO Doctor_Speciality Values ('E4401', 'Knee and ligament Specialist');
INSERT INTO Doctor_Speciality Values ('E4404', 'Orthopedic Specialist');
INSERT INTO Doctor_Speciality Values ('E4406', 'Transplant Surgery');
INSERT INTO Doctor_Speciality Values ('E4407', 'NeuroSurgery');
INSERT INTO Doctor_Speciality Values ('E4408', 'Dental Surgery');
INSERT INTO Doctor_Speciality Values ('E4409', 'General');
INSERT INTO Doctor_Speciality Values ('E4410', 'Ear, Nose and Throat');
```

```
INSERT INTO Visitor Values ('V8801', 'Manoj Bhardwaj',
TO_DATE('02/12/2015','MM/DD/YYYY'), TO_DATE('02/13/2015','MM/DD/YYYY'));
```

```
INSERT INTO Visitor Values ('V8802', 'Karan Ramavat',
TO_DATE('02/16/2015','MM/DD/YYYY'), TO_DATE('02/17/2015','MM/DD/YYYY'));
```

```
INSERT INTO Visitor Values ('V8803', 'Rohan Singh', TO_DATE('02/15/2015','MM/DD/YYYY'),
TO_DATE('02/17/2015','MM/DD/YYYY'));
```

INSERT INTO Visitor Values ('V8804', 'Alok Singh', TO_DATE('02/17/2015','MM/DD/YYYY'),
TO_DATE('02/19/2015','MM/DD/YYYY'));

INSERT INTO Visitor Values ('V8805', 'Raj Shankar', TO_DATE('02/20/2015','MM/DD/YYYY'),
TO_DATE('02/22/2015','MM/DD/YYYY'));

INSERT INTO Visitor Values ('V8806', 'Anup Kumar', TO_DATE('02/20/2015','MM/DD/YYYY'),
TO_DATE('02/22/2015','MM/DD/YYYY'));

INSERT INTO Visitor Values ('V8807', 'Ishan Raju', TO_DATE('02/16/2015','MM/DD/YYYY'),
TO_DATE('02/18/2015','MM/DD/YYYY'));

INSERT INTO Visitor Values ('V8808', 'Sonali Raj', TO_DATE('02/23/2015','MM/DD/YYYY'),
TO_DATE('02/26/2015','MM/DD/YYYY'));

INSERT INTO Visitor Values ('V8809', 'Anju Makadiya',
TO_DATE('02/26/2015','MM/DD/YYYY'), TO_DATE('02/27/2015','MM/DD/YYYY'));

INSERT INTO Visitor Values ('V8810', 'Arjun Sharma', TO_DATE('02/28/2015','MM/DD/YYYY'),
TO_DATE('03/03/2015','MM/DD/YYYY'));

INSERT INTO Visitor Values ('V8811', 'Akhar Patel', TO_DATE('03/12/2015','MM/DD/YYYY'),
TO_DATE('03/12/2015','MM/DD/YYYY'));

INSERT INTO meet Values ('P1101', 'V8801');
INSERT INTO meet Values ('P1102', 'V8802');
INSERT INTO meet Values ('P1103', 'V8803');
INSERT INTO meet Values ('P1103', 'V8804');
INSERT INTO meet Values ('P1104', 'V8805');
INSERT INTO meet Values ('P1105', 'V8806');
INSERT INTO meet Values ('P1106', 'V8807');
INSERT INTO meet Values ('P1107', 'V8808');
INSERT INTO meet Values ('P1108', 'V8809');
INSERT INTO meet Values ('P1109', 'V8810');
INSERT INTO meet Values ('P1110', 'V8811');

```
INSERT INTO Appointment Values ('A2201', 'Farukh Abdul',  
TO_DATE('02/14/2015','MM/DD/YYYY'), '11:30:00', 1000);
```

```
INSERT INTO Appointment Values ('A2202', 'Gagan Agrawal',  
TO_DATE('02/16/2015','MM/DD/YYYY'), '16:00:00', 500);
```

```
INSERT INTO Appointment Values ('A2203', 'Meet Parekh',  
TO_DATE('02/16/2015','MM/DD/YYYY'), '17:00:00', 1500);
```

```
INSERT INTO Appointment Values ('A2204', 'Pranav Patel',  
TO_DATE('02/17/2015','MM/DD/YYYY'), '14:00:00', 400);
```

```
INSERT INTO Appointment Values ('A2205', 'Parth Shah',  
TO_DATE('02/19/2015','MM/DD/YYYY'), '12:00:00', 700);
```

```
INSERT INTO Appointment Values ('A2206', 'Harsh Vaishnav',  
TO_DATE('02/19/2015','MM/DD/YYYY'), '12:30:00', 400);
```

```
INSERT INTO Appointment Values ('A2207', 'Maulik Ladva',  
TO_DATE('02/21/2015','MM/DD/YYYY'), '16:00:00', 600);
```

```
INSERT INTO Appointment Values ('A2208', 'Harshil Vora',  
TO_DATE('02/22/2015','MM/DD/YYYY'), '12:00:00', 500);
```

```
INSERT INTO Appointment_with Values ('E4401', 'A2201');  
INSERT INTO Appointment_with Values ('E4404', 'A2202');  
INSERT INTO Appointment_with Values ('E4404', 'A2203');  
INSERT INTO Appointment_with Values ('E4406', 'A2204');  
INSERT INTO Appointment_with Values ('E4407', 'A2205');  
INSERT INTO Appointment_with Values ('E4408', 'A2206');  
INSERT INTO Appointment_with Values ('E4409', 'A2207');  
INSERT INTO Appointment_with Values ('E4410', 'A2208');
```

```
INSERT INTO Treated_By Values ('E4401', 'P1101');  
INSERT INTO Treated_By Values ('E4404', 'P1102');  
INSERT INTO Treated_By Values ('E4406', 'P1103');
```

```
INSERT INTO Treated_By Values ('E4407', 'P1104');
INSERT INTO Treated_By Values ('E4408', 'P1105');
INSERT INTO Treated_By Values ('E4409', 'P1106');
INSERT INTO Treated_By Values ('E4410', 'P1107');
INSERT INTO Treated_By Values ('E4406', 'P1108');
INSERT INTO Treated_By Values ('E4408', 'P1109');
INSERT INTO Treated_By Values ('E4404', 'P1110');
```

```
INSERT INTO Available_ward Values ('W1001', 'General', 10, 500);
INSERT INTO Available_ward Values ('W1002', 'General', 10, 500);
INSERT INTO Available_ward Values ('W2001', 'Medium Non A/C', 5, 1000);
INSERT INTO Available_ward Values ('W2002', 'Medium Non A/C', 5, 1000);
INSERT INTO Available_ward Values ('W2003', 'Medium A/C', 2, 2000);
INSERT INTO Available_ward Values ('W2004', 'Medium A/C', 2, 2000);
INSERT INTO Available_ward Values ('W3001', 'VIP', 1, 4000);
INSERT INTO Available_ward Values ('W3002', 'VIP', 1, 4000);
```

```
INSERT INTO Available_Operation Values ('O5001', 'Operation_1', 10000);
INSERT INTO Available_Operation Values ('O5002', 'Operation_2', 5000);
INSERT INTO Available_Operation Values ('O5003', 'Operation_3', 20000);
INSERT INTO Available_Operation Values ('O5004', 'Operation_4', 25000);
INSERT INTO Available_Operation Values ('O5005', 'Operation_5', 30000);
INSERT INTO Available_Operation Values ('O5006', 'Operation_6', 26000);
INSERT INTO Available_Operation Values ('O5007', 'Operation_7', 8000);
INSERT INTO Available_Operation Values ('O5008', 'Operation_8', 15000);
INSERT INTO Available_Operation Values ('O5009', 'Operation_9', 9000);
INSERT INTO Available_Operation Values ('O5010', 'Operation_10', 10000);
```

```
INSERT INTO Available_Medicine Values ('M6001', 'Medicine_1', '150/Bottle');
INSERT INTO Available_Medicine Values ('M6002', 'Medicine_2', '250/Bottle');
INSERT INTO Available_Medicine Values ('M6003', 'Medicine_3', '1000/Bottle');
INSERT INTO Available_Medicine Values ('M6004', 'Medicine_4', '750/Bottle');
INSERT INTO Available_Medicine Values ('M6005', 'Medicine_5', '500/Bottle');
```

```
INSERT INTO Available_Medicine Values ('M6006', 'Medicine_6', '150/10Tablets');
INSERT INTO Available_Medicine Values ('M6007', 'Medicine_7', '170/10Tablets');
INSERT INTO Available_Medicine Values ('M6008', 'Medicine_8', '200/10Tablets');
INSERT INTO Available_Medicine Values ('M6009', 'Medicine_9', '223/10Tablets');
INSERT INTO Available_Medicine Values ('M6010', 'Medicine_10', '227/10Tablets');
INSERT INTO Available_Medicine Values ('M6011', 'Medicine_11', '100/10Tablets');
INSERT INTO Available_Medicine Values ('M6012', 'Medicine_12', '70/10Tablets');
INSERT INTO Available_Medicine Values ('M6013', 'Medicine_13', '10/10Tablets');
INSERT INTO Available_Medicine Values ('M6014', 'Medicine_14', '80/10Tablets');
INSERT INTO Available_Medicine Values ('M6015', 'Medicine_15', '56/10Tablets');
```

```
INSERT INTO Available_Test Values ('T3301', 'Test_1', 100);
INSERT INTO Available_Test Values ('T3302', 'Test_2', 200);
INSERT INTO Available_Test Values ('T3303', 'Test_3', 150);
INSERT INTO Available_Test Values ('T3304', 'Test_4', 80);
INSERT INTO Available_Test Values ('T3305', 'Test_5', 90);
INSERT INTO Available_Test Values ('T3306', 'Test_6', 500);
INSERT INTO Available_Test Values ('T3307', 'Test_7', 200);
INSERT INTO Available_Test Values ('T3308', 'Test_8', 110);
INSERT INTO Available_Test Values ('T3309', 'Test_9', 220);
INSERT INTO Available_Test Values ('T3310', 'Test_10', 240);
INSERT INTO Available_Test Values ('T3311', 'Test_11', 300);
INSERT INTO Available_Test Values ('T3312', 'Test_12', 50);
INSERT INTO Available_Test Values ('T3313', 'Test_13', 230);
INSERT INTO Available_Test Values ('T3314', 'Test_14', 170);
INSERT INTO Available_Test Values ('T3315', 'Test_15', 140);
```

```
INSERT INTO ward_list Values ('WL101', 'W2001', 'P1101', 2000, 'B9901');
INSERT INTO ward_list Values ('WL102', 'W2002', 'P1102', 3000, 'B9902');
INSERT INTO ward_list Values ('WL103', 'W2001', 'P1103', 7000, 'B9903');
INSERT INTO ward_list Values ('WL104', 'W2003', 'P1104', 4000, 'B9904');
INSERT INTO ward_list Values ('WL105', 'W2004', 'P1105', 8000, 'B9905');
INSERT INTO ward_list Values ('WL106', 'W1001', 'P1106', 1500, 'B9906');
INSERT INTO ward_list Values ('WL107', 'W1002', 'P1107', 2500, 'B9907');
INSERT INTO ward_list Values ('WL108', 'W2001', 'P1108', 2000, 'B9908');
```

```
INSERT INTO ward_list Values ('WL109', 'W3001', 'P1109', 16000, 'B9909');
INSERT INTO ward_list Values ('WL110', 'W3002', 'P1110', 16000, 'B9910');
```

```
INSERT INTO Test_List Values ('TL101', TO_DATE('02/12/2015','MM/DD/YYYY'), 'P1101',
'E4401', TO_DATE('02/12/2015','MM/DD/YYYY'), 380, 'B9901');
INSERT INTO Test_List Values ('TL102', TO_DATE('02/16/2015','MM/DD/YYYY'), 'P1102',
'E4404', TO_DATE('02/16/2015','MM/DD/YYYY'), 550, 'B9902');
INSERT INTO Test_List Values ('TL103', TO_DATE('02/14/2015','MM/DD/YYYY'), 'P1103',
'E4406', TO_DATE('02/14/2015','MM/DD/YYYY'), 110, 'B9903');
INSERT INTO Test_List Values ('TL104', TO_DATE('02/15/2015','MM/DD/YYYY'), 'P1103',
'E4406', TO_DATE('02/16/2015','MM/DD/YYYY'), 330, 'B9903');
INSERT INTO Test_List Values ('TL105', TO_DATE('02/20/2015','MM/DD/YYYY'), 'P1104',
'E4407', TO_DATE('02/20/2015','MM/DD/YYYY'), 500, 'B9904');
INSERT INTO Test_List Values ('TL106', TO_DATE('02/20/2015','MM/DD/YYYY'), 'P1105',
'E4408', TO_DATE('02/21/2015','MM/DD/YYYY'), 240, 'B9905');
INSERT INTO Test_List Values ('TL107', TO_DATE('02/15/2015','MM/DD/YYYY'), 'P1106',
'E4409', TO_DATE('02/15/2015','MM/DD/YYYY'), 280, 'B9906');
INSERT INTO Test_List Values ('TL108', TO_DATE('02/23/2015','MM/DD/YYYY'), 'P1107',
'E4410', TO_DATE('02/24/2015','MM/DD/YYYY'), 520, 'B9907');
INSERT INTO Test_List Values ('TL109', TO_DATE('02/27/2015','MM/DD/YYYY'), 'P1109',
'E4408', TO_DATE('02/27/2015','MM/DD/YYYY'), 170, 'B9909');
INSERT INTO Test_List Values ('TL110', TO_DATE('03/11/2015','MM/DD/YYYY'), 'P1110',
'E4404', TO_DATE('03/11/2015','MM/DD/YYYY'), 140, 'B9910');
```

```
INSERT INTO have Values ('TL101', 'T3301');
INSERT INTO have Values ('TL101', 'T3304');
INSERT INTO have Values ('TL101', 'T3307');
INSERT INTO have Values ('TL102', 'T3302');
INSERT INTO have Values ('TL102', 'T3303');
INSERT INTO have Values ('TL102', 'T3307');
INSERT INTO have Values ('TL103', 'T3308');
INSERT INTO have Values ('TL104', 'T3305');
INSERT INTO have Values ('TL104', 'T3310');
INSERT INTO have Values ('TL105', 'T3306');
INSERT INTO have Values ('TL106', 'T3310');
```



```
INSERT INTO have Values ('TL107', 'T3313');
INSERT INTO have Values ('TL107', 'T3312');
INSERT INTO have Values ('TL108', 'T3309');
INSERT INTO have Values ('TL108', 'T3311');
INSERT INTO have Values ('TL109', 'T3314');
INSERT INTO have Values ('TL110', 'T3315');
```

```
-----

INSERT INTO Report Values ('TL101', TO_DATE('02/12/2015','MM/DD/YYYY'), 'Negative');
INSERT INTO Report Values ('TL102', TO_DATE('02/13/2015','MM/DD/YYYY'), 'Positive');
INSERT INTO Report Values ('TL103', TO_DATE('02/14/2015','MM/DD/YYYY'), 'Positive');
INSERT INTO Report Values ('TL104', TO_DATE('02/16/2015','MM/DD/YYYY'), 'Positive');
INSERT INTO Report Values ('TL105', TO_DATE('02/20/2015','MM/DD/YYYY'), 'Negative');
INSERT INTO Report Values ('TL106', TO_DATE('02/21/2015','MM/DD/YYYY'), 'Positive');
INSERT INTO Report Values ('TL107', TO_DATE('02/15/2015','MM/DD/YYYY'), 'Positive');
INSERT INTO Report Values ('TL108', TO_DATE('02/24/2015','MM/DD/YYYY'), 'Positive');
INSERT INTO Report Values ('TL109', TO_DATE('02/27/2015','MM/DD/YYYY'), 'Positive');
INSERT INTO Report Values ('TL110', TO_DATE('03/11/2015','MM/DD/YYYY'), 'Positive');
```

```
-----

INSERT INTO Medicine_List Values ('ML301', TO_DATE('02/12/2015','MM/DD/YYYY'), 'P1101',
'E4401', TO_DATE('02/12/2015','MM/DD/YYYY'), 2, 1150, 'B9901');
```

```
INSERT INTO Medicine_List Values ('ML302', TO_DATE('02/13/2015','MM/DD/YYYY'), 'P1101',
'E4401', TO_DATE('02/13/2015','MM/DD/YYYY'), 11, 400, 'B9901');
```

```
INSERT INTO Medicine_List Values ('ML303', TO_DATE('02/13/2015','MM/DD/YYYY'), 'P1102',
'E4404', TO_DATE('02/13/2015','MM/DD/YYYY'), 12, 1420, 'B9902');
```

```
INSERT INTO Medicine_List Values ('ML304', TO_DATE('02/15/2015','MM/DD/YYYY'), 'P1102',
'E4404', TO_DATE('02/15/2015','MM/DD/YYYY'), 30, 646, 'B9902');
```

```
INSERT INTO Medicine_List Values ('ML305', TO_DATE('02/14/2015','MM/DD/YYYY'), 'P1103',
'E4406', TO_DATE('02/14/2015','MM/DD/YYYY'), 30, 563, 'B9903');
```

```
INSERT INTO Medicine_List Values ('ML306', TO_DATE('02/17/2015','MM/DD/YYYY'), 'P1103',
'E4406', TO_DATE('02/18/2015','MM/DD/YYYY'), 30, 427, 'B9903');
```

INSERT INTO Medicine_List Values ('ML307', TO_DATE('02/19/2015','MM/DD/YYYY'), 'P1103', 'E4406', TO_DATE('02/19/2015','MM/DD/YYYY'), 60, 240, 'B9903');

INSERT INTO Medicine_List Values ('ML308', TO_DATE('02/21/2015','MM/DD/YYYY'), 'P1104', 'E4407', TO_DATE('02/21/2015','MM/DD/YYYY'), 40, 272, 'B9904');

INSERT INTO Medicine_List Values ('ML309', TO_DATE('02/12/2015','MM/DD/YYYY'), 'P1105', 'E4408', TO_DATE('02/12/2015','MM/DD/YYYY'), 21, 262, 'B9905');

INSERT INTO Medicine_List Values ('ML310', TO_DATE('02/21/2015','MM/DD/YYYY'), 'P1105', 'E4408', TO_DATE('02/21/2015','MM/DD/YYYY'), 21, 840, 'B9905');

INSERT INTO Medicine_List Values ('ML311', TO_DATE('02/16/2015','MM/DD/YYYY'), 'P1106', 'E4409', TO_DATE('02/17/2015','MM/DD/YYYY'), 30, 546, 'B9906');

INSERT INTO Medicine_List Values ('ML312', TO_DATE('02/23/2015','MM/DD/YYYY'), 'P1107', 'E4410', TO_DATE('02/23/2015','MM/DD/YYYY'), 21, 1196, 'B9907');

INSERT INTO Medicine_List Values ('ML313', TO_DATE('02/25/2015','MM/DD/YYYY'), 'P1107', 'E4410', TO_DATE('02/26/2015','MM/DD/YYYY'), 40, 566, 'B9907');

INSERT INTO Medicine_List Values ('ML314', TO_DATE('02/26/2015','MM/DD/YYYY'), 'P1108', 'E4406', TO_DATE('02/26/2015','MM/DD/YYYY'), 30, 500, 'B9908');

INSERT INTO Medicine_List Values ('ML315', TO_DATE('02/28/2015','MM/DD/YYYY'), 'P1109', 'E4408', TO_DATE('02/28/2015','MM/DD/YYYY'), 30, 1050, 'B9909');

INSERT INTO Medicine_List Values ('ML316', TO_DATE('03/02/2015','MM/DD/YYYY'), 'P1109', 'E4408', TO_DATE('03/03/2015','MM/DD/YYYY'), 21, 604, 'B9909');

INSERT INTO Medicine_List Values ('ML317', TO_DATE('03/13/2015','MM/DD/YYYY'), 'P1110', 'E4404', TO_DATE('03/13/2015','MM/DD/YYYY'), 70, 254, 'B9910');

INSERT INTO has Values ('ML301', 'M6001');

INSERT INTO has Values ('ML301', 'M6003');

INSERT INTO has Values ('ML302', 'M6002');

INSERT INTO has Values ('ML302', 'M6006');

INSERT INTO has Values ('ML303', 'M6005');

```

INSERT INTO has Values ('ML303', 'M6004');
INSERT INTO has Values ('ML303', 'M6007');
INSERT INTO has Values ('ML304', 'M6008');
INSERT INTO has Values ('ML304', 'M6009');
INSERT INTO has Values ('ML305', 'M6009');
INSERT INTO has Values ('ML305', 'M6007');
INSERT INTO has Values ('ML306', 'M6010');
INSERT INTO has Values ('ML306', 'M6011');
INSERT INTO has Values ('ML307', 'M6012');
INSERT INTO has Values ('ML307', 'M6013');
INSERT INTO has Values ('ML308', 'M6014');
INSERT INTO has Values ('ML308', 'M6015');
INSERT INTO has Values ('ML309', 'M6015');
INSERT INTO has Values ('ML309', 'M6001');
INSERT INTO has Values ('ML310', 'M6005');
INSERT INTO has Values ('ML310', 'M6007');
INSERT INTO has Values ('ML311', 'M6009');
INSERT INTO has Values ('ML311', 'M6011');
INSERT INTO has Values ('ML312', 'M6004');
INSERT INTO has Values ('ML312', 'M6009');
INSERT INTO has Values ('ML313', 'M6010');
INSERT INTO has Values ('ML313', 'M6015');
INSERT INTO has Values ('ML314', 'M6008');
INSERT INTO has Values ('ML314', 'M6006');
INSERT INTO has Values ('ML315', 'M6004');
INSERT INTO has Values ('ML315', 'M6006');
INSERT INTO has Values ('ML316', 'M6001');
INSERT INTO has Values ('ML316', 'M6010');
INSERT INTO has Values ('ML317', 'M6013');
INSERT INTO has Values ('ML317', 'M6015');

```

```

INSERT INTO Operation_List Values ('OL201', 'O5001',
TO_DATE('02/16/2015','MM/DD/YYYY'), 'P1102', TO_DATE('02/16/2015','MM/DD/YYYY'),
10000, 'B9902');
INSERT INTO Operation_List Values ('OL202', 'O5009',
TO_DATE('02/15/2015','MM/DD/YYYY'), 'P1103', TO_DATE('02/16/2015','MM/DD/YYYY'),
9000, 'B9903');

```

```
INSERT INTO Operation_List Values ('OL203', 'O5004',  
TO_DATE('02/21/2015','MM/DD/YYYY'), 'P1105', TO_DATE('02/21/2015','MM/DD/YYYY'),  
25000, 'B9905');  
INSERT INTO Operation_List Values ('OL204', 'O5003',  
TO_DATE('02/18/2015','MM/DD/YYYY'), 'P1103', TO_DATE('02/18/2015','MM/DD/YYYY'),  
20000, 'B9903');  
INSERT INTO Operation_List Values ('OL205', 'O5005',  
TO_DATE('02/17/2015','MM/DD/YYYY'), 'P1106', TO_DATE('02/17/2015','MM/DD/YYYY'),  
30000, 'B9906');  
INSERT INTO Operation_List Values ('OL206', 'O5006',  
TO_DATE('02/25/2015','MM/DD/YYYY'), 'P1107', TO_DATE('02/26/2015','MM/DD/YYYY'),  
26000, 'B9907');  
INSERT INTO Operation_List Values ('OL207', 'O5008',  
TO_DATE('03/02/2015','MM/DD/YYYY'), 'P1109', TO_DATE('03/02/2015','MM/DD/YYYY'),  
15000, 'B9909');  
INSERT INTO Operation_List Values ('OL208', 'O5010',  
TO_DATE('03/13/2015','MM/DD/YYYY'), 'P1110', TO_DATE('03/13/2015','MM/DD/YYYY'),  
10000, 'B9910');
```

```
INSERT INTO Performs Values ('E4404', 'OL201');  
INSERT INTO Performs Values ('E4406', 'OL202');  
INSERT INTO Performs Values ('E4408', 'OL203');  
INSERT INTO Performs Values ('E4406', 'OL204');  
INSERT INTO Performs Values ('E4409', 'OL205');  
INSERT INTO Performs Values ('E4410', 'OL206');  
INSERT INTO Performs Values ('E4408', 'OL207');  
INSERT INTO Performs Values ('E4404', 'OL208');
```

```
INSERT INTO Bill Values ('B9901', TO_DATE('02/14/2015','MM/DD/YYYY'), 'P1101', 3930);  
INSERT INTO Bill Values ('B9902', TO_DATE('02/18/2015','MM/DD/YYYY'), 'P1102', 5616);  
INSERT INTO Bill Values ('B9903', TO_DATE('02/20/2015','MM/DD/YYYY'), 'P1103', 37670);  
INSERT INTO Bill Values ('B9904', TO_DATE('02/22/2015','MM/DD/YYYY'), 'P1104', 4772);  
INSERT INTO Bill Values ('B9905', TO_DATE('02/23/2015','MM/DD/YYYY'), 'P1105', 34342);  
INSERT INTO Bill Values ('B9906', TO_DATE('02/18/2015','MM/DD/YYYY'), 'P1106', 32326);  
INSERT INTO Bill Values ('B9907', TO_DATE('02/27/2015','MM/DD/YYYY'), 'P1107', 30782);
```

```
INSERT INTO Bill Values ('B9908', TO_DATE('02/27/2015','MM/DD/YYYY'), 'P1108', 2500);  
INSERT INTO Bill Values ('B9909', TO_DATE('03/04/2015','MM/DD/YYYY'), 'P1109', 32824);  
INSERT INTO Bill Values ('B9910', TO_DATE('03/15/2015','MM/DD/YYYY'), 'P1110', 26394);
```