6)

Home.html

Home page will contain all menu items as signup/login/ home/ manufacturer/ aboutus and body will contain a table which will have product list as mentioned below.

(You can use dummy data as product list in Javascript/Typescript)

Product Table

id	Product name	Product description	Product price	Manufacturer name
	Mobile	Samsung Gy,	15,000	http://url1.com
1				

Manufacturer name column will have a clickable link. Clicking on this tha page will be navigated to corresponding manufacturer page details.

Manufacturer.html

Manufacturer page will contain all menu items as signup/login/ home/ manufacturer/ aboutus and body will contain a table which will have product list as mentioned below.

Manufacturer Table

Id	Manufacturer name	address

Ans.
```
<html>

<head>

</head>

<style>
```

```css
header {
  background-color: #666;
  padding: 30px;
  text-align: center;
  font-size: 35px;
  color: white;
}
</style>
<header>
<h1>home  login  signup   aboutus</h1>
<body>
<table>
<tr>
<th>ID</th>
<th>Product Name</th>
<th>Product Description</th>
<th>Product Price</th>
<th>Manufacturer Name</th>
</tr>
<tr>
<td>1</td>
<td>2</td>
<td>3</td>
<td>4</td>
</tr>
<tr>
<td>mobile1</td>
<td>mobile2</td>
```

```html
<td>mobile3</td>

<td>mobile4</td>

</tr>

<tr>

<td>description1</td>

<td>description2</td>

<td>description3</td>

<td>description4</td>

</tr>

<tr>

<td>1</td>

<td>2</td>

<td>3</td>

<td>4</td>

</tr>

<tr>

<td>link1</td>

<td>link2</td>

<td>link3</td>

<td>link4</td>

</td>

</table>

</body>

</html>
```

Part-2-

```html
<html>

<head>

</head>
```

```
<style>
header {
  background-color: #666;
  padding: 30px;
  text-align: center;
  font-size: 35px;
  color: white;
}
</style>
<h1>home  login  signup   aboutus</h1>

<body>
<table>
<tr>
<th>ID</th>
<th>ID</th>
<th>Manufacturer_name</th>
<th>Address</th>
</tr>
<tr>
<td>1</td>
<td>2</td>
<td>3</td>
<td>4</td>
</tr>
<tr>
<td>manufactuter_name1</td>
<td>manufactuter_name2</td>
```

```
<td>manufactuter_name3</td>

<td>manufactuter_name4</td>

</tr>

<tr>

<td>address1</td>

<td>address1</td>

<td>address1</td>

<td>address1</td>

</tr>

</table>
```