

MS OFFICE — ACCENTURE COMPLETE NOTES

Comprehensive Placement & Assessment Revision Guide | Excel • Word • PowerPoint • Practice MCQs

PART 1 — MS EXCEL 🔥🔥🔥

1. Workbook, Worksheet, Row, Column, Cell

Workbook

A workbook is the complete Excel file.

Example:

Sales.xlsx

One workbook can contain multiple worksheets.

```
Sales.xlsx
|
├── January
├── February
└── March
```

Worksheet

A worksheet is a single spreadsheet/page inside a workbook.

Row

Rows are horizontal and identified by numbers.

```
1
2
3
4
...
```

Column

Columns are vertical and identified by letters.

```
A
B
C
D
...
```

Cell

Intersection of a row and column.

B5

means: **Column B + Row 5**

Cell Address

```
A1
B10
C25
```

are cell addresses.

⚠ EXAM TRAP

Workbook ≠ Worksheet

- **Workbook** → Excel file
- **Worksheet** → Sheet inside workbook

2. Cell References ★★★★★

A cell reference tells Excel which cell contains the data.

Example:

=A1+B1

Here:

- A1 → first cell
- B1 → second cell

Excel has three major reference types:

1. **Relative**
2. **Absolute**
3. **Mixed**

3. Relative Reference ★★★★★

Example:

=A1+B1

Both references are relative. Suppose this formula is in C1.

C1 = A1+B1

Copy it down to C2:

C2 = A2+B2

Copy it to C3:

C3 = A3+B3

📌 KEY POINT

Relative references change when the formula is copied: A1 → A2 → A3

4. Absolute Reference ★★★★★

Absolute reference uses \$.

=\$A\$1

Both the column and row are locked. If you copy =\$A\$1 anywhere, it remains: =\$A\$1

💡 MEMORY TRICK

\$ = LOCK

So, \$A\$1 means: **Column A → locked, Row 1 → locked**

5. Mixed Reference ★★★★★

Mixed reference locks either row or column.

\$A1
 Column A → locked
 Row 1 → changes

A\$1
 Column A → changes
 Row 1 → locked

Complete Table

Reference	Column	Row
A1	Changes	Changes
\$A\$1	Locked	Locked
\$A1	Locked	Changes
A\$1	Changes	Locked

🎯 ACCENTURE SHORTCUT

- A1 → Relative
- \$A\$1 → Absolute
- \$A1 → Mixed
- A\$1 → Mixed

Microsoft documents these reference behaviors in its Excel formula guidance.

6. Operators

Operators tell Excel what operation to perform.

Arithmetic Operators

Operator	Meaning	Example
+	Addition	=A1+B1
-	Subtraction	=A1-B1
*	Multiplication	=A1*B1
/	Division	=A1/B1
^	Power	=A1^2
%	Percentage	=A1*10%

Comparison Operators

Operator	Meaning
=	Equal
>	Greater than
<	Less than
>=	Greater than or equal
<=	Less than or equal
<>	Not equal

Example:

```
=A1>=40
```

Result: `TRUE` or `FALSE`

7. Basic Formulas

A formula normally starts with `=`.

Example:

```
=A1+B1
```

Suppose: `A1 = 10`, `B1 = 20`. Then `=A1+B1` returns: `30`.

Formula vs Function

A **formula** is an expression created using operators/references:

```
=A1+B1*2
```

A **function** is a predefined Excel operation:

```
=SUM(A1:A10)
```

8. SUM ★★★★★

Adds numbers.

```
=SUM(A1:A5)
```

If values are: `10, 20, 30, 40, 50` → Result: `150`.

You can also write:

```
=SUM(A1, A3, A5)
```

9. AVERAGE ★★★★★

Calculates arithmetic mean.

```
=AVERAGE(A1:A5)
```

For values: `10, 20, 30, 40, 50` → Result: `30`.

IMPORTANT

Average = Sum of values / Number of values

10. COUNT ★★★★★

Counts numeric cells.

Suppose column A contains:

Cell	Value
A1	10
A2	20
A3	Hello
A4	30
A5	Blank

```
=COUNT(A1:A5)
```

Result: 3 (Because 10, 20, and 30 are numeric).

11. COUNTA ★★★★★

Counts non-empty cells.

For the same range:

```
=COUNTA(A1:A5)
```

Result: 4

⚠ REMEMBER (COMMON MCQ TRAP)

- **COUNT** → Numbers
- **COUNTA** → Non-empty cells

12. COUNTIF ★★★★★

Counts cells that satisfy a condition.

Syntax:

```
=COUNTIF(range, criteria)
```

Example:

Row	Marks
1	80
2	40
3	75
4	30
5	90

Count students scoring at least 50:

```
=COUNTIF(A1:A5, ">=50")
```

Result: 3 (Because 80, 75, 90 satisfy the condition).

Text example:

```
=COUNTIF(B1:B10, "Pass")
```

Counts cells containing: Pass

13. SUMIF ★★★★★

Adds values that satisfy a condition.

Syntax:

```
=SUMIF(range, criteria, sum_range)
```

Example:

Row	Employee (A)	Department (B)	Salary (C)
2	A	IT	40000
3	B	HR	30000
4	C	IT	50000
5	D	HR	35000

Formula:

```
=SUMIF(B2:B5, "IT", C2:C5)
```

Result: 90000 (Because 40000 + 50000 = 90000).

DIFFERENCE

- COUNTIF → Count matching cells
- SUMIF → Sum matching values

14. MAX

Returns the largest number.

```
=MAX(A1:A10)
```

Example: 20, 50, 10, 90, 40 → Result: 90

15. MIN

Returns the smallest number.

```
=MIN(A1:A10)
```

For: 20, 50, 10, 90, 40 → Result: 10

16. IF ★★★★★

IF checks a condition.

Syntax:

```
=IF(condition, value_if_true, value_if_false)
```

Example:

```
=IF(A1>=40, "Pass", "Fail")
```

If A1 = 70 → result: Pass

If A1 = 30 → result: Fail

```
Logic:
Condition
|
├─ TRUE → first result
```

└ FALSE → second result

17. Nested IF ★★★★★

An IF inside another IF.

Example:

```
=IF(A1>=90, "A",
    IF(A1>=75, "B",
        IF(A1>=60, "C", "D")))
```

Meaning:

- 90+ → A
- 75–89 → B
- 60–74 → C
- Below 60 → D

Why use Nested IF? When there are multiple conditions/results.

18. AND ★★★★★

AND returns TRUE only if all conditions are TRUE.

```
=AND(A1>=40, B1>=40)
```

Example:

A1 = 60, B1 = 70 → Result: TRUE

But: A1 = 60, B1 = 30 → Result: FALSE

💡 **MEMORY**

AND → ALL must be TRUE

19. OR ★★★★★

OR returns TRUE if at least one condition is TRUE.

```
=OR(A1>=40, B1>=40)
```

If: A1 = 60, B1 = 20 → Result: TRUE

💡 **MEMORY**

OR → ANY one can be TRUE

20. NOT

NOT reverses a logical result.

```
=NOT(TRUE) → Result: FALSE
```

```
=NOT(FALSE) → Result: TRUE
```

Example:

```
=NOT(A1>50)
```

If A1 = 40, then A1>50 is FALSE. Therefore: NOT(FALSE) = TRUE.

21. IF + AND

Very common scenario. A student must pass both subjects:

```
=IF(AND(A1>=40, B1>=40), "Pass", "Fail")
```

Logic:
 Subject 1 >= 40
 AND
 Subject 2 >= 40
 ↓
 Pass

22. IF + OR

Student passes if they meet at least one condition:

```
=IF(OR(A1>=40, B1>=40), "Pass", "Fail")
```

23. VLOOKUP ★★☆☆

VLOOKUP means: **Vertical Lookup**. It searches for a value in the first column of a table.

Example:

ID (A)	Name (B)	Salary (C)
101	Amit	30000
102	Ravi	40000
103	Neha	50000

Formula:

```
=VLOOKUP(102, A2:C4, 2, FALSE)
```

Result: Ravi

Parameters

```
VLOOKUP(  
  lookup_value,  
  table_array,  
  col_index_num,  
  range_lookup  
)
```

For =VLOOKUP(102, A2:C4, 2, FALSE):

Part	Meaning
102	Value to search
A2:C4	Table
2	Return second column
FALSE	Exact match

📌 TRUE VS FALSE

- **FALSE** → Exact match
- **TRUE** → Approximate match

For placement questions, remember: *FALSE is commonly used when an exact lookup is required.*

24. XLOOKUP ★★

XLOOKUP is a newer and more flexible lookup function.

Basic form:

```
=XLOOKUP(lookup_value, lookup_array, return_array)
```

Example:

```
=XLOOKUP(102, A2:A4, B2:B4)
```

It searches `A2:A4` and returns the corresponding value from `B2:B4`.

VLOOKUP vs XLOOKUP

VLOOKUP	XLOOKUP
Vertical lookup	More flexible
Uses column number	Uses return range
Lookup generally from left to right	Can return from either direction
Older/common function	Newer function
Exact/approximate match specified	Exact match by default

Microsoft documents XLOOKUP as a more flexible lookup function than VLOOKUP.

25. Sorting ★★

Sorting arranges data in an order.

- **Ascending:** A → Z | 1 → 9 | Small → Large
- **Descending:** Z → A | 9 → 1 | Large → Small

Example: `30, 10, 50, 20`

- Ascending: `10, 20, 30, 50`
- Descending: `50, 30, 20, 10`

🔴 IMPORTANT

Sort changes the order of the data.

26. Filtering ★★

Filtering displays only rows that satisfy a condition.

Example:

Name	Department
Amit	IT
Ravi	HR
Neha	IT
Raj	Finance

Filter: `Department = IT` → Excel displays: **Amit, Neha**. (The other rows are hidden from view, not normally deleted).

Sort vs Filter

- **Sort:** Changes order
- **Filter:** Displays matching records

27. Conditional Formatting ★★

Conditional Formatting automatically changes the appearance of cells based on conditions.

Example: Marks > 80 → You can highlight those cells.

Common uses: High marks, Low sales, Duplicate values, Dates, Data bars, Color scales, Icon sets.

Example:

Sales > ₹50,000 → Highlight cell

🔑 KEY IDEA

Formatting depends on the value/condition.

28. Charts ★★

Charts represent data visually. Common charts:

- **Column Chart:** Good for comparing categories.
- **Bar Chart:** Good for category comparisons, especially when labels are long.
- **Line Chart:** Best for trends over time (e.g., Jan → Feb → Mar → Apr).
- **Pie Chart:** Shows parts of a whole (e.g., IT 40%, HR 30%, Finance 30%).

💡 IMPORTANT CHART MAPPINGS

- **Trend over time** → Line
- **Comparison** → Column/Bar
- **Part of whole** → Pie

29. Pivot Table ★★★★★

A PivotTable summarizes large amounts of data.

Suppose you have:

Employee	Department	Sales
A	IT	100
B	HR	200
C	IT	300
D	HR	400

You can create a summary:

Department	Total Sales
IT	400
HR	600

Instead of manually calculating (IT: 100+300, HR: 200+400), PivotTable does the summarization.

Key uses: Sum, Count, Average, Grouping, Filtering, Summarization.

🎯 EXAM DEFINITION

PivotTable is used to summarize, analyze and reorganize large datasets.

30. Freeze Panes ★★

Freeze Panes keeps selected rows/columns visible while scrolling.

Example: You have

Name	ID	Salary	Department
------	----	--------	------------

 and 5,000 rows. When you scroll down, you want the headings to remain visible. Use: **Freeze Panes**.

SCENARIO QUESTION

Which Excel feature keeps the header row visible while scrolling?

Answer: Freeze Panes

31. Data Validation ★★

Data Validation controls what users can enter into a cell.

Example: You want users to select

Male	Female	Other
------	--------	-------

. Instead of typing arbitrary values, create a dropdown.

Other examples: Number between 1–100, Date range, Dropdown list, Text length restrictions.

Key idea:

Data Validation → Controls allowed input

32. Find & Replace ★★

- **Find:** Searches for specific content. Shortcut:

Ctrl + F

 (Example: Find

Delhi

)
- **Replace:** Replaces one value with another. Shortcut:

Ctrl + H

 (Example:

Delhi

 →

Mumbai

)

REMEMBER

- | |
|----------|
| Ctrl + F |
|----------|

 → Find
- | |
|----------|
| Ctrl + H |
|----------|

 → Replace

33. Important Excel Shortcuts ★★★

Shortcut	Purpose	Shortcut	Purpose
Ctrl + C	Copy	Ctrl + X	Cut
Ctrl + V	Paste	Ctrl + Z	Undo
Ctrl + Y	Redo	Ctrl + S	Save
Ctrl + P	Print	Ctrl + F	Find
Ctrl + H	Replace	Ctrl + A	Select all
Ctrl + N	New workbook	Ctrl + O	Open
F2	Edit active cell	Alt + =	AutoSum
Ctrl + 1	Format Cells		

Microsoft provides the official Excel shortcut reference.

PART 2 — MS WORD

Now move to Word.

34. Formatting

Formatting means changing the appearance of text/document.

Examples: Bold, Italic, Underline, Font, Font size, Font color, Alignment, Spacing.

Example:
 Normal Text
 BOLD
 Italic
 Underline

🔥 IMPORTANT DISTINCTION

Formatting changes appearance, not the actual meaning/content.

35. Font and Paragraph

- **Font:** Controls the appearance of characters. (Examples: Font name, Font size, Bold, Italic, Underline, Font color)
- **Paragraph:** Controls the structure of a paragraph. (Examples: Alignment, Indentation, Line spacing, Paragraph spacing, Bullets, Numbering)

⚠️ EXAM TRAP

- **Font** → Characters
- **Paragraph** → Paragraph layout

36. Alignment ★★★★★

Word provides four major alignments:

Alignment	Description	Shortcut
Left	Text starts from left.	Ctrl + L
Center	Text centered.	Ctrl + E
Right	Text aligned right.	Ctrl + R
Justify	Aligns text to both left and right margins.	Ctrl + J

💡 REMEMBER

- **L** → Left | **E** → cEnter | **R** → Right | **J** → Justify

37. Styles ★★★★★

Styles are predefined combinations of formatting (e.g., Title, Heading 1, Heading 2, Normal, Subtitle).

Why use styles? Instead of manually formatting every heading (Font, Size, Bold, Spacing), apply **Heading 1**.

Major advantage: Consistency throughout the document. Styles are also important for automatically generating a **Table of Contents**.

38. Header and Footer ★★★★★

- **Header:** Appears at the top of pages (e.g., Company Name).
- **Footer:** Appears at the bottom of pages (e.g., Page 1, Confidential).

Common uses: Page numbers, Document title, Company name, Date, Author.

💡 REMEMBER


- **Header** → Top | • **Footer** → Bottom

39. Page Setup ★★★★★

Page setup controls document page properties, including: **Margins, Orientation, Paper size, Columns, Page breaks**.

40. Margins

Margins are the blank spaces around the document content.



Four common margins: **Top, Bottom, Left, Right.**

41. Orientation

Two main orientations:

- **Portrait (Vertical):** Standard page height > width.
- **Landscape (Horizontal):** Page width > height.

💡 REMEMBER

- **Portrait** → Vertical
- **Landscape** → Horizontal

42. Bullets and Numbering ★★

Used to organize lists:

- **Bullets:** (• Excel, • Word, • PowerPoint) → Used when *order does not matter*.
- **Numbering:** (1. Excel, 2. Word, 3. PowerPoint) → Used when *order/sequence matters*.

43. Find & Replace

- **Find:** `Ctrl + F`
- **Replace:** `Ctrl + H`

Example: Find: `Accenture` → Replace with: `Microsoft`. Word can replace occurrences throughout the document.

44. Tables ★★

Tables organize information into **Rows + Columns**.

Name	Age	Department
Amit	21	IT
Ravi	22	HR

Tables are useful for: Data, Reports, Schedules, Comparisons.

45. Mail Merge ★★★★★

Very important. Mail Merge is used to create multiple personalized documents from one template and a data source.

Example: You need to send 500 letters. Instead of writing each individually, create one template (Dear <Name>, You are invited to...) and connect it to a list of names and addresses.

Mail Merge components:

Main Document + Data Source → Personalized Documents

🎯 EXAM QUESTION

Which MS Word feature is used to create personalized letters for multiple recipients?

Answer: Mail Merge

46. Track Changes ★★★★★

Track Changes records modifications made to a document.

Example: Original: *Microsoft Office is useful.* Someone changes it to: *Microsoft Office is very useful.* Track Changes allows the modification to be identified and reviewed.

Used heavily in: **Collaboration, Editing, Reviewing, Document approval.**

📌 KEY IDEA

Track Changes → Records edits

47. Comments ★★

Comments allow users to add notes/questions without directly changing the document text (e.g., *"This number needs verification."*).

Useful for: **Review, Feedback, Collaboration.**

🔍 DIFFERENCE

- **Track Changes** → Tracks modifications
- **Comments** → Adds feedback/notes

48. Page Break vs Section Break ★★★★★

This is a common conceptual question.

- **Page Break:** Starts content on a new page. It does not create a fundamentally different document section.
- **Section Break:** Divides a document into different sections, allowing different formatting/settings (e.g., Section 1 → Portrait, Section 2 → Landscape). Allows different: Headers, Footers, Margins, Orientation, Page numbering, Columns.

🎯 KEY DIFFERENCE & SCENARIO

- **Page Break** → New page
- **Section Break** → New section + independent formatting

Accenture Scenario: You want only one page in the middle of a document to be landscape while the remaining pages are portrait. What should you use?

Answer: Section Break

49. Important Word Shortcuts ★★★★★

Shortcut	Function	Shortcut	Function
Ctrl + B	Bold	Ctrl + I	Italic
Ctrl + U	Underline	Ctrl + L	Left align
Ctrl + E	Center	Ctrl + R	Right align
Ctrl + J	Justify	Ctrl + F	Find
Ctrl + H	Replace	Ctrl + S	Save
Ctrl + P	Print	Ctrl + Z	Undo
Ctrl + Y	Redo	Ctrl + A	Select all
Ctrl + N	New document	Ctrl + O	Open
Ctrl + K	Insert hyperlink		

50. Word File Extensions ★★★★★

- .doc — Older Microsoft Word document format.
- .docx — Modern Word document format.
- .pdf — Portable Document Format.

⚠ ACCENTURE TRAP (MEMORIZE THESE THREE)

- .docx → Word
- .xlsx → Excel
- .pptx → PowerPoint

PART 3 — MS POWERPOINT 🔥🔥

51. Presentation

A PowerPoint presentation is a collection of slides. PowerPoint is primarily used to create visual presentations.

Presentation

```

|
├─ Slide 1
├─ Slide 2
├─ Slide 3
└─ Slide 4
  
```

52. Slide

A slide is an individual page/screen in a PowerPoint presentation.

Presentation → Slides → Content

A slide can contain: **Text, Images, Tables, Charts, Shapes, SmartArt, Videos, Audio.**

53. Slide Layout ★★★★★

Slide Layout determines the arrangement/placeholders of content.

Examples: Title Slide, Title and Content, Two Content, Section Header, Blank.

Title and Content Layout:



IMPORTANT

Layout → Arrangement of placeholders

54. Themes ★★

A theme is a predefined collection of: **Colors, Fonts, Effects, Background styles**. It gives the presentation a consistent visual appearance.

Example: Apply one theme → Slide 1, Slide 2, Slide 3, Slide 4 all receive consistent design.

REMEMBER

Theme → Overall visual design

55. Slide Master ★★★

Very important. Slide Master controls the overall formatting/layout of slides. Suppose you want the company logo on every slide. Instead of adding it manually to 30 slides, add it to the Slide Master and all slides inherit it.

SCENARIO & DIFFERENCE

Scenario: You want the same logo and footer to appear consistently on all slides. What should you use?

Answer: Slide Master

- **Theme** → Overall design
- **Slide Master** → Controls common slide-level layout/formatting

56. Transitions ★★★

A transition is the visual effect that occurs when moving from one slide to another.

Examples: Fade, Push, Wipe, Morph.

Slide 1 → Fade → Slide 2

KEY POINT

Transition → Slide to Slide

57. Animations ★★★

Animation applies effects to objects on a slide (Text, Images, Shapes, Charts).

Text → Appear → Move

Transition vs Animation ★★★★★

Transition	Animation
Between slides	Objects on slide
Slide-level	Object-level
Slide 1 → Slide 2	Text/image effect

💡 MEMORY

- **Transition** → Slide
- **Animation** → Object

58. PowerPoint Views ★★★★★

PowerPoint provides different views for different tasks:

- **Normal View:** Main editing view. Used to edit slides, add content, modify layouts.
- **Slide Sorter View:** Displays multiple slides as thumbnails. Useful for rearranging slides, viewing presentation structure, applying transitions.
- **Reading View:** Used to view the presentation in a window.
- **Slide Show View:** Displays the presentation as the audience sees it.

59. Notes ★★★★★

Speaker Notes allow the presenter to add additional information about a slide (e.g., *"Explain that sales increased by 20%."*). The notes are primarily for the presenter, not the audience.

60. Hyperlinks ★★★★★

A hyperlink creates a clickable connection to a Website, Another slide, File, or Email address.

Common shortcut: `Ctrl + K`

61. Charts

PowerPoint can insert charts to visually represent data (Column, Bar, Line, Pie, Area). For yearly sales (2023: 100, 2024: 150, 2025: 200), a column/line chart makes the trend easier to understand.

62. SmartArt ★★★★★

SmartArt is used to create visual representations of information.

Examples:

- **Process:** `Plan → Develop → Test → Deploy`
- **Hierarchy:** `CEO → CTO / CFO`
- **Cycle:** `Plan → Do → Check → Act ↻`

📌 KEY IDEA

SmartArt converts textual information into structured visual diagrams.

63. Slide Show ★★★★★

Slide Show displays the presentation in presentation mode.

- `F5` — starts the slideshow from the beginning.
- `Shift + F5` — starts from the current slide.

Microsoft's PowerPoint shortcut documentation confirms these presentation shortcuts.

64. PowerPoint Shortcuts ★★★★★

Shortcut	Function	Shortcut	Function
Ctrl + C	Copy	Ctrl + X	Cut
Ctrl + V	Paste	Ctrl + Z	Undo
Ctrl + S	Save	Ctrl + M	New slide
Ctrl + D	Duplicate selected object/slide	Ctrl + K	Hyperlink
F5	Start slideshow	Shift + F5	Start from current slide
Esc	End slideshow	Ctrl + A	Select all

65. PowerPoint File Extensions ★★★★★

- .ppt — Older PowerPoint presentation format.
- .pptx — Modern PowerPoint presentation format.
- .ppsx — PowerPoint Show format.

⚠️ PLACEMENT MAPPING

- .docx → Word | • .xlsx → Excel | • .pptx → PowerPoint



MOST IMPORTANT DIFFERENCES FOR ACCENTURE

These are worth memorizing exactly.

Concept A	Concept B	Key Distinctions
Workbook	Worksheet	Workbook → Entire Excel file Worksheet → Individual sheet
Row	Column	Row → Horizontal (Numbers) Column → Vertical (Letters)
Relative	Absolute	A1 → Changes \$A\$1 → Fixed
\$A1	A\$1	\$A1 → Column fixed A\$1 → Row fixed
COUNT	COUNTA	COUNT → Numeric cells COUNTA → Non-empty cells
COUNTIF	SUMIF	COUNTIF → Counts matching values SUMIF → Adds matching values
AND	OR	AND → All conditions must be true OR → At least one condition true
VLOOKUP	XLOOKUP	VLOOKUP → Traditional vertical lookup XLOOKUP → More flexible lookup
Sort	Filter	Sort → Changes order Filter → Shows matching records
Page Break	Section Break	Page Break → New page Section Break → New section + different formatting
Track Changes	Comments	Track Changes → Records edits Comments → Adds feedback
Header	Footer	Header → Top Footer → Bottom
Layout	Theme	Layout → Arrangement of content/placeholders Theme → Overall visual design
Transition	Animation	Transition → Between slides Animation → Objects within a slide
Theme	Slide Master	Theme → Overall colors/fonts/effects Slide Master → Common slide formatting/layout
Slide Content	Speaker Notes	Slide Content → Audience Speaker Notes → Presenter

ACCENTURE MUST-MEMORIZE SHEET

If you have very little time, memorize this:

EXCEL

Workbook	→ Excel file
Worksheet	→ Sheet
Row	→ Number
Column	→ Letter
Cell	→ Row + Column
A1	→ Relative
\$A\$1	→ Absolute
\$A1	→ Column locked
A\$1	→ Row locked
SUM	→ Total
AVERAGE	→ Mean
COUNT	→ Numbers
COUNTA	→ Non-empty
COUNTIF	→ Conditional count
SUMIF	→ Conditional sum
MAX	→ Largest
MIN	→ Smallest
IF	→ Condition
AND	→ All TRUE
OR	→ Any TRUE
NOT	→ Reverse logical result
VLOOKUP	→ Vertical lookup
XLOOKUP	→ Flexible lookup
Sort	→ Change order
Filter	→ Show matching data
PivotTable	→ Summarize data
Freeze Panes	→ Keep rows/columns visible
Data Validation	→ Control input
Conditional Formatting	→ Condition-based formatting

WORD

Formatting	→ Appearance
Styles	→ Consistent formatting
Header	→ Top
Footer	→ Bottom
Margins	→ Blank space around content
Portrait	→ Vertical
Landscape	→ Horizontal
Mail Merge	→ Multiple personalized documents
Track Changes	→ Track edits
Comments	→ Feedback
Page Break	→ New page
Section Break	→ New section/formatting

POWERPOINT

Presentation	→ Collection of slides
Layout	→ Placeholder arrangement
Theme	→ Overall design
Slide Master	→ Common slide formatting
Transition	→ Between slides
Animation	→ Objects on slide
Notes	→ Presenter information
SmartArt	→ Visual diagrams
Slide Sorter	→ Organize/rearrange slides
F5	→ Start slideshow
Shift+F5	→ Start from current slide

EXCEL MCQS

Q1. Which of the following represents an absolute cell reference in Excel?

- A. A1
- B. \$A\$1
- C. \$A1
- D. A\$1

Answer: B. \$A\$1

- A. A1  — Relative reference. Both row and column can change when copied.
- B. \$A\$1  — Absolute reference. Both column A and row 1 are locked.
- C. \$A1  — Mixed reference. Column is fixed, row can change.
- D. A\$1  — Mixed reference. Row is fixed, column can change.

Remember: \$ means locked.

Q2. If the formula =A1+B1 in cell C1 is copied to C2, what will the formula become?

- A. =A1+B1
- B. =A2+B2
- C. =\$A\$1+\$B\$1
- D. =A1+B2

Answer: B. =A2+B2

- A  — Would happen if the references were absolute.
- B  — A1 and B1 are relative references, so both row numbers increase by 1.
- C  — This would be an absolute reference.
- D  — Both references move because both are relative.

Q3. Which function calculates the total of a range?

- A. AVERAGE()
- B. COUNT()
- C. SUM()
- D. TOTAL()

Answer: C. SUM()

- A  — Calculates the arithmetic mean.
- B  — Counts numeric cells.
- C  — Adds numbers.
- D  — TOTAL() is not the standard Excel function for this purpose.

Q4. What is the result of: =AVERAGE(10, 20, 30, 40)

- A. 20
- B. 25
- C. 30
- D. 100

Answer: B. 25**Calculation:** $(10 + 20 + 30 + 40) / 4 = 100 / 4 = 25$

- A  — Incorrect average.
- B  — Correct.
- C  — Not the average.
- D  — This is the sum.

Q5. Which function counts only numeric cells?

- A. COUNTA()
- B. COUNT()
- C. COUNTIF()
- D. SUM()

Answer: B. COUNT()

- A  — Counts all non-empty cells.
- B  — Counts numeric values.
- C  — Counts cells satisfying a specified condition.
- D  — Adds values.

Shortcut: COUNT → Numbers / COUNTA → Non-empty cells

Q6. Consider: A1=10, A2=Hello, A3=20, A4=Blank, A5=30. What is: `=COUNTA(A1:A5)`

- A. 3
- B. 4
- C. 5
- D. 2

Answer: B. 4

- A** ❌ — 3 is the COUNT result (only numeric cells: 10, 20, 30).
- B** ✅ **Correct answer** — Four cells contain something: 10, Hello, 20, and 30.
- C** ❌ — Blank cells are not counted.
- D** ❌ — Incorrect.

Final Answer: B. 4. This is exactly why COUNT vs COUNTA is important.

Q7. Which function counts cells according to a specified condition?

- A. COUNT
- B. COUNTA
- C. COUNTIF
- D. SUMIF

Answer: C. COUNTIF()

- A** ❌ — Counts numeric cells.
- B** ❌ — Counts non-empty cells.
- C** ✅ — Counts cells meeting a condition (e.g., `=COUNTIF(A1:A10, ">50")`).
- D** ❌ — Adds values meeting a condition.

Q8. Which formula calculates the total salary of employees belonging to the IT department?

- A. `=COUNTIF(B2:B10,"IT")`
- B. `=SUM(B2:B10,"IT")`
- C. `=SUMIF(B2:B10,"IT",C2:C10)`
- D. `=AVERAGEIF(B2:B10,"IT",C2:C10)`

Answer: C. `=SUMIF(B2:B10,"IT",C2:C10)`

- A** ❌ — Counts IT employees; doesn't total salaries.
- B** ❌ — Incorrect SUM syntax for this task.
- C** ✅ — Checks department in B and sums corresponding salaries in C.
- D** ❌ — Calculates average, not total.

Q9. What does the following formula do? `=IF(A1>=40, "Pass", "Fail")`

- A. Adds 40 to A1
- B. Checks whether A1 is at least 40
- C. Counts values greater than 40
- D. Returns only numeric values

Answer: B. Checks whether A1 is at least 40

- A  — No addition occurs.
- B  — Checks the condition $A1 \geq 40$.
- C  — COUNTIF would be used for counting.
- D  — Not what IF does.

Q10. What will this return if A1 = 75? `=IF(A1>=40, "Pass", "Fail")`

- A. 40
- B. TRUE
- C. Pass
- D. Fail

Answer: C. Pass

- A  — 40 is the threshold, not the result.
- B  — The formula returns text.
- C  — $75 \geq 40$.
- D  — The false condition is not met.

Q11. Which function returns TRUE only when all specified conditions are TRUE?

- A. OR()
- B. NOT()
- C. AND()
- D. IF()

Answer: C. AND()

- A  — OR requires at least one condition to be TRUE.
- B  — Reverses a logical result.
- C  — All conditions must be TRUE.
- D  — Performs conditional evaluation.

Q12. What is the result of: `=AND(TRUE, FALSE, TRUE)`

- A. TRUE
- B. FALSE
- C. 1
- D. Error

Answer: B. FALSE

- A  — AND requires every condition to be TRUE.
- B  — One condition is FALSE.
- C  — Not the logical result.
- D  — The formula is valid.

Q13. What is the result of: `=OR(FALSE, FALSE, TRUE)`

- A. TRUE
- B. FALSE
- C. 0
- D. Error

Answer: A. TRUE

- A  — At least one condition is TRUE.
- B  — OR doesn't require all conditions to be TRUE.
- C  — Incorrect.
- D  — Valid formula.

Q14. What does NOT(TRUE) return?

- A. TRUE
- B. FALSE
- C. 1
- D. Error

Answer: B. FALSE

- A  — NOT reverses TRUE.
- B  — NOT(TRUE) = FALSE.
- C  — Not the logical result.
- D  — Valid formula.

Q15. Which Excel function is primarily used for vertical lookup?

- A. HLOOKUP
- B. VLOOKUP
- C. LOOKUPH
- D. SEARCH

Answer: B. VLOOKUP()

- A  — HLOOKUP is horizontal lookup.
- B  — VLOOKUP means Vertical Lookup.
- C  — Not a standard Excel function.
- D  — SEARCH finds text within text.

Q16. In `=VLOOKUP(102, A2:C10, 3, FALSE)` what does 3 represent?

- A. Lookup value
- B. Number of rows
- C. Column index number
- D. Exact match

Answer: C. Column index number

- A  — 102 is the lookup value.
- B  — It does not specify rows.
- C  — Returns data from the third column of the table.
- D  — FALSE specifies exact matching.

Q17. In VLOOKUP, what does FALSE generally indicate?

- A. Approximate match
- B. Exact match
- C. Reverse lookup
- D. Case-sensitive search

Answer: B. Exact match

- A  — TRUE is traditionally used for approximate matching.
- B  — FALSE requests an exact match.
- C  — Not what FALSE means.
- D  — FALSE does not make VLOOKUP case-sensitive.

Q18. Which feature is used to arrange data from smallest to largest?

- A. Filtering
- B. Sorting
- C. Validation
- D. Formatting

Answer: B. Sorting

- A  — Filtering displays selected records.
- B  — Sorting rearranges data.
- C  — Data Validation controls input.
- D  — Formatting changes appearance.

Q19. Which feature displays only rows that satisfy a specified condition?

- A. Sort
- B. Filter
- C. PivotTable
- D. Freeze Panes

Answer: B. Filter

- A  — Changes ordering.
- B  — Displays matching records.
- C  — Summarizes/reorganizes data.
- D  — Keeps rows/columns visible while scrolling.

Q20. You have 5,000 rows of sales data and want to summarize total sales by region. Which feature is most appropriate?

- A. WordArt
- B. PivotTable
- C. Freeze Panes
- D. Mail Merge

Answer: B. PivotTable

- A  — PowerPoint/Word visual text feature.
- B  — PivotTables are designed to summarize and analyze large datasets.
- C  — Only controls scrolling visibility.
- D  — Word document-generation feature.

Q21. Which Excel feature keeps the first row visible while scrolling down?

- A. Split
- B. Freeze Panes
- C. Filter
- D. Sort

Answer: B. Freeze Panes

- A  — Split divides the worksheet window.
- B  — Keeps selected rows/columns visible.
- C  — Filters data.
- D  — Rearranges data.

Q22. You want users to select only IT, HR, or Finance from a dropdown. Which feature should you use?

- A. Conditional Formatting
- B. Data Validation
- C. Sorting
- D. PivotTable

Answer: B. Data Validation

- A  — Changes formatting based on conditions.
- B  — Can restrict input and create dropdown lists.
- C  — Arranges data.
- D  — Summarizes data.

Q23. Which feature automatically highlights cells when a condition is met?

- A. Data Validation
- B. Conditional Formatting
- C. Sorting
- D. Find & Replace

Answer: B. Conditional Formatting

- A  — Controls what users can enter.
- B  — Applies formatting based on cell values/conditions.
- C  — Rearranges data.
- D  — Searches/replaces content.

Q24. Which shortcut opens Find in Excel?

- A. Ctrl + F
- B. Ctrl + H
- C. Ctrl + G
- D. Ctrl + R

Answer: A. Ctrl + F

- A ☒ — Find.
- B ☒ — Replace.
- C ☒ — Go To.
- D ☒ — Not the standard Find shortcut.

Q25. Which shortcut opens Find and Replace?

- A. Ctrl + F
- B. Ctrl + H
- C. Ctrl + R
- D. Ctrl + Shift + F

Answer: B. Ctrl + H

- A ☒ — Find only.
- B ☒ — Find and Replace.
- C ☒ — Not the standard Replace shortcut.
- D ☒ — Not the standard command.

WORD MCQS

Q26. Which Word feature is used to create personalized letters for many recipients?

- A. Track Changes
- B. Mail Merge
- C. WordArt
- D. AutoCorrect

Answer: B. Mail Merge

- A ☒ — Tracks document modifications.
- B ☒ — Combines a template with a data source to create personalized documents.
- C ☒ — Creates decorative text.
- D ☒ — Corrects common typing errors.

Q27. Which Word feature records modifications made to a document?

- A. Comments
- B. Track Changes
- C. Mail Merge
- D. Styles

Answer: B. Track Changes

- A ☒ — Comments provide feedback/notes.
- B ☒ — Tracks edits such as insertions, deletions and formatting changes.
- C ☒ — Generates personalized documents.
- D ☒ — Controls consistent formatting.

Q28. You want one page in the middle of a document to be landscape while the rest remain portrait. What should you use?

- A. Page Break
- B. Section Break
- C. Line Break
- D. Paragraph Break

Answer: B. Section Break

- A ☒ — Starts a new page but doesn't independently control section formatting.
- B ☒ — Allows different formatting/settings for different sections.
- C ☒ — Moves text to the next line.
- D ☒ — Ends a paragraph.

POWERPOINT MCQS

Q29. You want the company logo to appear consistently on every slide. Which feature is most appropriate?

- A. Slide Transition
- B. Slide Master
- C. Animation
- D. Slide Sorter

Answer: B. Slide Master

- A ☒ — Controls effects between slides.
- B ☒ — Controls common slide elements and formatting.
- C ☒ — Animates objects.
- D ☒ — Helps organize/rearrange slides.

Q30. Which statement correctly distinguishes a transition from an animation?

- A. Transition applies to text; animation applies to slides
- B. Transition occurs between slides; animation applies to objects on a slide
- C. Both are exactly the same
- D. Animation occurs only during printing

Answer: B. Transition occurs between slides; animation applies to objects on a slide

- A  — Reversed.
- B  — This is the key distinction.
- C  — They have different purposes.
- D  — Animation is a presentation feature.

★ QUICK RECAP SUMMARY

TRANSITION

Slide 1



Effect



Slide 2

ANIMATION

Slide

├─ Text → Effect

├─ Image → Effect

└─ Shape → Effect