Ui Path some important questions

1. How can you retrieve the value stored in a queue item variable
    By using specific content property
2. "Add Asset" in orchestrator has the following option.
    - **Value per Robot**
    - **Single Value**
3. When should the simulate Type/Click property be used
    Whenever supported by the target applications
4. How does the anchor base activity work?
    It searches for UI element by using another UI Element as anchor
5. What robot state is displayed on the robot page while a job is being executed
    Busy
6. In UiPath Robotic Enterprise Framework what are the transition of the init state
    - **In the case of success the transition is to get transition data state.**
    - **In the case of System error the transition is to the end state.**
7. By using the Full Text scraping method the robot is able to?
    - **Get hidden information**
    - **Get editable text**
8. What activity allows you to customize the name of sender when you are sending an email?
    - **Send exchange mail message**
    - **Send SMTP mail message**
9. Which is preserves the text position?
    - **Native**
    - **OCR**
10. Full text method is?
    - **It is fast**
    - **Work in background**
    - **Get hidden Text**
11. Which of the following statement related to orchestrator are true?
    - **Robot can be assigned to multiple environment**
    - **A robot can execute many different jobs at same time.**
12. Which of the following technologies can be used for background automation?

- **The click activity with simulate click flag checked**
- **The full text method of screen scraping**
- **Data scraping**
- **Type into activity with send windowsmessage flag checked.**

13. Which is safest way to close the application?
- **By using the close application activity.**

14. UI Path RE Framework template be used as
- **The starting point of every automation project**

15. What happens if you send "123[k(enter)]" by using type into activity with the simulate type property selected?
- **It will type 123[k(enter)]**

16. What happens if you send "123[k(enter)]" by using type into activity with the simulate type property not selected?
- **It will type 123 then press enter**

17. What is the safest way to close the application?
- **By using the close application activity**

18. Project best practices
- **Removing unreferenced variable**
- **Deleting disabled code**

19. Which queue item properties can be used to control the order in which the items are processed
- **Priority**
- **Deadline**
- **Postpone**

20. What robots can be selected when you start a job from orchestrator
- **Any robot in the same environment as the process to be executed**

21. Which one of the statements below regarding the GetAppCredentials workflow included in UI Path RE Framework is true.
- **If First to fetch a credentials from orchestrator**

22. What can the UI Path RE Framework template be used as
- **The starting point for every automation project.**

23. Why is remaining activities considered to be one of the best practices
- **In case of an exception to be able to find its source activity.**

- **To be able to understand the process logic without expanding each sequence of invoked workflow.**
- **To easily understand the high level business logic from a workflow.**

24. In which workflow in the Ui Path RE Framework template is the transaction number global variable increment by default

- **SetTransactionStatus Workflow.**

25. Which is considered to be one of the best practices regarding the process finalization?

- **Leave the application in its initial state so that we can execute the process again.**

26. What is wait for ready property.

- **Before performing the actions wait for the target to become ready.**

27. In the REFramework template, If the System Error is encountered in the Process Transaction state of the main work flow which status executed the next?

- **Init**

28. In the ReFramework, If the System error is encountered in the init state of the main workflow Which state executed next

- **End Process**

29. Which of the following are considered best practices.

- **Start your new sequence with a short annotation meant to explain the purpose of the workflow**
- **Think about the exception that occur during the execution of the process**

30. Best way of scraping a large selectable text in a citrix environment?

- **Select the entire text and copy it with copy selected text activity.**

31. In which workflow in RE Framework template the retry mechanism implemented?

- **The set transaction status work flow.**

32. Which emails are deleted if you use Get IMAP mail message with the delete message property set to true?

- **Only the email that was marked as previously read.**

33. What is the robot able to do when the Full text scraping method is used?

- **Get hidden information**
- **Get editable text**
- **Get the entire visible text**

34. What happen if you try to end the execution of a job by clicking the Kill/Terminate button in UiPath Orchestrator?

- **The execution process killed. The job state is changed to cancel/stopped even if no should stop activity was used.**

35. In the RE Framework template what happen if the processing of a transaction item fails with an application exception error of a System error?

- **All used applications are closed and the reinitialized**
- **The exception of Transaction item is retried if the max retry number config value>0**

36. What do the items in the orchestrator Queue consist of?

- **Process to be executed by the robot**

37. Which of the status a transaction have?

- **New**
- **In Progress**
- **Successful**
- **Abandoned**
- **Fail**
- **Retried**
- **Deleted**

38. Starting process with UiPath orchestrator?

- **Registering robots to orchestrator**
- **Publishing projects from UiPath Studio**
- **Creating an environment containing the robot**
- **Creating a queue in orchestrator**
- **Creating a process with the published package and environment**

39. In the UiPath RE Framework the Get Transaction data state of the main workflow what happen before the next transaction item is retrieved.

- **We check if a stop signal was sent from orchestrator**

40. A developer has a workflow in which the value of a counter needs to be evaluated before the body of the loop is executed. Which Control Flow activity should be used?

- **While**

41. In order to show only filtered MailMessage variables, which activity should be used?

- **GetIMAP Mail message**

42. What robots can be selected when you start a job from Orchestrator?

- **Any robot in the same environment as the process to be executed.**

43. What do the Items in the Orchestrator queues consist of?

- **Process to be executed by the robots.**

44. Which of the following activities can you use to extract text from a hidden browser?

- **Get full text**
- **Get text**

45. What is the safest way to close the application?

- **By using close application activity**

46. What is the purpose of the WaitForReady property in any UiAutomation activity?

- **Before performing the action wait for target to become ready**

47. Can Excel related activities be used without having the excel application installed?

- **Yes, but only for xlsx files.**

48. Types of exceptions in UiPath?

- **Application exceptions**
- **Business rule exceptions**

49. Robot Statuses in UiPath?

- **Available**
- **Busy**
- **Disconnected**

50. In a try catch activity, how many times is the finally section executed if no error in the try section?

- **Once**

51. Can you insert a Flowchart activity in a Sequence?

- **Yes**