Terminal

```
=> CACHED [api-gateway 3/5] COPY package.json .                                                                    0.0s
=> CACHED [api-gateway 4/5] RUN npm install                                                                        0.0s
=> CACHED [api-gateway 5/5] COPY server.js .                                                                       0.0s
=> CACHED [order-service 2/5] WORKDIR /app                                                                         0.0s
=> CACHED [item-service 3/5] COPY requirements.txt .                                                               0.0s
=> CACHED [item-service 4/5] RUN pip install --no-cache-dir -r requirements.txt --retries 10 --timeout 100         0.0s
=> CACHED [item-service 5/5] COPY main.py .                                                                        0.0s
=> [item-service] exporting to image                                                                               0.4s
=> => exporting layers                                                                                             0.0s
=> => writing image sha256:516a956a1b72ba5eb86881f06f5cbdafcc7417af0e6fcab4b11d8ef675f184f9                        0.0s
=> => naming to docker.io/library/microservices-lab-item-service                                                   0.1s
=> [api-gateway] exporting to image                                                                                0.4s
=> => exporting layers                                                                                             0.0s
=> => writing image sha256:ce129b5d2c458917bb25e6033c3645d734990e4e9ddbf6181f743da84be14beb                        0.0s
=> => naming to docker.io/library/microservices-lab-api-gateway                                                    0.2s
=> CACHED [order-service 3/5] COPY requirements.txt .                                                              0.0s
=> CACHED [order-service 4/5] RUN pip install --no-cache-dir -r requirements.txt --retries 10 --timeout 100        0.0s
=> CACHED [order-service 5/5] COPY . .                                                                             0.0s
=> [order-service] exporting to image                                                                              0.3s
=> => exporting layers                                                                                             0.0s
=> => writing image sha256:9e7d31694a4b2d59e8c6eabcd81232aeeb2877a61fbd001618a83d7b91e5d87e                        0.1s
=> => naming to docker.io/library/microservices-lab-order-service                                                  0.1s
=> [api-gateway] resolving provenance for metadata file                                                            4.6s
=> [item-service] resolving provenance for metadata file                                                           4.5s
=> [order-service] resolving provenance for metadata file                                                          2.9s
[+] Building 4/4
 ✓ microservices-lab-item-service     Built                                                                        0.0s
 ✓ microservices-lab-order-service    Built                                                                        0.0s
 ✓ microservices-lab-payment-service  Built                                                                        0.0s
 ✓ microservices-lab-api-gateway      Built                                                                        0.0s
PS C:\Users\Abhishek\Documents\GitHub\CTSE-Lab-5\microservices-lab>
```

Terminal

```
 ✓ Container api-gateway      Recreated
Attaching to api-gateway, item-service, order-service, payment-service
order-service   | [2026-03-03 07:45:14 +0000] [1] [INFO] Starting gunicorn 21.2.0
order-service   | [2026-03-03 07:45:14 +0000] [1] [INFO] Listening at: http://0.0.0.0:8082 (1)
order-service   | [2026-03-03 07:45:14 +0000] [1] [INFO] Using worker: sync
order-service   | [2026-03-03 07:45:14 +0000] [7] [INFO] Booting worker with pid: 7
payment-service | warn: Microsoft.AspNetCore.Hosting.Diagnostics[15]
payment-service |       Overriding HTTP_PORTS '8080' and HTTPS_PORTS ''. Binding to values defined by URLS instead 'http://0.0.0.0:8083'.
payment-service | info: Microsoft.Hosting.Lifetime[14]
payment-service |       Now listening on: http://0.0.0.0:8083
payment-service | info: Microsoft.Hosting.Lifetime[0]
payment-service |       Application started. Press Ctrl+C to shut down.
payment-service | info: Microsoft.Hosting.Lifetime[0]
payment-service |       Hosting environment: Production
payment-service | info: Microsoft.Hosting.Lifetime[0]
payment-service |       Content root path: /app
api-gateway     |
api-gateway     | > api-gateway@1.0.0 start
api-gateway     | > node server.js
api-gateway     |
item-service    | INFO:     Started server process [1]
item-service    | INFO:     Waiting for application startup.
item-service    | INFO:     Application startup complete.
item-service    | INFO:     Uvicorn running on http://0.0.0.0:8081 (Press CTRL+C to quit)
api-gateway     | [HPM] Proxy created: /  -> http://item-service:8081
api-gateway     | [HPM] Proxy created: /  -> http://order-service:8082
api-gateway     | [HPM] Proxy created: /  -> http://payment-service:8083
api-gateway     | API Gateway running on port 8080
```

CTSE-LAB-5 / **Add Item**

POST http://localhost:8085/items

Docs Params Authorization Headers (9) Body Scripts Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1  {"name": "Headphones"}
```

Body Cookies Headers (6) Test Results 201 Created

{} JSON Preview Visualize

```
1  {
2      "message": "Item added: Headphones"
3  }
```

CTSE-LAB-5 / **Get all items**

GET http://localhost:8085/items

Docs | Params | Authorization | Headers (7) | Body | Scripts | Settings

Query Params

	Key	Value	Descrip

Body | Cookies | Headers (6) | Test Results — 200 OK

{} JSON | Preview | Visualize

```
[
    "Book",
    "Laptop",
    "Phone",
    "Headphones"
]
```

CTSE-LAB-5 / **Place Order**

POST http://localhost:8085/orders

Docs | Params | Authorization | Headers (9) | Body | Scripts | Settings

none | form-data | x-www-form-urlencoded | raw | binary | GraphQL | JSON

```
{"item": "Laptop", "quantity": 2, "customerId": "C001"}
```

Body | Cookies | Headers (6) | Test Results — 201 Created

{} JSON | Preview | Visualize

```
{
    "item": "Laptop",
    "quantity": 2,
    "customerId": "C001",
    "id": 1,
    "status": "PENDING"
}
```

CTSE-LAB-5 / **Get item by ID**

GET http://localhost:8085/items/0

Docs | Params | Authorization | Headers (7) | Body | Scripts | Settings

Query Params

Key	Value	Description

Body | Cookies | Headers (6) | Test Results — 200 OK

JSON | Preview | Visualize

```
{
    "id": 0,
    "name": "Book"
}
```

CTSE-LAB-5 / **Get all orders**

GET http://localhost:8085/orders

Docs | Params | Authorization | Headers (7) | Body | Scripts | Settings

Query Params

Key	Value	Description

Body | Cookies | Headers (6) | Test Results — 200 OK • 466 ms

JSON | Preview | Visualize

```
[
    {
        "item": "Laptop",
        "quantity": 2,
        "customerId": "C001",
        "id": 1,
        "status": "PENDING"
    }
]
```

CTSE-LAB-5 / **Get order by ID**

GET http://localhost:8085/orders/1

Docs | Params | Authorization | Headers (7) | Body | Scripts | Settings

Query Params

	Key	Value	Description
	Key	Value	Description

Body | Cookies | Headers (6) | Test Results — 200 OK • 359

JSON | Preview | Visualize

```
{
    "item": "Laptop",
    "quantity": 2,
    "customerId": "C001",
    "id": 1,
    "status": "PENDING"
}
```

CTSE-LAB-5 / **Get all payments**

GET http://localhost:8085/payments

Docs | Params | Authorization | Headers (7) | Body | Scripts | Settings

Query Params

	Key	Value	Description
	Key	Value	Description

Body | Cookies | Headers (6) | Test Results — 200 OK • 733 m

JSON | Preview | Visualize

```
[
    {
        "orderId": 1,
        "amount": 1299.99,
        "method": "CARD",
        "id": 1,
        "status": "SUCCESS"
    }
]
```

CTSE-LAB-5 / **Process Payment**

POST http://localhost:8085/payments/process

Docs Params Authorization Headers (9) Body Scripts Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON

```
1  {"orderId": 1, "amount": 1299.99, "method": "CARD"}
```

Body Cookies Headers (7) Test Results **201 Created**

{} JSON Preview Visualize

```
1  {
2      "orderId": 1,
3      "amount": 1299.99,
4      "method": "CARD",
5      "id": 1,
6      "status": "SUCCESS"
7  }
```

CTSE-LAB-5 / **Get payment by ID**

GET http://localhost:8085/payments/1

Docs Params Authorization Headers (7) Body Scripts Settings

Query Params

	Key	Value	Description

Body Cookies Headers (6) Test Results **200 OK** 326

{} JSON Preview Visualize

```
1  {
2      "orderId": 1,
3      "amount": 1299.99,
4      "method": "CARD",
5      "id": 1,
6      "status": "SUCCESS"
7  }
```