

Practical No: 4


Write a JAX-WS web service to perform the following operations. Define a Servlet / JSP that consumes the web service.

<u>Step 1:</u> Create a new project. Click on web application \rightarrow Name of project \rightarrow Next \rightarrow Finish.





<u>Step 2:</u> Once your project is successfully created. Expand your project, right click on project. Select New → Web Service. Enter the name of new Web Service as operation & package name as <u>com.kk.</u> Click on Finish options.



Step 3: Once your web service Created. Remove the selected part from Operation.java

```
Start Page 🗙 🙆 Operation.java 🗴
 Source Design History 🔯 🖟 🔻 - 🏿 - 💆 🞝 🞝 🗗 📮 🎧 - 🎖 🖰 🖺 🕮 🗐 🥥 🗆 🕮
          To change this license header, choose License Headers in Project
       * To change this template file, choose Tools | Templates * and open the template in the editor.
8
9
10
   import javax.jws.WebService;
       import javax.jws.WebMethod;
      import javax.jws.WebParam;
14
15
16
17
18
       * @author Bhoomika Pansare
      @WebService(serviceName = "Operation")
      public class Operation {
19
20
21
   巨
            * This is a sample web service operation
           @WebMethod(operationName = "hello")
9
25
           public String hello(@WebParam(name = "name") String txt) {
               return "Hello " + txt + " !";
```


Step 4: Add Operations. The first operation is Addition.

Operation name is Add. The return type will be integer. Add some parameter.

Now here I am taking two parameters.

Parameter name is a & type will be integer.

Parameter name is b & type will be integer. After that, click on OK button.





Step 5: Now the declaration of variable.

Int c = a+b;

Return c;

<u>Step 6:</u> Now repeat, the Step 4 & 5 for creation of Subtraction, multiplication & division Operation.





Step 7: Now, write the following code for subtraction, multiplication & division method.

Subtraction method:

int c = a-b;

return c;

Multiplication method:

int c = a*b;

return c;


Division method:


int c = a/b;

return c;


```
30
31
          @WebMethod(operationName = "Sub")
<u>Q.</u>
   口
          public int Sub(@WebParam(name = "a") int a, @WebParam(name = "b") int b) {
33
              int c = a-b;
34
              return c;
35
36
37
   曱
38
          * Web service operation
39
          @WebMethod(operationName = "Multi")
40
   口
          public int Multi(@WebParam(name = "a") int a, @WebParam(name = "b") int b) {
42
              int c = a*b;
43
              return c;
44
45
46
   口
          * Web service operation
47
48
49
          @WebMethod(operationName = "Div")
          public int Div(@WebParam(name = "a") int a, @WebParam(name = "b") int b) {
<u>@</u>
  巨
51
              int c = a/b;
52
              return c;
53
54
```

Step 8: Now test your web service.





<u>Step 9:</u> Now right click on project. Select New → JSP page. Give the file name & click on Finish.




Step 10: Write the following code in JSP page.

```
<%
    com.kk.Operation a1 = new com.kk.Operation();
    int d = a1.Add(3, 6);
    int e = a1.Sub(45, 26);
    int f = a1.Multi(23, 3);
    int g = a1.Div(64, 6);
    out.println("Addition of two numbers is: "+d+"<br>
    out.println("Subtraction of two numbers is: "+e+"<br>
    int g = a1.Div(64, 6);
    out.println("Multiplication of two numbers is: "+f+"<br>
    int g = a1.Div(64, 6);
    out.println("Bubtraction of two numbers is: "+g+"<br/>
    int g = a1.Div(64, 6);
    out.println("Bubtraction of two numbers is: "+g+"<br/>
    int g = a1.Div(64, 6);
    out.println("Bubtraction of two numbers is: "+g+"<br/>
    int g = a1.Div(64, 6);
    int g = a1.Div(64, 6);
    int g = a1.Div(64, 6);
    out.println("Bubtraction of two numbers is: "+g+"<br/>
    int g = a1.Div(64, 6);
    int g
```

```
Start Page × Operation.java × 🗃 newjsp.jsp ×
Source History | 👺 🔯 🔻 🔻 🔻 🞝 😓 📮 🖟 😓 | 💇 💇 | 🧓 🔲
1 = <%--
         Created on: 7 Jul, 2023, 9:49:45 PM
         Author : Bhoomika Pansare
5
      <%@page contentType="text/html" pageEncoding="UTF-8"%>
      <!DOCTYPE html>
   - <html> <html>
9
10
11
             <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
12
              <title>JSP Page</title>
13
          </head>
14
          <body>
Q
16
                  com.kk.Operation al = new com.kk.Operation();
17
                  int d = al.Add(3, 6);
                  int e = al.Sub(45, 26);
18
                  int f = al.Multi(23, 3);
19
                  int g = al.Div(64, 6);
20
21
                  out.println("Addition of two numbers is: "+d+"<br>");
22
                 out.println("Subtraction of two numbers is: "+e+"<br>");
23
                 out.println("Multiplication of two numbers is: "+f+"<br>");
24
                 out.println("Division of two numbers is: "+g+"<br>");
25
26
         </body>
      </html>
```


Step 11: Now right click on JSP page page. Click on Run file.



Addition of two numbers is: 9
Subtraction of two numbers is: 19
Multiplication of two numbers is: 69
Division of two numbers is: 10

Write a JAX-WS web service server & client to perform the following operations. Define a servlet/ JSP that consumes the web service.

Step 1: Create a new project. New project \rightarrow Java Web \rightarrow Web Application.



Step 2: Right click on newly created project. Create a new web service. The service name is MyWebServices & package name is rc.com.

0	New Web Service X					
Steps		Name and Location				
1. 2.	Choose File Type Name and Location	Web Service Name: MyWebServices				
		Project: WebServices_Using_Clients				
		Location: Source Packages	~			
		Package: rc.com	~			
		○ Create <u>W</u> eb Service from Scratch				
	Create Web Service from Existing Session Bean					
		Enterprise Bean:	B <u>r</u> owse			
		☐ Implement Web Service as Stateless Session Bean				
		< gack Next > Finish Cancel	<u>H</u> elp			

Step 3: Remove the selected content from MyWebService.java


```
* This is a sample web service operation
*/
@WebMethod(operationName = "hello")

public String hello(@WebParam(name = "name") String txt) {
    return "Hello " + txt + " !";
}
}
```


Step 4: Write the following code in deleted content.

```
@WebMethod (operationName = "Square")
 public double square (double val) {
    return val*val;
}
21
22
             This is a sample web service operation
23
          @WebMethod(operationName = "Square")
24
8
          public double square(double val) {
8
               return val*val;
27
28
      }
```


Step 5: Now go to the palate. Right click on index.html in project. Click on run file.



The following window will open after run your index.html file.



Step 6: Remove the selected part from link.



Now, the below window will open.



GlassFish Server

Your server is now running

To replace this page, overwrite the file index.html in the document root folder of this server. The document root folder for this server is the docroot substantial substantial for the document root folder for this server.

To manage a server on the local host with the default administration port, go to the Administration Console.

Join the GlassFish community

Visit the GlassFish Community page for information about how to join the GlassFish community. The GlassFish community is developing an open source, the Java™ Platform, Enterprise Edition (Java EE) platform and related enterprise technologies.

Learn more about GlassFish Server


For more information about GlassFish Server, samples, documentation, and additional resources, see as-install/docs/about.html, where as-install is to

Company Info | Contact | Copyright © 2010, 2014 Oracle Corporation | Lega


Step 7: Click on go to the administration console.

port, go to the Administration Console.

The following window will open.



Step 8: In left side panel, expand the Application task. Click on your project.




Step 9: Go to the general. Scroll down the page, there is one table which name is Modules & Components. In action column, click on View Endpoint.

Action	
Launch	
View Endpoint	

Step 10: Click on /WebServices_Using_Clients/MyWebServices?wsdl link.

Web Service Endpoint Information						
View details about a web service endpoint.						
Application Name:	WebServices_Using_Clients					
Tester:	/WebServices_Using_Clients/MyWebServices?Tester					
WSDL:	/WebServices_Using_Clients/MyWebServices?wsdl					
Endpoint Name:	MvWebServices					

Step 11: When you click on link. The View WSDL window will open




Step 12: Click on first link which will provide the access of server.



Now minimize the Microsoft edge window.


Step 13: Create a new Java project.

Steps		Choose Project		
1. 2.	Choose Project	Q Filter:		
		Categories:	Projects:	
		;[] Java	Java Application	
		[] JavaFX	Java Class Library	
			Java Project with Existing Sources	
		Java EE	△ Java Free-Form Project	




Step 14: In Java Application project, create a new web service client.

Right click on project → New → Web Service Client



Step 15: In new web service client. Select wsdl URL. Paste the copied link.



Step 16: Open JavaApplication.java. Type the following code.

MyWebServices Service = new MyWebServices Service();

final MyWebService proxy = service.getMyWebServicePort();

System.out.println(proxy.square(7));

```
11
12
      public class JavaApplication {
13
14
   曱
15
           * @param args the command line arguments
16
   口
17
          public static void main(String[] args) {
              MyWebServices Service service = new MyWebServices Service();
Q,
              final MyWebService proxy = service.getMyWebServicePort();
8
              System.out.println(proxy.square(7));
21
22
23
```

Step 17: Now import the service packages.

```
* To change this template file, choose Tools | Templ
     * and open the template in the editor.
5
6
    package javaapplication;
 import rc.com.MyWebServices;
  import rc.com.MyWebServices_Service;
1
 - /**
2
3
     * @author Bhoomika Pansare
5
    public class JavaApplication {
6
         /**
  曱
```

Step 18: Run the Java application project.