




Headstart to Programming

Monday, 18 July 2022 8:37 PM



add 2 nos.





Variable s:-

~~var x = 10;~~
var x = 10;
 let x = 10;
const x = 10;

var:-

scopes:-

global →

functional →

```

1 var print = "greet"; // global scope
2 function printString ( ) {
3   // logic
4   var print1 = "greet again";
5 } // functional
6 console.log (print); // greet
7 console.log (print1);
    
```

Run

```

var print = "greet"; //global variable

function printString(){
  var print1 = "greet again"; //functional variable
  console.log("print from func", print)
}

printString()
var print = "greet more"
console.log(print);
console.log(print1);

```

Console

print from func greet

~~greet more~~

~~print1 is not defined~~

Print

greet
more

~~Print1~~

~~greet again~~

warn
alert
info
error

```

var a = 70;

function test(){
  let a = 1;
  var b = 10;
  console.log(a);
  console.log(b);
}

test();
console.log(a);
console.log(b);

```

global

a

70

~~functional~~

~~a~~

~~1~~

~~b~~

~~10~~

A → undefined

B → not defined

1

10

70

not defined

var a;

console.log(a) / undefined

console.log(b); } not defined

```
{ var a = 2;  
  let b = 3;  
  console.log(a); // this will  
print 2  
  console.log(b); // this will  
print 3  
  console.log(a); // this will  
print 2  
  console.log(b); //this will prin  
undefined
```