

Cucumber Report

8 Nov 2022, 6:33:06 PM

Start : Nov 08, 6:32:41.720 PM

End : Nov 08, 6:33:04.338 PM

Duration : 22.618 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 2

SKIPPED - 0

PASSED - 3


FAILED - 2

SKIPPED - 8







#	Feature Name	T	P	F	S	Duration
1	Verify the UAT Test case 01	2	0	2	0	22.618 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Verify the UAT Test case 01</u>	<u>New User Registration</u>	8	2	1	5	18.879 s
2	<u>Verify the UAT Test case 01</u>	<u>Login page to CLPdomeo</u>	5	1	1	3	3.560 s

(F)- Verify the UAT Test case 01

FAILED	DURATION - 22.618 s	Scenarios		Steps	
/ 6:32:41.720 PM // 6:33:04.338 PM /		Total - 2		Total - 13	
		Pass - 0		Pass - 3	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 8	

(S)- New User Registration



<div><div>FAILED</div><div>DURATION - 18.879 s</div></div>			Steps	<div><div>Total - 8</div><div>Pass - 2</div><div>Fail - 1</div><div>Skip - 5</div></div> 
/ 6:32:41.738 PM // 6:33:00.617 PM /				
Verify the UAT Test case 01				

#	Step / Hook Details	Status	Duration
1	Given user will navigate to the registration page	PASSED	10.316 s
2	When user will enter the personal information	PASSED	0.003 s
3	And user will select the title org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.88) Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'EPHKHONW0042', ip: '192.168.1.181', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3a0b86116bbba67ada1a659c9be4c92b, getElementTagName {id=7b52d88c-bc10-4bfb-b2cf-6c240ba637a8}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.88, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ABHISH-1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\gphmngjblfphegkplmfmh...}, goog:chromeOptions: {debuggerAddress: localhost:51347}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:51347/devtools, se.cdpVersion: 107.0.5304.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (3a0b86116bbba67ada1a659c9be4c92b)] -> id: customer_prefix_custom] Session ID: 3a0b86116bbba67ada1a659c9be4c92b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	3.116 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.getTagName(RemoteWebElement.java:131) at org.openqa.selenium.support.ui.Select.<init>(Select.java:46) at stepdefinitions.UAT01Steps.userWillSelectTheTitle(UAT01Steps.java:46) at ?.user will select the title(file:///C:/Users/Abhishek_Gupta3/IdeaProjects/CLPAutomation/src/test/resources/features/01UATTestCase.feature:6) * Not displayable characters are replaced by '?'. </pre>		
4	And user will enter the name "Test" and "LastTest"	SKIPPED	0.000 s
5	And user will enter the "a@gmail.com"	SKIPPED	0.001 s
6	And user will enter the password "Test@123" and "Test@123"	SKIPPED	0.001 s
7	And user will click on the check box	SKIPPED	0.001 s
8	Then user account created	SKIPPED	0.001 s
	<p>AFTER - stepdefinitions.Hooks.afterScenario(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.88) Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'EPHKHONW0042', ip: '192.168.1.181', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [3a0b86116bbba67ada1a659c9be4c92b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.88, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ABHISH~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:51347}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51347/devtoo..., se:cdpVersion: 107.0.5304.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3a0b86116bbba67ada1a659c9be4c92b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) </pre>	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:626) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:351) at stepdefinitions.Hooks.afterScenario(Hooks.java:26)		

(S)- Login page to CLPdomeo

<div>FAILED</div> <div>DURATION - 3.560 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 6:33:00.778 PM // 6:33:04.338 PM /				
Verify the UAT Test case 01				

#	Step / Hook Details	Status	Duration
1	Given user navigate to url "https://www.clpdomeo.com/en/"	PASSED	1.969 s
2	Then user on the login page	FAILED	0.024 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.88) Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'EPHKHONW0042', ip: '192.168.1.181', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [3417718294a53a34d1410b867ec6f75e, findElement {using=link text, value=Login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.88, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ABHISH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51391}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51391/devtoo..., se:cdpVersion: 107.0.5304.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3417718294a53a34d1410b867ec6f75e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377) at stepdefinitions.LoginSteps.userOnTheLoginPage(LoginSteps.java:23) at ?.user on the login page(file:///C:/Users/Abhishek_Gupta3/IdeaProjects/CLPAutomation/src/test/resources/features/01UATTestCase.feature:21) * Not displayable characters are replaced by '?'.		
3	When user enter username "Test" and password "123456"	SKIPPED	0.001 s
4	And click login button	SKIPPED	0.001 s
5	Then The user redirect to Dashboard page	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.afterScenario(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.88) Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'EPHKHONW0042', ip: '192.168.1.181', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3417718294a53a34d1410b867ec6f75e, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.88, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ABHISH~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:51391}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51391/devtoo..., se:cdpVersion: 107.0.5304.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3417718294a53a34d1410b867ec6f75e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:626) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:351) at stepdefinitions.Hooks.afterScenario(Hooks.java:26)	FAILED	0.005 s