

Cucumber Report

15 May 2023, 2:09:30 pm

Start : May 15, 2:09:16.982 pm

End : May 15, 2:09:29.035 pm

Duration : 12.053 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 1
FAILED - 2
SKIPPED - 10







#	Feature Name	T	P	F	S	Duration
1	Verify the UAT Test case 01	2	0	2	0	12.053 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Verify the UAT Test case 01</u>	<u>New User Registration</u>	8	0	1	7	9.324 s
2	<u>Verify the UAT Test case 01</u>	<u>Login page to CLPdomeo</u>	5	1	1	3	2.602 s


(F)- Verify the UAT Test case 01

FAILED	DURATION - 12.053 s	Scenarios		Steps	
/ 2:09:16.982 pm // 2:09:29.035 pm /		Total - 2		Total - 13	
		Pass - 0		Pass - 1	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 10	



(S)- New User Registration

<div><div>FAILED</div><div>DURATION - 9.324 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 8</div><div>Pass - 0</div><div>Fail - 1</div><div>Skip - 7</div></div> <div></div>
/ 2:09:16.988 pm // 2:09:26.312 pm /			
Verify the UAT Test case 01			

#	Step / Hook Details	Status	Duration
1	<p>Given user will navigate to the registration page</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Register"} (Session info: MicrosoftEdge=113.0.1774.42) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [c4b7b6d77a68a0a15e533a693f3e39b8, findElement {using=link text, value=Register}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 113.0.1774.42, ms:edgeOptions: {debuggerAddress: localhost:64388}, msedge: {msedgedriverVersion: 113.0.1774.42 (881f34180765..., userDataDir: C:\Users\ABHISH~1\AppData\Local\Microsoft\Edge\Sandboxing\msedge\userDataDir\Profile1\)}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64388/devtools, se:cdpVersion: 113.0.1774.42, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c4b7b6d77a68a0a15e533a693f3e39b8</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p>	FAILED	5.916 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at stepdefinitions.UAT01Steps.userWillNavigateToTheRegistrationPage(UAT01Steps.java:31) at ?.user will navigate to the registration page(file:///C:/Users/Abhishek_Gupta3/IdeaProjects/CLPAutomation/src/test/resources/features/01UATTestCase.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	When user will enter the personal information	SKIPPED	0.001 s
3	And user will select the title	SKIPPED	0.001 s
4	And user will enter the name "Test" and "LastTest"	SKIPPED	0.001 s
5	And user will enter the "a@gmail.com"	SKIPPED	0.001 s
6	And user will enter the password "Test@123" and "Test@123"	SKIPPED	0.001 s
7	And user will click on the check box	SKIPPED	0.001 s
8	Then user account created	SKIPPED	0.001 s
	AFTER - stepdefinitions.Hooks.afterScenario(io.cucumber.java.Scenario)	PASSED	1.211 s
	Screenshot Failed		
			

(S)- Login page to CLPdomeo

<div>FAILED</div> <div>DURATION - 2.602 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 2:09:26.432 pm // 2:09:29.034 pm /				
Verify the UAT Test case 01				

#	Step / Hook Details	Status	Duration
1	Given user navigate to url "https://www.clpdomeo.com/en/"	PASSED	1.281 s
2	Then user on the login page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=113.0.1774.42) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [2ad322302fe01b66b2d62d74c98ab959, findElement {using=link text, value=Login}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 113.0.1774.42, ms:edgeOptions: {debuggerAddress: localhost:64451}, msedge: {msedgedriverVersion: 113.0.1774.42 (881f34180765..., userDataDir: C:\Users\ABHISH~1\AppData\Local..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64451/devtools, se:cdpVersion: 113.0.1774.42, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2ad322302fe01b66b2d62d74c98ab959 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at stepdefinitions.LoginSteps.userOnTheLoginPage(LoginSteps.java:23) at ?.user on the login page(file:///C:/Users/Abhishek_Gupta3/IdeaProjects/CLPAutomation/src/test/resources/features/01UATTestCase.feature:21) * Not displayable characters are replaced by '?'. 	FAILED	0.015 s
3	When user enter username "abhishektesting183@gmail.com" and password "Master@07"	SKIPPED	0.000 s
4	And click login button	SKIPPED	0.000 s
5	Then The user redirect to Dashboard page	SKIPPED	0.000 s
	AFTER - stepdefinitions.Hooks.afterScenario(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=113.0.1774.42) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [2ad322302fe01b66b2d62d74c98ab959, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 113.0.1774.42, ms:edgeOptions: {debuggerAddress: localhost:64451}, msedge: {msedgedriverVersion: 113.0.1774.42 (881f34180765..., userDataDir: C:\Users\ABHISH~1\AppData\Local..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS,	FAILED	0.017 s

#	Step / Hook Details	Status	Duration
	<p>proxy: Proxy(), se:cdp: ws://localhost:64451/devtoo..., se:cdpVersion: 113.0.1774.42, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2ad322302fe01b66b2d62d74c98ab959</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at stepdefinitions.Hooks.afterScenario(Hooks.java:26)</p>		