

GOD'S EYE

OMNIVISION INTELLIGENCE PLATFORM

OPERATIONAL EXAMPLES PLAYBOOK
100 Target Queries Across 10 Core OSINT Modules

Target Users: Cyber Threat Analysts, SOC Teams & Forensic Investigators

Academic Year: 2025 - 2026 | Developed by Abhyas Kathuria
Presidency University, Bangalore | Legal & Ethical Use Only

FEATURE 1: Identity Engine (Face Scan & Keyword Search)
Aggregates facial parameters (age, gender, expressions, beauty rating) via Luxand AI and Face++, reverse matches images via SauceNAO/Yandex, and queries digital news footprints.

#	Search Target / Action	Operational Rationale & Expected Result
1	Elon Musk (Image)	Detect age, emotions, and reverse-image link to social media profiles and news references.
2	Sam Altman (Keyword Search)	Harvest latest global news articles, Reddit posts, and compile an AI summary profile.
3	Suspect Portrait (Image)	Reverse match portrait photo to verify presence on public forums or known data sheets.
4	High Contrast Expression (Image)	Scan portrait with extreme expressions (e.g. angry, happy) to test Luxand/Face++ accuracy.
5	Satoshi Nakamoto (Keyword Search)	Search archives to create a chronological timeline of digital footprint mentions.
6	LockBit (Keyword Search)	Scan news and social feeds for active operational alerts on the ransomware threat group.
7	Missing Person photo (Image)	Run SauceNAO reverse lookup to match public photo databases and find trace locations.
8	Old Historical Portrait (Image)	Submit old monochrome images to examine age estimation tolerances and matching reliability.
9	Target Username Alias (Keyword)	Query Reddit public channels to extract background information on specific aliases.
10	Passport-Style Headshot (Image)	Verify alignment accuracy and facial landmark extraction rates on structured headshots.

FEATURE 2: IP Tracker (Cyber Intelligence)

Performs reputation audits, ISP identification, geographic mapping, and threat feeds analysis using AbuseIPDB, IPGeolocation, and VirusTotal.

#	Search Target / Action	Operational Rationale & Expected Result
1	1.1.1.1 (Cloudflare DNS)	Lookup benchmark IP to inspect clean baseline coordinates, routing latency, and safety levels.
2	8.8.8.8 (Google Public DNS)	Verify reputation scores for public recursive resolvers to check false positive rates.
3	Active VPN Node (IP)	Trace ISP routing details to determine if the target traffic hides behind a known anonymizer.
4	Suspect C2 IP (from SOC alert)	Submit suspicious IP to evaluate AbuseIPDB abuse percentage and VirusTotal engine flags.
5	Tor Exit Node (IP)	Scan known Tor relay address to observe IP classification and network reputation flags.
6	127.0.0.1 (Localhost Loopback)	Test backend error handling and check response message for internal network requests.
7	compromised-server-ip	Triage active server compromise by checking domain links and hosting provider ownership details.
8	Known Proxy Gateway (IP)	Assess AbuseIPDB confidence score to flag gateway routing nodes during session traffic analysis.
9	Corporate Gateway IP	Establish network baseline parameters for corporate external connections to audit public visibility.
10	Dynamic Residential IP	Track location variance of dynamically allocated residential ISP blocks to evaluate location accuracy.

FEATURE 3: Domain Investigator (Cyber Intelligence)

Queries WHOIS registration metadata, DNS record maps, Google DNS resolvers, and runs live scans using URLScan.io and VirusTotal.

#	Search Target / Action	Operational Rationale & Expected Result
1	presidencyuniversity.in	Audit academic website registrar, creation dates, name servers, and subdomain routing.
2	suspicious-login-update.com	Verify domain age; newly registered domains are heavily flagged in threat models.
3	google.com	Scan a secure enterprise domain to map complex DNS A/AAAA records and sub-node layouts.
4	malicious-phish-domain.xyz	Perform dynamic URLScan analysis to capture live website renders and threat score ratings.
5	expired-registrar-domain.net	Trace WHOIS records to identify domain squatting or pending deletion timelines.
6	dnssec-protected-domain.org	Query DNSSEC validation status to verify domain record encryption and integrity.
7	shortened-link-domain (e.g. bit.ly)	Analyze redirected destination hosts to discover hidden malicious redirection paths.
8	typosquatted-domain.com	Scan fake brand domain variations to identify ongoing brand hijacking and phishing campaigns.
9	free-subdomain-hosts (e.g. github.io)	Track specific hosting branches to isolate malicious user-generated repositories.
10	local-government-portal.gov.in	Scan government subdomains to audit name server delegations and secure DNS mapping.

FEATURE 4: Shodan IoT Explorer (Cyber Intelligence)

Discovers exposed systems, active databases, webcams, and open port structures connected directly to the global internet.

#	Search Target / Action	Operational Rationale & Expected Result
1	webcam port:80	Scan globally exposed webcams and unsecured streaming streams to audit device exposures.
2	port:22 product:OpenSSH	Identify exposed SSH servers and flag outdated version signatures vulnerable to exploit.
3	mongodb	Scan exposed MongoDB database installations that lack authentication controls.
4	apache country:IN	Map running Apache web servers inside India to inspect regional system setups.
5	iis version:8.5	Locate outdated Microsoft IIS web servers vulnerable to legacy remote exploit paths.
6	port:3389 (RDP)	Locate exposed Remote Desktop Protocol connections to audit target entry points.
7	scada (Industrial Control)	Map SCADA control nodes connected to the web to flag high-risk infrastructure exposures.
8	port:5432 postgres	Identify PostgreSQL database servers exposed publicly to audit access controls.
9	dns country:US	Query public DNS servers in the United States to analyze global name routing nodes.
10	printer port:9100	Locate exposed network printer ports to audit potential corporate network leaks.

FEATURE 5: Live flight Tracker & Geo Tracker

Tracks 10,000+ real-time aircraft using OpenSky Network, plots marine assets, reverse-geocodes locations, and fetches Sentinel satellite passes.

#	Search Target / Action	Operational Rationale & Expected Result
1	AIC101 (Air India Flight)	Track active coordinate movements, altitude meters, heading angles, and airport vectors.
2	Bengaluru Airport (VOBL)	Monitor regional flights and aerial congestion coordinates around the local airfield.
3	13.1678, 77.5350 (Presidency)	Input decimal coordinates into Nominatim geocoder to verify precise address mapping.
4	London, UK (Location Search)	Query London to fetch local weather metadata and retrieve Sentinel satellite coordinate URLs.
5	Pentagon, USA (Coordinates)	Lookup military facility bounds to extract nearby open-source maps and elevation markers.
6	Mumbai Port Coordinates	Verify coastal shipping coordinates to map active vessels on MarineTraffic overlays.
7	Sahara Desert Coordinates	Generate high-resolution Sentinel Hub URLs to pull recent satellite passes over deserts.
8	High-Altitude Flight (>12,000m)	Filter OpenSky Network results for aircraft cruising at high levels over oceans.
9	Taj Mahal (Geocoding search)	Geocode historical landmarks to inspect layout accuracy on OpenStreetMap layers.
10	Atlantic Cruising Paths	Track flight positions over oceanic lanes to test OpenSky's coverage parameters.

FEATURE 6: News & Social Monitor (GDELT & NewsAPI)

Queries NewsAPI and the GDELT world event registry in 65 languages. Conducts sentiment mapping to classify query terms.

#	Search Target / Action	Operational Rationale & Expected Result
1	Zero-Day Exploit	Track news reports and security releases regarding active system vulnerability leaks.
2	Ransomware (GDELT Search)	Audit world event timelines to map global infrastructure attack volume and targets.
3	Cybersecurity guidelines (Reddit)	Retrieve public discussions to map sentiment scores on security guidelines.
4	Presidency University (News)	Monitor local news channels for academic achievements and university mentions.
5	Global Inflation (Sentiment)	Run queries to evaluate sentiment classification accuracy on highly debated topics.
6	APT Threat Actors (News Search)	Search media for active reporting on Advanced Persistent Threat group operations.
7	Ransomware incident (India)	Audit GDELT for non-English coverage of cybersecurity incidents in Indian sectors.
8	Apple Security Update	Track industry and user sentiment regarding the latest Apple software updates.
9	Data Breach (News Feed)	Monitor live news categories to identify major corporate data compromise events.
10	OSINT tool developer trends	Analyze Twitter/X feeds to map trending tools and research methodologies.

FEATURE 7: Visual Intelligence (EXIF & GPS Parser)

Extracts camera metadata (lens, manufacturer, timestamp) and GPS coordinates from uploaded images, flagging exposure risk ratings.

#	Search Target / Action	Operational Rationale & Expected Result
1	iPhone Capture (JPEG)	Extract device make, software version, capture date, and evaluate coordinates.
2	DSLR Photo (No GPS metadata)	Verify that images lacking coordinates degrade gracefully to a 'LOW' risk rating.
3	Geotagged Landmark Photo	Extract embedded GPS tags to plot the exact latitude and longitude on interactive maps.
4	Screenshot PNG (No metadata)	Submit screenshot files to establish a clean benchmark rating with zero EXIF tags.
5	Photoshop Edited Photo	Extract software signature tags to identify image manipulation footprints.
6	Modified Image Timestamps	Analyze EXIF creation vs file modification timestamps to flag chronological variance.
7	Drone Arial Photo (JPEG)	Extract altitude and camera angle parameters from drone survey photography EXIF.
8	Corrupted EXIF Photo	Submit images with damaged EXIF streams to verify backend try-except error isolation.
9	Android Mobile Photo	Extract and compare photo metadata structures with equivalent iOS formats.
10	High-Risk Photo (GPS + Software)	Verify that photos containing coordinates automatically trigger a 'HIGH' risk rating.

FEATURE 8: AI Brain & Auto Investigation

Engages LLaMA 3.3 70B as a principal intelligence analyst to answer natural queries and compile automated target briefings.

#	Search Target / Action	Operational Rationale & Expected Result
1	Ransomware-as-a-Service (RaaS)	Query AI: 'Analyze the operational structure and trends of RaaS groups in 2026.'
2	Domain: presidencyuniversity.in	Trigger Auto Investigation to aggregate WHOIS, DNS, and reputation data into a single briefing.
3	IP: 185.190.140.1	Run Auto Scan to compile geolocation and threat reputation indicators into an AI report.
4	Cloud Audit Checklist	Query AI: 'Draft a standard cybersecurity audit checklist for public cloud environments.'
5	Location: Bangalore, India	Run Auto Investigation to fuse weather reports, geocoding address, and satellite passes.
6	Credential Stuffing Mechanics	Query AI: 'Detail the defensive mitigation strategies for credential stuffing attacks.'
7	Target Persona Name (Auto Scan)	Compile news mentions and social profiles into an intelligence briefing.
8	Web SQLi Detection	Query AI: 'Write a developer guide for locating and remediating SQL injection vulnerability paths.'
9	APT29 Threat Group Summary	Query AI: 'Summarize the common MITRE ATT&CK techniques deployed by APT29.'
10	Domain Reputation Briefing	Submit suspicious domain names to get a consolidated, threat-rated AI report.

FEATURE 9: Username Recon & Breach Auditor

Checks target handles across 30+ networks in parallel and queries LeakCheck, BreachDirectory, and HIBP database leaks.

#	Search Target / Action	Operational Rationale & Expected Result
1	defcon (Username check)	Verify defcon handle presence on GitHub, Reddit, Instagram, and Twitter in parallel.
2	ah_presidency (Username check)	Scan student/researcher handles to map professional development footprints.
3	blackhat (Username check)	Map platform matches on threat handles to establish registration profiles.
4	admin (Username check)	Audit administrative handle registrations across public developer channels.
5	sauron (Username check)	Trace target gaming and code repository footprint across Steam, GitHub, and Reddit.
6	Corporate Email Handle	Verify if corporate handles are registered on public developer forums or social networks.
7	johndoe12345 (Test check)	Verify the clean grey 'NOT FOUND' CSS layout on a random, unregistered test handle.
8	Suspected Compromised Email	Query LeakCheck database to identify breached databases containing user passwords.
9	Researcher Alias (Footprint)	Map researcher code profile repositories and research publications across channels.
10	Target Developer Handle	Scan developer handles to audit source repositories and coding contributions.

FEATURE 10: Threat Score Calculator

Aggregates 6 key parameters (VT flags, AbuseIPDB, Domain Age, Breach count, GPS coordinates, Sentiment) into a 0-100 score.

#	Search Target / Action	Operational Rationale & Expected Result
1	Malicious IP Preset	Verify that VT detections and AbuseIPDB scores yield an immediate 'CRITICAL' risk rating.
2	Clean Infrastructure Preset	Verify that clear parameters (zero detections, old domain, no breaches) output a 'LOW' score.
3	Newly Registered Domain Age	Verify that entering domain age under 7 days applies the default 15-point penalty.
4	Isolated GPS Metadata Parameter	Input a geotagged photo with zero reputation flags to verify the 10-point GPS penalty.
5	Phishing Domain Scenario	Simulate a phish link (low age, negative sentiment, VT flags) to map overall risk score.
6	AbuseIPDB Score Variable	Adjust AbuseIPDB confidence score to check the proportional threat index change.
7	Compromised Corporate Email	Input 5 database breach detections to verify threat score scaling to 'MEDIUM' risk.
8	Maximum Parameter Scenario	Configure maximum threat signals across all 6 inputs to verify a 100/100 'CRITICAL' score.
9	Public Cloud IP Scenario	Run calculator on public AWS/GCP gateway IPs to assess standard baseline risk distribution.
10	Manually Adjusted Sentiment	Adjust news sentiment to NEGATIVE to verify the 5-point threat indicator addition.

FEATURE 11: Wireless Airspace Recon (SIGINT)

Queries coordinates against the Wigle.net global wireless database to fetch and map nearby Wi-Fi network positions and details.

#	Search Target / Action	Operational Rationale & Expected Result
1	lat=13.1678, lon=77.5350 (Presidency University)	Query Wigle.net to identify wireless networks surrounding Presidency University, Bangalore.
2	lat=13.1986, lon=77.7066 (Bengaluru Airport)	Audit wireless networks near Bengaluru International Airport for open/secured channels.
3	lat=51.4998, lon=-0.1246 (London Parliament)	Locate and map high-density wireless signals around the UK Houses of Parliament.
4	lat=40.7128, lon=-74.0060 (New York Manhattan)	Map wireless network density in midtown Manhattan for radio frequency (RF) auditing.
5	BSSID: 00:11:22:33:44:55 (MAC)	Search Wigle database by network MAC address to trace the physical location coordinates of a specific router.
6	SSID: presidency-wifi (Search)	Search the airspace logs to locate coordinates of Wi-Fi beacons matching Presidency name profiles.
7	lat=35.6762, lon=139.6503 (Tokyo Shinjuku)	Map wireless hotspot beacons in Tokyo's business center to analyze channel distributions.
8	Encryption: WEP / OPEN (Filter)	Search surrounding networks to identify vulnerable WEP or unsecured OPEN Wi-Fi hotspots.
9	lat=37.7749, lon=-122.4194 (San Francisco)	Map wireless coordinates in downtown San Francisco for signal security auditing.
10	Tactical Preset Map Zoom	Click Presidency preset to verify the Leaflet map centers and loads coordinates automatically.

FEATURE 12: Crypto Wallet Tracker (Blockchain Audits)

Communicates with Etherscan (ETH) and Blockcypher (BTC) explorers to track wallet balances, transaction histories, and transfer route hops.

[illegible]