

CIA - I Quiz I - DEV

* Indicates required question

1. Email *

2. Enter your name *

3. Enter your SIN *

4. What is the main purpose of Exploratory Data Analysis (EDA)? *

Mark only one oval.

- ☐ a) To make predictions
- ☒ b) To understand and summarize data 
- ☐ c) To delete data
- ☐ d) To store data

5. Which of the following is a visual aid used in EDA? *

Mark only one oval.

- ☒ a) Line plot
- ☐ b) Compiler
- ☐ c) Interpreter
- ☐ d) Router

6. Pivot tables are mainly used for: *

Mark only one oval.

- ☒ a) Data aggregation and summarization
- ☐ b) Deleting rows
- ☐ c) Adding missing values
- ☐ d) Installing software

7. Which Python library is widely used for data visualization? *

Mark only one oval.

- ☐ a) NumPy
- ☒ b) Matplotlib
- ☐ c) Pandas
- ☐ d) Flask

8. A histogram is used to show: *

Mark only one oval.

- ☐ a) Relationship between two variables
- ☒ b) Frequency distribution
- ☐ c) Text annotations
- ☐ d) Geographic maps

9. In scatter plots, each point represents: *

Mark only one oval.

- ☐ a) A table
- ☒ b) A value of two variables
- ☐ c) A text label
- ☐ d) An error

10. Legends in a plot are used for: *

Mark only one oval.

- ☐ a) Giving colors
- ☒ b) Identifying different lines or plots
- ☐ c) Storing data
- ☐ d) Calculating averages

11. Subplots in Matplotlib are used to: *

Mark only one oval.

- ☐ a) Display multiple plots in a single figure ✓
- ☐ b) Add titles
- ☐ c) Add legends
- ☐ d) Save data

12. Which of the following is a Seaborn feature? *

Mark only one oval.

- ☐ a) Machine learning
- ☐ b) Statistical visualizations with simple syntax ✓
- ☐ c) Compiling code
- ☐ d) Database storage

13. Which plot is useful to display 3D data? *

Mark only one oval.

- ☐ a) Line plot
- ☐ b) Surface plot ✓
- ☐ c) Bar chart
- ☐ d) Pie chart

14. In univariate analysis, "uni" means: *

Mark only one oval.

- ☐ a) Two variables
- ☒ b) One variable
- ☐ c) Many variables
- ☐ d) No variable

15. Standardization of data means: *

Mark only one oval.

- ☐ a) Changing all values to zero
- ☒ b) Converting values to a common scale
- ☐ c) Deleting missing values
- ☐ d) Adding colors

16. Smoothing in time series is used to: *

Mark only one oval.

- ☐ a) Remove trends
- ☒ b) Reduce random noise
- ☐ c) Increase errors
- ☐ d) Add outliers

17. Which of the following is a numerical summary of spread? *

Mark only one oval.

- ☐ a) Mean
- ☐ b) Median
- ☒ c) Range ✓
- ☐ d) Mode

18. Contour plots are mainly used to represent: *

Mark only one oval.

- ☐ a) Text data
- ☒ b) 3D surface in 2D ✓
- ☐ c) Pie charts
- ☐ d) Tables

19. Cross-tabulation is useful for: *

Mark only one oval.

- ☒ a) Comparing two categorical variables ✓
- ☐ b) Drawing a line plot
- ☐ c) Standardizing values
- ☐ d) Annotating plots

20. Colors in plots are mainly used to: *

Mark only one oval.

- ☒ a) Add style and make comparisons easier ✓
- ☐ b) Delete rows
- ☐ c) Increase execution speed
- ☐ d) Create tables

21. Which library is best for statistical-style plots? *

Mark only one oval.

- ☒ a) Seaborn ✓
- ☐ b) Flask
- ☐ c) Django
- ☐ d) HTML

22. A boxplot helps in finding: *

Mark only one oval.

- ☐ a) Mean only
- ☒ b) Median, spread, and outliers ✓
- ☐ c) Only maximum value
- ☐ d) Only minimum value

23. The final goal of EDA is to: *

Mark only one oval.

- ☐ a) Confuse users
- ☒ b) Summarize data and find insights ✓
- ☐ c) Store data permanently
- ☐ d) Remove plots

This content is neither created nor endorsed by Google.

Google Forms

