BRIX test report

Date: 2026-10-22 · **Scope:** every automated test in `tests/` that can run without touching production · **Code tested:** `main` at `8c34194` plus uncommitted edits to the Coupon Banner files · **Raw results:** `reports/results/2026-10-22-*`

No app bugs were found. 601 of 604 unit and PHP tests and 1,273 of 1,283 browser checks pass, and every failure traces to a test that is out of date or a setup step skipped on purpose. Nothing touched production: no deploy, no live database, no live store, and the code was left exactly as it was.

What was tested may differ from what is live, because deploys are done by hand.

1. Results at a glance

Every feature area passes except Packs admin, whose test predates the Packs redesign. Two suites could not run at all (see §4).

Suite	Files	Checks run	Passed	Failed	Verdict
Unit + PHP harness (all areas)	56	604	601	3	Pass: 3 out-of-date COD assertions
Cart drawer (browser)	5	290	290	0	Pass
BRIX COD (browser)	6	336	336	0	Pass
Combo Forge boxes (browser)	6	402	402	0	Pass
Combo AI suggestions (browser)	2	32	32	0	Pass
Coupon Banner + offer ladder (browser)	5	55	55	0	Pass
FBT widget (browser)	1	75	75	0	Pass
Pairing Assistant (browser)	1	16	16	0	Pass
Plans and billing page (browser)	1	20	20	0	Pass
Packs: PHP endpoint + preview (browser)	2	43	43	0	Pass
Packs: admin (browser)	1	14	4	10	Test out of date
Packs: storefront widget (browser)	1	0	–	–	Not run: needs a local app server
BrixBar AI handoff (browser)	1	0	–	–	Not run: test harness doesn't build
TypeScript typecheck	–	–	–	0 errors	Pass
ESLint	136 files	–	–	6,085 errors	Mostly style, see §3

Browser checks by file

File	Passed	Time
`billing/plans-browser-check.mjs`	20/20	19 s
`cart-drawer/customization-browser-check.mjs`	81/81	58 s
`cart-drawer/drawer-ui-browser-check.mjs`	134/134	91 s
`cart-drawer/editor-preview-browser-check.mjs`	46/46	26 s
`cart-drawer/money-browser-check.mjs`	3/3	6 s
`cart-drawer/upsell-stock-browser-check.mjs`	26/26	21 s
`cod/admin-page-browser-check.mjs`	6/6	7 s
`cod/cart-discounts-browser-check.mjs`	6/6	4 s
`cod/customize-page-browser-check.mjs`	94/94	38 s
`cod/payment-options-browser-check.mjs`	83/83	62 s
`cod/sheet-browser-check.mjs`	75/75	24 s
`cod/theme-drawer-browser-check.mjs`	72/72	48 s
`combo-ai/builder-browser-check.mjs`	16/16	27 s
`combo-ai/storefront-browser-check.mjs`	16/16	6 s
`combo-weight/builder-browser-check.mjs`	39/39	30 s
`combo-weight/collection-bar-browser-check.mjs`	19/19	6 s
`combo-weight/quickshop-browser-check.mjs`	177/177	48 s

File	Passed	Time
`combo-weight/quickshop-builder-check.mjs`	92/92	41 s
`combo-weight/stock-browser-check.mjs`	21/21	6 s
`combo-weight/storefront-browser-check.mjs`	54/54	14 s
`coupon-banner/admin-browser-check.mjs`	20/20	45 s
`coupon-banner/offer-ladder-admin-check.mjs`	5/5	20 s
`coupon-banner/offer-ladder-browser-check.mjs`	13/13	18 s
`coupon-banner/storefront-browser-check.mjs`	7/7	5 s
`coupon-banner/timer-and-fbt-browser-check.mjs`	10/10	4 s
`fbt-offer/widget-browser-check.mjs`	75/75	18 s
`packs/admin-browser-check.mjs`	**4/14**	354 s
`packs/php-endpoint-browser-check.mjs`	38/38	41 s
`packs/preview-browser-check.mjs`	5/5	10 s
`packs/widget-browser-check.mjs`	not run (0/15)	4 s
`pairing/assistant-browser-check.mjs`	16/16	36 s
`ai-handoff/browser-check.mjs`	not run (build failed)	11 s

2. Failures

All four failures are in the tests, not the app: the code moved on and the tests did not follow. Each still leaves a gap, because that feature now has weaker automated cover.

Failing check	What happened	Cause	App bug?
`tests/cod/cod-server.test.mjs` – "secrets: saved separately…"	Got two extra keys, `msg91AuthKey` and `msg91TemplateId`	The store's own MSG91 keys were added to `cod_secrets`; the test's expected list wasn't updated	No
`tests/cod/cod-server.test.mjs` – "storefront config: returns display settings only…"	Got an extra `termsUrl: ''` in the popup settings	The Terms and conditions link was added to the sheet settings	No
`tests/cod/cod-server.test.mjs` – "storefront config: each place gets its own button look…"	Got extra `paddingX: 16`, `paddingY: 14` on the button look	The COD button size setting (`COD_BUTTON_PADDING`) was added	No
`tests/packs/admin-browser-check.mjs` (10 of 14 cases)	The builder's "Variant" field, the list's "Enable Pack for …" buttons and old messages never appear	The Packs admin was redesigned in 4 commits (`packs_designnew_v4` to `packs_temp3`) after the test was last updated; e.g. the message is now "Choose a Shopify product first."	Probably not, but unconfirmed: the redesigned Packs admin has no working automated test

One more failure showed up only when every test file ran at once: `banner-php.test.mjs` and `cod-server.test.mjs` both start their throwaway database on the same ports and collide. Each passes when run alone (banner-php 8 of 8), so this is a test setup issue.

3. Code health

Typecheck is clean (0 errors). Lint reports 6,085 errors, but 4,754 of them are `react/prop-types` and most of the rest are style rules (unused variables, empty blocks) or generated test bundles under `tests/**/dist`. Three findings are worth a look:

Finding	Where	Risk	Live impact today
Legacy cart editor still shipped as a route	`app/routes/app.cartdrawer.old.jsx` (5,576 lines) is served at `/app/cartdrawer/old`; it uses undefined variables (`currentUpsellRule`, `upsellPickerMode`) and has unreachable code	Medium: a merchant who opens that URL gets an old editor that crashes on product picking	Only reachable by typing the URL; nothing in the app links to it

Finding	Where	Risk	Live impact today
Duplicate keys with different values in the combo builder defaults	`DEFAULT_COMBO_CONFIG` in `app/routes/app.bundles.customize.jsx`: `products_gap` (16 vs 12), `title_container_margin_bottom` (12 vs 0), `description_container_margin_bottom` (20 vs 0), plus 14 duplicates with the same value	Low: the later value always wins, so behaviour is consistent; the earlier lines mislead whoever edits them	None: the later values (12, 0, 0) are what merchants already get
Broken stray file	`app/services/coupons.server.js` holds two bare lines (`getCoupons(shopId)`, `upsertCoupons(...)`) that would throw if imported	Low: nothing imports it	None

The other `no-undef` hits are `process` in server files, which is an ESLint environment setting, not a bug.

Top lint rules by error count: `react/prop-types` 4,754 · `no-unused-vars` 424 · `no-empty` 188 · `no-prototype-builtins` 172 · `no-undef` 111 · `no-cond-assign` 97 · `no-dupe-keys` 51.

---

4. Not tested

Everything here was left out on purpose, either to keep off production or because it needs a real store. None of it was checked in this run.

Area	Why it was skipped	What it would take
Playwright API specs (`tests/specs/api/`, 46 tests)	They POST to the PHP backend, which shares the live MySQL; running them writes to production data	A staging PHP backend with its own database
Playwright storefront specs (`tests/specs/storefront/`, 9 tests)	They add to cart on a real Shopify store and test what is deployed, not this code	Run on a dev store after a deploy
Packs storefront widget (15 cases)	Needs the built app running on `localhost:3999`, and the app reads `.env`, which points at the live database	A local build with a test-only `.env`
BrixBar AI handoff (browser)	Its stub (`tests/ai-handoff/harness/server-stub.js`) lacks `syncComboWeightIfNeeded`, which `app.bundles._index.jsx` now imports, so the Vite build fails	Add the missing export to the stub
Real checkout with the five discount Functions (rewards, FBT offer, prepaid, combo box, Packs)	Only their logic is unit-tested; Shopify must run them	An order on a dev store after `npm run deploy`
Real COD orders, MSG91 OTP, GA4 / Meta events, Shiprocket codes, yearly billing	Mocked in every test	A dev store, test SMS and ad accounts

The embedded admin itself (behind Shopify login) is only covered by these mocked harnesses, never in the real Shopify admin.

---

5. Next steps

The first four only touch test files, so they carry no production risk and need no deploy.

- [ ] Update the 3 expected objects in `tests/cod/cod-server.test.mjs` (MSG91 keys, `termsUrl`, button padding)
- [ ] Rewrite `tests/packs/admin-browser-check.mjs` for the redesigned Packs admin, then confirm the admin works
- [ ] Add `syncComboWeightIfNeeded` to `tests/ai-handoff/harness/server-stub.js` so the BrixBar handoff check builds again
- [ ] Give `tests/cart-drawer/banner-php.test.mjs` its own `portOffset` so the full suite can run in parallel
- [ ] Remove or unroute `app/routes/app.cartdrawer.old.jsx` (app change, needs a deploy)
- [ ] Delete the earlier duplicate keys in `DEFAULT_COMBO_CONFIG` and the stray `app/services/coupons.server.js` (no behaviour change)
- [ ] Set up a staging PHP backend + dev store so the API, storefront and checkout tests can run without touching live data

---

6. How production was kept safe

No request reached any live system, and the app code ended exactly as it started.

- **What ran:** Node unit tests, the PHP harness (copies of the real `php_backend` files on a throwaway MariaDB in a temp folder, with its own `config.php`), and 32 Playwright browser checks whose calls to `int.thebrix.io`, `cartdrawer.fly.dev` and Shopify are all answered by mocks.
- **Network guard:** every Node process was started with a preload that refuses any connection outside `127.0.0.1` / `localhost` (and to local port 80/443, so the XAMPP copy of the PHP backend was off limits too). It logged **0 blocked requests** across all runs.
- **No `.env`:** tests ran without loading `.env`, so the live MySQL proxy URL and the app keys were never in reach.
- **Repository:** two browser checks rebuild test harness bundles; those test files were put back afterwards and `git status` matched the starting snapshot exactly. No app code was changed, nothing was committed, nothing was deployed. The only files added are this report and its raw results.

- **Run on:** Windows 10, Node 20.19.4, Playwright 1.61.1, XAMPP PHP 8.2 / MariaDB 10.4.

Commands used

```
# Unit + PHP harness, one file at a time (avoids the port clash)
node --import <net-guard.mjs> --import ./tests/packs/register.mjs --test --test-concurrency=1 $(find tests -name "*.test.mjs")

# Each browser check, one after another
node --import <net-guard.mjs> --import ./tests/packs/register.mjs tests/<area>/<name>-check.mjs

# Static checks
npx eslint --ignore-path .gitignore .
npx react-router typegen && npx tsc --noEmit
```