

LAPORAN
PEMOGRAMAN WEB 1



NAMA : SADRI TALIB

NPM : 121055520117091

KELAS : INFO 3

JURUSAN TEKNIK INFORMATIKA
FAKULTAS TEKNIK
UNIVERSITAS MUHAMMADIYAH MALUKU UTARA
TERNATE
2018

BAB 1

PENDAHULUAN

A. CSS CLASS

Kelas pseudo digunakan untuk menentukan status khusus suatu elemen.

Misalnya, dapat digunakan untuk:

1. Beri gaya pada elemen ketika seorang pengguna melakukannya
2. Gaya dikunjungi dan tautan yang tidak dikunjungi berbeda
3. Beri gaya pada elemen saat mendapat fokus

B. SOURCE CODE

```
<!DOCTYPE html>
<html>
<head>
<style>
/* unvisited link */
a:link {
    color: red;
}

/* visited link */
a:visited {
    color: green;
}

/* mouse over link */
a:hover {
    color: hotpink;
}

/* selected link */
a:active {
    color: blue;
```

```
}
</style>
</head>
<body>

<p><b><a href="default.asp" target="_blank">This is a link</a></b></p>
<p><b>Note:</b> a:hover MUST come after a:link and a:visited in the CSS definition
in order to be effective.</p>
<p><b>Note:</b> a:active MUST come after a:hover in the CSS definition in order to
be effective.</p>

</body>
</html>
```

This is a link

Note: a:hover MUST come after a:link and a:visited in the CSS definition in order to be effective.

Note: a:active MUST come after a:hover in the CSS definition in order to be effective.

