

LAPORAN
PEMOGRAMAN WEB 1



NAMA : SADRI TALIB

NPM : 121055520117091

KELAS : INFO 3

JURUSAN TEKNIK INFORMATIKA
FAKULTAS TEKNIK
UNIVERSITAS MUHAMMADIYAH MALUKU UTARA
TERNATE
2018

BAB 1

PENDAHULUAN

A. CSS LINKS

Tautan dapat diberi gaya dengan properti CSS apa pun (mis. Warna, font-family, latar belakang, dll.)

Selain itu, tautan dapat diberi gaya berbeda tergantung pada keadaan di mana mereka berada.

Keempat tautan tersebut menyatakan:

a: link - tautan normal dan tidak pernah dilihat

a: visited - tautan yang dikunjungi pengguna

a: hover - tautan saat pengguna mouse di atasnya

a: aktif - tautan saat diklik

B. SOURCE CODE

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
a:link {
```

```
    text-decoration: none;
```

```
}
```

```
a:visited {
```

```
    text-decoration: none;
```

```
}
```

```
a:hover {
```

```
    text-decoration: underline;
}

a:active {
    text-decoration: underline;
}

</style>

</head>

<body>

<p><b><a href="default.asp" target="_blank">This is a link</a></b></p>

<p><b>Note:</b> a: hover MUST come after a: link and a: visited in the CSS
definition in order to be effective.</p>

<p><b>Note:</b> a: active MUST come after a: hover in the CSS definition in
order to be effective.</p>

</body>

</html>
```

This is a link

Note: a: hover MUST come after a: link and a: visited in the CSS definition in order to be effective.

Note: a: active MUST come after a: hover in the CSS definition in order to be effective.