

Assignment - 4

Assignment Date	25 October 2022
Student Name	Mr. DHILIP DHARSAN
Student Roll Number	912019106005
Maximum Marks	2 Marks

Question-1:

Write a code and make a connection in wokwi for ultrasonic sensor. Whenever distance is less than 100 send 'alert' to ibm cloud and display in device recent events.

Solution:

Code:

```
#include <WiFi.h>
#include <PubSubClient.h>
WiFiClient wifiClient;
String data3;
#define ORG "4yi0vc"
#define DEVICE_TYPE "nodeMcu"
#define DEVICE_ID "Assignment4"
#define TOKEN "123456789"
#define speed 0.034
#define led 14
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/Data/fmt/json";
char topic[] = "iot-2/cmd/home/fmt/String";
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
PubSubClient client(server, 1883, wifiClient);
void publishData();
```

```
const int trigpin=5;
const int echopin=18;
String command;
String data="";
```

```
long duration;
float dist;
```

```
void setup()
{
  Serial.begin(115200);
  pinMode(led, OUTPUT);
  pinMode(trigpin, OUTPUT);
  pinMode(echopin, INPUT);
```

```

    wifiConnect();
    mqttConnect();
}

void loop() {
    bool isNearby = dist < 100;
    digitalWrite(led, isNearby);

    publishData();
    delay(500);

    if (!client.loop()) {
        mqttConnect();
    }
}

void wifiConnect() {
    Serial.print("Connecting to "); Serial.print("Wifi");
    WiFi.begin("Wokwi-GUEST", "", 6);
    while (WiFi.status() != WL_CONNECTED) {
        delay(500);
        Serial.print(".");
    }
    Serial.print("WiFi connected, IP address: "); Serial.println(WiFi.localIP());
}

void mqttConnect() {
    if (!client.connected()) {
        Serial.print("Reconnecting MQTT client to "); Serial.println(server);
        while (!client.connect(clientId, authMethod, token)) {
            Serial.print(".");
            delay(500);
        }
        initManagedDevice();
        Serial.println();
    }
}

void initManagedDevice() {
    if (client.subscribe(topic)) {
        // Serial.println(client.subscribe(topic));
        Serial.println("IBM subscribe to cmd OK");
    } else {
        Serial.println("subscribe to cmd FAILED");
    }
}

void publishData()
{
    digitalWrite(trigpin, LOW);
    digitalWrite(trigpin, HIGH);
    delayMicroseconds(10);
    digitalWrite(trigpin, LOW);
    duration=pulseIn(echopin, HIGH);
    dist=duration*speed/2;
    if(dist<100){

```

```

String payload = "{\Normal Distance\":";
payload += dist;
payload += "}";

Serial.print("\n");
Serial.print("Sending payload: ");
Serial.println(payload);
if (client.publish(publishTopic, (char*) payload.c_str())) {
    Serial.println("Publish OK");
}

}

if(dist>101 && dist<111){
String payload = "{\Alert distance\":";
payload += dist;
payload += "}";

Serial.print("\n");
Serial.print("Sending payload: ");
Serial.println(payload);
if(client.publish(publishTopic, (char*) payload.c_str())) {
    Serial.println("Warning crosses 110cm -- it automaticaly of the loop");
    digitalWrite(led,HIGH);
}else {
    Serial.println("Publish FAILED");
}

}

}

void callback(char* subscribeTopic, byte* payload, unsigned int payloadLength){
Serial.print("callback invoked for topic:");
Serial.println(subscribeTopic);
for(int i=0; i<payloadLength; i++){
    dist += (char)payload[i];
}
Serial.println("data:"+ data3);
if(data3=="lighton"){
    Serial.println(data3);
    digitalWrite(led,HIGH);
}
data3="";
}

```

WOKWI CODE:

<https://wokwi.com/projects/346937989346099796>

OUTPUT

Distance is greater than 100

```
1 #include <WiFi.h>
2 #include <PubSubClient.h>
3 WiFiClient wifiClient;
4 String data3;
5 #define ORG "ks8pti"
6 #define DEVICE_TYPE "ESP32"
7 #define DEVICE_ID "143143"
8 #define TOKEN "123456789"
9 #define speed 0.034
10 #define led 14
11 char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
12 char publishTopic[] = "iot-2/evt/Kannan/fmt/json";
13 char topic[] = "iot-2/cmd/home/fmt/String";
14 char authMethod[] = "use-token-auth";
15 char token[] = TOKEN;
16 char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
17 PubSubClient client(server, 1883, wifiClient);
18 void publishData();
19
20
21 const int trigpin=5;
22 const int echopin=18;
23 String command;
24 String data="";
25
26 long duration;
```

Simulation

Connecting to Wifi..Wifi connected, IP address: 10.10.0.2
Reconnecting MQTT client to ks8pti.messaging.internetofthings.ibmcloud.com
IBM subscribe to cmd OK

IBM cloud is connected and LED is off state

Distance is less than 100

Editing Ultrasonic Distance Sensor

Distance: 48cm

Warning crosses 110cm -- it automaticaly of the loop

Sending payload: {"Alert Distance":47.99}


Warning crosses 110cm -- it automaticaly of the loop

Sending payload: {"Alert Distance":47.96}

Warning crosses 110cm -- it automaticaly of the loop

LED is on state

IBM Cloud foundry connection



The screenshot shows the IBM Watson IoT Platform interface. The top navigation bar includes the platform name, a user profile icon, and the email address 'kannankaruppaiah07052002@gmail.com' with ID 'ks8pti'. The left sidebar contains various icons for navigation. The main content area is titled 'Browse' and displays a table of alert messages. The table has four columns: 'Event', 'Value', 'Format', and 'Last Received'. There are five rows of data, all showing an alert from 'Kannan' with a value of '["Alert Distance":47.96]' in 'json' format, received 'a few seconds ago'. At the bottom, there is a pagination control showing 'Items per page 50' and '1-2 of 2 items'.

Event	Value	Format	Last Received
Kannan	["Alert Distance":47.96]	json	a few seconds ago
Kannan	["Alert Distance":47.96]	json	a few seconds ago
Kannan	["Alert Distance":47.96]	json	a few seconds ago
Kannan	["Alert Distance":47.96]	json	a few seconds ago
Kannan	["Alert Distance":47.96]	json	a few seconds ago

Items per page 50 | 1-2 of 2 items 1 of 1 page < 1 >

Getting alert message from wokwi