index.html

```html
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta content="width=device-width, initial-scale=1.0" name="viewport">

  <title>AIR CRASH ANALYSIS</title>
  <meta content="" name="description">
  <meta content="" name="keywords">

  <!-- Favicons -->
  <link href="assets/img/favicon.png" rel="icon">
  <link href="assets/img/apple-touch-icon.png" rel="apple-touch-icon">

  <!-- Google Fonts -->
  <link
    href="https://fonts.googleapis.com/css?
family=Open+Sans:300,300i,400,400i,600,600i,700,700i|Jost:300,300i,400,400i,500,500i,600,600i,700,7
    rel="stylesheet">

  <!-- Vendor CSS Files -->
  <link href="assets/vendor/aos/aos.css" rel="stylesheet">
  <link href="assets/vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
  <link href="assets/vendor/bootstrap-icons/bootstrap-icons.css" rel="stylesheet">
  <link href="assets/vendor/boxicons/css/boxicons.min.css" rel="stylesheet">
  <link href="assets/vendor/glightbox/css/glightbox.min.css" rel="stylesheet">
  <link href="assets/vendor/remixicon/remixicon.css" rel="stylesheet">
  <link href="assets/vendor/swiper/swiper-bundle.min.css" rel="stylesheet">

  <!-- Template Main CSS File -->
  <link href="assets/css/style.css" rel="stylesheet">

  <!-- =======================================================
  * Template Name: Arsha
  * Updated: Mar 10 2023 with Bootstrap v5.2.3
  * Template URL: https://bootstrapmade.com/arsha-free-bootstrap-html-template-corporate/
  * Author: BootstrapMade.com
  * License: https://bootstrapmade.com/license/
  ======================================================== -->
</head>

<body>

  <!-- ======= Header ======= -->
  <header id="header" class="fixed-top ">
    <div class="container d-flex align-items-center">

      <h1 class="logo me-auto"><a href="index.html">SHPVIBE</a></h1>
      <!-- Uncomment below if you prefer to use an image logo -->
      <!-- <a href="index.html" class="logo me-auto"><img src="assets/img/logo.png" alt="" class="i

      <nav id="navbar" class="navbar">
```

```html
      <ul>
        <li><a class="nav-link scrollto active" href="#hero">Home</a></li>
        <li><a class="nav-link scrollto" href="#about">About</a></li>
        <li><a class="nav-link scrollto" href="#Dashboard">Dashboard</a></li>
        <li><a class="nav-link   scrollto" href="#Story">Story</a></li>
        <li><a class="nav-link scrollto" href="#Contact">Contact</a></li>


      </ul>
      </li>

      <li><a class="getstarted scrollto" href="#about">Get Started</a></li>
      </ul>
      <i class="bi bi-list mobile-nav-toggle"></i>
    </nav><!-- .navbar -->

  </div>
</header><!-- End Header -->

<!-- ======= Hero Section ======= -->
<section id="hero" class="d-flex align-items-center">

  <div class="container">
    <div class="row">
      <div class="col-lg-6 d-flex flex-column justify-content-center pt-4 pt-lg-0 order-2 order-]
        data-aos="fade-up" data-aos-delay="200">
        <h1>Airplane Crash Analysis</h1>
        <h2>Airplane Crashes and Fatalities Since 1908</h2>
        <div class="d-flex justify-content-center justify-content-lg-start">
          <a href="#about" class="btn-get-started scrollto">Get Started</a>
          <a href="https://www.youtube.com/watch?v=jDDaplaOz7Q" class="glightbox btn-watch-video'
            class="bi bi-play-circle"></i><span>Watch Video</span></a>
        </div>
      </div>
      <div class="col-lg-6 order-1 order-lg-2 hero-img" data-aos="zoom-in" data-aos-delay="200">
        <img src="C:\Users\91770\Downloads\Flight image.jpg" class="img-fluid animated" alt="">
      </div>
    </div>
  </div>

</section><!-- End Hero -->

<main id="main">

  <!-- ======= Clients Section ======= -->
  <section id="clients" class="clients section-bg">
    <div class="container">

      <div class="row" data-aos="zoom-in">


      </div>

    </div>
  </section><!-- End Cliens Section -->
```

```html
<!-- ======= About Us Section ======= -->
<section id="about" class="about">
  <div class="container" data-aos="fade-up">

    <div class="section-title">
      <h2>ABOUT PROJECT</h2>
    </div>

    <div class="row content">
      <div class="col-lg-6">
        <p>
          An aviation accident is defined by the Convention on International Civil Aviation Anr
          associated with the operation of an aircraft,
          which takes place from the time any person boards the aircraft with the intention of
          persons have disembarked, and in which
        </p>
        <ul>
          <li><i class="ri-check-double-line"></i> a) a person is fatally or seriously injured,
          <li><i class="ri-check-double-line"></i>b) the aircraft sustains significant damage o
            or</li>
          <li><i class="ri-check-double-line"></i> c) the aircraft goes missing or becomes comp
          </li>
        </ul>
      </div>
      <div class="col-lg-6 pt-4 pt-lg-0">
        <p>
          This dataset includes:

        </p>
        <p>
        <ul>
          <li><i class="ri-check-double-line"></i> All civil and commercial aviation accidents
            non-scheduled passenger airliners worldwide, which resulted ina fatality (including
            part 135 fatal accidents)</li>
          <li><i class="ri-check-double-line"></i> All cargo, positioning, ferry and test fligh
          </li>
          <li><i class="ri-check-double-line"></i> All military transport accidents with 10 or
          <li><i class="ri-check-double-line"></i> All commercial and military helicopter accic
            than 10 fatalities.</li>
          <li><i class="ri-check-double-line"></i> All civil and military airship accidents inv
          </li>
          <li><i class="ri-check-double-line"></i> Aviation accidents invloving the death of fa
          </p>
        </ul>
        <a href="#" class="btn-learn-more">Learn More</a>
      </div>
    </div>

  </div>
</section><!-- End About Us Section -->

<!-- ======= Services Section ======= -->


<section id="dashboard" class="dashboard section-bg">
```

```html
<div class="container" data-aos="fade-up">

  <div class="section-title">
    <h2>Dashboard</h2>
    <p>
    <div <div <div class='tableauPlaceholder' id='viz1680937996145' style='position: relative
          href='#'><img alt='Airplane Crash Analysis '
            src='https:&#47;&#47;public.tableau.com&#47;static&#47;images&#47;ai&#47;air__cra
            style='border: none' /></a></noscript><object class='tableauViz' style='display:r
      <param name='host_url' value='https%3A%2F%2Fpublic.tableau.com%2F' />
      <param name='embed_code_version' value='3' />
      <param name='site_root' value='' />
      <param name='name' value='air__crash__&#47;Dashboard1' />
      <param name='tabs' value='no' />
      <param name='toolbar' value='yes' />
      <param name='static_image'
        value='https:&#47;&#47;public.tableau.com&#47;static&#47;images&#47;ai&#47;air__cra
      <param name='animate_transition' value='yes' />
      <param name='display_static_image' value='yes' />
      <param name='display_spinner' value='yes' />
      <param name='display_overlay' value='yes' />
      <param name='display_count' value='yes' />
      <param name='language' value='en-US' />
      <param name='filter' value='publish=yes' />
    </object></div>
    <script
        type='text/javascript'>                         var divElement = document.getElementById('vi
divElement.getElementsByTagName('object')[0]; if (divElement.offsetWidth > 800) { vizElement.style.
(divElement.offsetWidth * 0.75) + 'px'; } else if (divElement.offsetWidth > 500) { vizElement.style
(divElement.offsetWidth * 0.75) + 'px'; } else { vizElement.style.width = '100%'; vizElement.style.
document.createElement('script'); scriptElement.src = 'https://public.tableau.com/javascripts/api/\
vizElement.parentNode.insertBefore(scriptElement, vizElement);                  </script>
    </p>
  </div>


  </div>

  </div>

  </div>
</section><!-- End Services Section -->



<!-- ======= Portfolio Section ======= -->
<section id="Story" class="Story">
  <div class="container" data-aos="fade-up">

    <div class="section-title">
      <h2>Story</h2>
      <p>
      <div class='tableauPlaceholder' id='viz1680886903510' style='position: relative'><noscrip
            alt='Story 1 '
            src='https:&#47;&#47;public.tableau.com&#47;static&#47;images&#47;ai&#47;air__cra
            style='border: none' /></a></noscript><object class='tableauViz' style='display:r
        <param name='host_url' value='https%3A%2F%2Fpublic.tableau.com%2F' />
```

```html
              <param name='embed_code_version' value='3' />
              <param name='site_root' value='' />
              <param name='name' value='air__crash__&#47;Story1' />
              <param name='tabs' value='no' />
              <param name='toolbar' value='yes' />
              <param name='static_image'
                value='https:&#47;&#47;public.tableau.com&#47;static&#47;images&#47;ai&#47;air__cra
              <param name='animate_transition' value='yes' />
              <param name='display_static_image' value='yes' />
              <param name='display_spinner' value='yes' />
              <param name='display_overlay' value='yes' />
              <param name='display_count' value='yes' />
              <param name='language' value='en-US' />
              <param name='filter' value='publish=yes' />
          </object></div>
        <script
            type='text/javascript'>                        var divElement = document.getElementById('vi
divElement.getElementsByTagName('object')[0]; vizElement.style.width = '1016px'; vizElement.style.h
document.createElement('script'); scriptElement.src = 'https://public.tableau.com/javascripts/api/v
vizElement.parentNode.insertBefore(scriptElement, vizElement);                        </script>
        </p>
      </div>
```

```html
  </main><!-- End #main -->

  <!-- ======= Footer ======= -->
  <footer id="footer">

    <div class="footer-newsletter">
      <div class="container">
        <div class="row justify-content-center">
          <div class="col-lg-6">

            </form>
          </div>
        </div>
      </div>
    </div>

    <div class="footer-top">
      <div class="container">
        <div class="row">

          <div class="col-lg-3 col-md-6 footer-contact">
```

```html
      </div>

      <div class="col-lg-3 col-md-6 footer-links">
        <h4>Useful Links</h4>
        <ul>
          <li><i class="bx bx-chevron-right"></i> <a href="#">Home</a></li>
          <li><i class="bx bx-chevron-right"></i> <a href="#">About </a></li>
          <li><i class="bx bx-chevron-right"></i> <a href="#">Charts</a></li>
          <li><i class="bx bx-chevron-right"></i> <a href="#">Dashboard</a></li>
          <li><i class="bx bx-chevron-right"></i> <a href="#">Story</a></li>
        </ul>
      </div>


      <div class="col-lg-3 col-md-6 footer-links">
        <h4>Our Social Networks</h4>

        <div class="social-links mt-3">
          <a href="#" class="twitter"><i class="bx bxl-twitter"></i></a>
          <a href="#" class="facebook"><i class="bx bxl-facebook"></i></a>
          <a href="#" class="instagram"><i class="bx bxl-instagram"></i></a>
          <a href="#" class="google-plus"><i class="bx bxl-skype"></i></a>
          <a href="#" class="linkedin"><i class="bx bxl-linkedin"></i></a>
        </div>
      </div>

    </div>
   </div>
  </div>

  <div class="container footer-bottom clearfix">
    <div class="copyright">
      &copy; Copyright <strong><span>SHPVIBE</span></strong>. All Rights Reserved
    </div>
    <div class="credits">
      <!-- All the links in the footer should remain intact. -->
      <!-- You can delete the links only if you purchased the pro version. -->
      <!-- Licensing information: https://bootstrapmade.com/license/ -->
      <!-- Purchase the pro version with working PHP/AJAX contact form: https://bootstrapmade.com
      Designed by <a href="https://bootstrapmade.com/">SHPVIBE</a>
    </div>
  </div>
</footer><!-- End Footer -->

<div id="preloader"></div>
<a href="#" class="back-to-top d-flex align-items-center justify-content-center"><i
    class="bi bi-arrow-up-short"></i></a>

<!-- Vendor JS Files -->
<script src="assets/vendor/aos/aos.js"></script>
<script src="assets/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
<script src="assets/vendor/glightbox/js/glightbox.min.js"></script>
<script src="assets/vendor/isotope-layout/isotope.pkgd.min.js"></script>
```

```html
    <script src="assets/vendor/swiper/swiper-bundle.min.js"></script>
    <script src="assets/vendor/waypoints/noframework.waypoints.js"></script>
    <script src="assets/vendor/php-email-form/validate.js"></script>

    <!-- Template Main JS File -->
    <script src="assets/js/main.js"></script>

  </body>

</html>
```