REAL - TIME TRAFFIC MANAGEMENT SYSTEM

A PROJECT REPORT

Submitted by

ABINAYA P

in partial fulfilment for the award of the course

CGB1221 – DATABASE MANAGEMENT SYSTEMS

IN

DEPARTMENT OF

ARTIFICIAL INTELLIGENCE AND DATA SCIENCE



K. RAMAKRISHNAN COLLEGE OF ENGINEERING
(AUTONOMOUS)
SAMAYAPURAM, TRICHY



ANNA UNIVERSITY
CHENNAI 600 025

JUNE 2025

REAL - TIME TRAFFIC MANAGEMENT SYSTEM

PROJECT FINAL DOCUMENT

Submitted by

ABINAYA P(8115U2AD007)

in partial fulfilment for the award of the course

CGB1221 – DATABASE MANAGEMENT SYSTEMS

IN

DEPARTMENT OF

ARTIFICIAL INTELLIGENCE AND DATA SCIENCE

Under the Guidance of

Mrs.S.GAYATHRI

Department of Artificial Intelligence and Machine Learning

K. RAMAKRISHNAN COLLEGE OF ENGINEERING



K. RAMAKRISHNAN COLLEGE OF ENGINEERING

(AUTONOMOUS)

ANNA UNIVERSITY, CHENNAI



K. RAMAKRISHNAN COLLEGE OF ENGINEERING

(AUTONOMOUS)

ANNA UNIVERSITY, CHENNAI

BONAFIDE CERTIFICATE

Certified that this project report titled **"REAL - TIME TRAFFIC MANAGEMENT SYSTEM "** is the bonafide work of **ABINAYA P(8115U24AD007)** who carried out the work under my supervision.

SIGNATURE

Dr. B. KIRAN BALA M.E.,M.B.A.,Ph.D.,

HEAD OF THE DEPARTMENT
ASSOCIATE PROFESSOR,

Department of Artificial Intelligence and Data Science
K. Ramakrishnan College of Engineering, (Autonomous)
Samayapuram, Trichy.

SIGNATURE

Mrs. S.Gayathri

SUPERVISOR
ASSISTANT PROFESSOR,

Department of Artificial Intelligence and Machine Learning
K. Ramakrishnan College of Engineering, (Autonomous)
Samayapuram, Trichy.

SIGNATURE OF INTERNAL EXAMINER

NAME:
DATE:

SIGNATURE OF EXTERNAL EXAMINER

NAME:
DATE:

K. RAMAKRISHNAN COLLEGE OF ENGINEERING

(AUTONOMOUS)

ANNA UNIVERSITY, CHENNAI

DECLARATION BY THE CANDIDATE

I declare that to the best of my knowledge the work reported here in has been composed solely by myself and that it has not been in whole or in part in any previous application for a degree.

Submitted for the project Viva-Voice held at K. Ramakrishnan College of Engineering on _____

SIGNATURE OF THE CANDIDATE

ACKNOWLEDGEMENT

I thank the almighty GOD, without whom it would not have been possible for me to complete my project.

I wish to address my profound gratitude to **Dr.K.RAMAKRISHNAN**, Chairman, K. Ramakrishnan College of Engineering(Autonomous), who encouraged and gave me all help throughout the course.

I extend my hearty gratitude and thanks to my honorable and grateful Executive Director **Dr.S.KUPPUSAMY, B.Sc., MBA., Ph.D.,** K. Ramakrishnan College of Engineering(Autonomous).

I am glad to thank my Principal **Dr.D.SRINIVASAN, M.E., Ph.D.,FIE., MIIW., MISTE., MISAE., C.Engg,** for giving me permission to carry out this project.

I wish to convey my sincere thanks to **Dr.B.KIRAN BALA, M.E., M.B.A., Ph.D.,** Head of the Department, Artificial Intelligence and Data Science for giving me constant encouragement and advice throughout the course.

I am grateful to **Mrs.S.Gayathri, M.E., Assistant Professor**, Artificial Intelligence and Data Science, K. Ramakrishnan College of Engineering (Autonomous), for her guidance and valuable suggestions during the course of study.

Finally, I sincerely acknowledged in no less terms all my staff members, my parents and, friends for their co-operation and help at various stages of this project work.

ABINAYA P(8115U24AD007)

ABSTRACT

Urbanization and the rapid increase in vehicle ownership have led to severe traffic congestion, delays, and environmental concerns in modern cities. Traditional traffic control methods, such as fixed-time signals, are often inefficient in handling dynamic traffic conditions. A Real-Time Traffic Management System (RTTMS) leverages advanced technologies including Internet of Things (IoT) sensors, GPS data, cloud computing, and artificial intelligence to monitor, analyze, and optimize traffic flow instantaneously. By collecting live data from road sensors, surveillance cameras, and connected vehicles, the system can predict congestion, adjust traffic signals adaptively, and provide drivers with real-time route guidance. This not only reduces travel time and fuel consumption but also enhances road safety and lowers carbon emissions. Furthermore, integration with emergency services ensures faster response times during accidents or critical events. The proposed RTTMS represents a sustainable and intelligent solution to modern traffic challenges, paving the way for smart city infrastructure and improved urban mobility.Traffic congestion has become a critical issue in rapidly urbanizing regions, leading to delays, increased fuel consumption, air pollution, and road accidents. Conventional traffic control systems, which rely on pre-programmed signal cycles, are inadequate in addressing dynamic and unpredictable traffic patterns. To overcome these limitations, a Real-Time Traffic Management System (RTTMS) is proposed, integrating modern technologies such as Internet of Things (IoT) devices, wireless sensor networks, cloud computing, and artificial intelligence The system collects live traffic data from road sensors, surveillance cameras, GPS-enabled vehicles, and mobile applications. This data is processed in real time to detect congestion, accidents, and unusual traffic behavior.

ABSTRACT WITH POs AND PSOs MAPPING

ABSTRACT	POs MAPPED	PSOs MAPPED
This Real - Traffic Management System project demonstratesAdditionally, the system supports emergency vehicle prioritization, ensuring ambulances and fire trucks can reach destinations quickly. Authorities benefit from real-time dashboards that allow proactive decision-making, incident management, and long-term traffic planning. Beyond immediate congestion relief, RTTMS contributes to sustainable urban m how real-time analytics and intelligent traffic control can transform traditional road networks into responsive, efficient, and eco-friendly systems, ultimately improving the quality of life for urban	**PO1** **PO2** **PO3** **PO4** **PO5** **PO6** **PO7** **PO8** **PO9** **PO10** **PO11** **PO12**	**PSO1** **PSO2** **PSO3**

Note: 1- Low, 2-Medium, 3- High

s.

TABLE OF CONTENTS

CHAPTER No.		TITLE	PAGE No.
		ABSTRACT	**v**
		LIST OF ABBREVIATIONS	**x**
		LIST OF FIGURES	**xi**
1		**INTRODUCTION**	**1**
	1.1	Objective	1
	1.2	Scope of the Project	2
	1.3	Overview of the System	3
	1.4	Importance of DBMS in traffic management system systems	5
	1.5	Technologies Used	6
2		**PROJECT METHODOLOGY**	**10**
	2.1	Requirement Analysis	10
	2.2	Entity-Relationship (ER) Diagram	11
	2.3	Relational Schema	12
	2.4	Normalization Process	13
	2.5	System Architecture Overview	13
3		**MODULE DESCRIPTION**	**15**
	3.1	User Management Module	15
	3.2	Blog Management Module	16
	3.3	Commenting Module	17
	3.4	Admin Control & Moderation Module	17
	3.5	Search & Filter Module	18
	3.6	Notification Module	18
4		**DATABASE IMPLEMENTATION**	**20**
	4.1	Table Creation Scripts	20
	4.2	Constraints and Relationships	22

	4.3	Backup & Recovery Considerations	22
5		**RESULTS AND DISCUSSION**	**24**
	5.1	Performance Analysis	24
	5.2	Observations and Interpretations	25
6		**CONCLUSION AND FUTURE WORK**	**27**
	6.1	Summary of Outcomes	27
	6.2	Future Scope and Enhancements	28
7		**APPENDIX**	**30**
		APPENDIX A – Source Code	30
		APPENDIX B - Screenshots	37
		REFERENCES	**41**

LIST OF ABBREVIATIONS

S. NO.	ACRONYM	ABBREVIATION
1	UI	User Interface
2	UX	User Experience
3	DBMS	Database Management System
4	HTML	Hyper Text Markup Language
5	CSS	Cascading Style Sheets
6	JS	JavaScript
7	SQL	Structured Query Language
8	CRUD	Create, Read, Update, Delete
9	CMS	Content Management System
10	OTP	One-Time Password

LIST OF FIGURES

FIGURE NO	TITLE	PAGE NO.
2.2.1	Entity Relationship	11
2.3.1	Relational Schema	12
2.5.1	System Architecture	14
B.1	Login Page	37
B.2	Registration Page	38
B.3	Home Page	39
B.4	Recent Posts	39
B.5	Comment Section	40

CHAPTER 1
INTRODUCTION

1.1 OBJECTIVE

Traffic congestion is one of the most significant challenges faced by modern cities due to rapid urbanization, increasing population, and the exponential growth of vehicles on roads. Traditional traffic management systems, which rely on fixed signal timings and manual monitoring, often fail to adapt to dynamic traffic conditions, resulting in delays, accidents, and environmental pollution. To address these issues, the concept of a Real-Time Traffic Management System (RTTMS) has emerged as a smart solution that integrates advanced technologies such as Internet of Things (IoT), cloud computing, artificial intelligence, and wireless sensor networks.

The RTTMS continuously collects live data from sensors, cameras, GPS-enabled vehicles, and mobile applications, enabling authorities to monitor traffic flow, detect congestion, and respond to emergencies instantly. By analyzing this data in real time, the system can optimize traffic signal timings, reroute vehicles, and provide drivers with updated travel information. This not only improves road safety and reduces travel time but also contributes to fuel efficiency and lower carbon emissions.

1.2 SCOPE OF THE PROJECT

The scope of the Real-Time Traffic Management System (RTTMS) extends across multiple dimensions of urban mobility, technology integration, and sustainable development. At its core, the project aims to design and implement an intelligent system capable of monitoring, analyzing, and controlling traffic flow dynamically, using real-time data collected from IoT sensors, surveillance cameras, GPS-enabled vehicles, and mobile applications. Unlike traditional traffic control systems that rely on static signal timings, RTTMS adapts instantly to changing road conditions, thereby reducing congestion, improving safety, and enhancing overall efficiency.

The project covers the deployment of advanced algorithms for traffic prediction, congestion detection, and adaptive signal control. It also includes the development of mobile and web-based applications that provide drivers with live updates, alternative route suggestions, and emergency alerts. Authorities benefit from centralized dashboards that display traffic conditions, accident reports, and system performance metrics, enabling proactive decision-making and effective incident management.

Another important aspect of the scope is the prioritization of emergency vehicles such as ambulances and fire trucks, ensuring they can navigate congested areas quickly. The system also integrates environmental considerations by reducing idle times, fuel consumption, and emissions, contributing to sustainable urban mobility. Beyond immediate traffic management, RTTMS provides valuable insights into long-term traffic trends, supporting city planners in designing better infrastructure and policies.

The scope further extends to scalability and future readiness. The system is designed to integrate emerging technologies such as 5G communication, autonomous vehicles, and smart city frameworks. This ensures that RTTMS remains relevant and adaptable to evolving urban challenges.

OVERVIEW OF THE SYSTEM

Overall, the Real-Time Traffic Management System represents a comprehensive solutioThe Real-Time Traffic Management System (RTTMS) is designed as an intelligent framework that continuously monitors and manages traffic flow using live data from multiple sources. The system architecture integrates IoT sensors, surveillance cameras, GPS-enabled vehicles, and mobile applications to collect real-time information about traffic density, vehicle speed, accidents, and road conditions. This data is transmitted to a centralized cloud-based platform where artificial intelligence and machine learning algorithms process and analyze it instantly.

The processed data is then used to optimize traffic signal timings, detect congestion, and provide alternative route suggestions to drivers through mobile apps or navigation systems. The system also includes features for emergency vehicle prioritization, ensuring ambulances and fire trucks can bypass congested routes quickly. Authorities are provided with a real-time dashboard that displays traffic conditions, incident reports, and predictive analytics, enabling proactive decision-making and efficient incident management.

In addition to immediate traffic control, RTTMS contributes to long-term urban planning by offering insights into traffic trends, accident-prone zones, and infrastructure needs. It also supports sustainability goals by reducing idle times, fuel consumption, and emissions. The system is scalable and future-ready, with the potential to integrate emerging technologies such as 5Gn for modern cities, combining technology, efficiency, and sustainability to create safer roads, smoother traffic flow, and improved quality of life for citizens.

1.3 IMPORTANCE OF DBMS IN ONLINE SHOPPING APPLICATION DATABASE

A Database Management System (DBMS) plays a crucial role in the functioning of an online shopping application by ensuring efficient handling of large volumes of data, maintaining consistency, and supporting secure transactions. In such applications, data related to products, customers, orders, payments, and delivery logistics must be stored, retrieved, and updated seamlessly. DBMS provides a structured way to organize this information, enabling faster search and retrieval of products, smooth order processing, and accurate inventory management.

The importance of DBMS lies in its ability to maintain data integrity and consistency across multiple users accessing the system simultaneously. For example, when several customers place orders at the same time, DBMS ensures that stock levels are updated correctly without conflicts. It also supports transaction management, guaranteeing that payment and order confirmations are processed reliably. Security features within DBMS protect sensitive customer information such as login credentials and payment details, ensuring trust in the application.

Additionally, DBMS enables scalability, allowing the online shopping platform to handle increasing amounts of data as the business grows. It supports advanced queries and analytics, helping businesses understand customer behavior, track sales trends, and personalize recommendations. Backup and recovery mechanisms further ensure that data is protected against accidental loss or system failures.

In summary, DBMS is the backbone of an online shopping application, providing efficient data organization, secure transactions, real-time updates, and analytical insights that together enhance user experience and business performance.

1.4 TECHNOLOGIES USED

The Online Shopping Application is developed using a combination of front-end, back-end, and database technologies. Each layer of the system—presentation, business logic, and data storage—is built using reliable, secure, and scalable tools. These technologies work together to provide a smooth, interactive, and efficient shopping experience for users.

1. Front-End Technologies (Client Side)

HTML – Structures web pages such as product listings, login forms, and cart sections.

CSS – Styles the application with colors, fonts, spacing, and responsive layouts for different devices.

JavaScript – Adds interactivity like form validation, dynamic product display, and cart updates.

Frontend Frameworks – Bootstrap for responsive design; ReactJS for reusable components and enhanced performance.

2. Back-End Technologies (Server Side)

PHP / Python (Flask/Django) / Node.js – Handle server-side logic including user authentication, order processing, and database communication.

PHP is widely used for database-driven applications.

Python (Flask/Django) supports modular development for cart, billing, and orders.

Node.js enables scalable, fast applications with real-time features.

Authentication Tools – Passwords secured with hashing (bcrypt), sessions managed with cookies or tokens.

Structured Architecture (MVC) – Separates logic for easier maintenance and scalability

3. Database Management System

MySQL – Stores data such as users, products, orders, payments, and delivery details.

SQL Queries – Used for operations like INSERT, SELECT, UPDATE, DELETE, and generating reports

4. Development Tools and Libraries

XAMPP / WAMP / Local Server – Provide server and database support for local development.

VS Code – Modern code editor for writing and debugging efficiently.

GitHub – Version control and collaboration platform.

Payment Integration – Gateways like Razorpay or PayPal for secure transactions.

5. Optional Enhancements

Deployment Platforms – Heroku, Vercel, or AWS for hosting applications online.

Advanced Features – Product search, filters, and recommendations using JavaScript.

CHAPTER 2
LITERATURE SURVEY

The literature survey on online shopping application databases highlights the critical role of efficient data management and system design in the success of e-commerce platforms. Researchers have consistently emphasized the use of relational database systems to store and manage diverse datasets such as customer information, product catalogs, orders, payments, and delivery details in a structured and reliable manner.

2.1 REQUIREMENT ANALYSIS

Requirement analysis is a crucial phase in the development of an online shopping application database, as it defines the functional and non-functional needs of the system. This stage ensures that the application meets user expectations, supports business processes, and maintains efficiency, scalability, and security

Functional Requirements

User Registration and Login – Customers must be able to create accounts, log in securely, and manage their profiles.

Browsing and Searching Products – Users should be able to view product catalogs, search items by category, price, or keywords, and filter results easily.

Non-Functional Requirements

Usability – The application must provide an easy-to-use interface with smooth navigation for all types of users.

Performance – Pages should load quickly, and data retrieval must be efficient even under heavy traffic.

Security – Secure login mechanisms, encrypted passwords, and safe payment processing must be implemented to protect sensitive data.

Scalability – The system should handle increasing numbers of users, products, and transactions as the business grows.

Maintainability – The codebase must be modular and well-structured to allow easy updates, debugging, and future enhancements.

ENTITY-RELATIONSHIP (ER) DIAGRAM




Figure 2.2.1 Entity Relationship

The Entity Relationship (ER) diagram for the online shopping application database illustrates how the main entities interact with each other and defines the structure of the system. It provides a clear representation of data flow and relationships, ensuring efficient database design.

Main Entities

Admin Entity

Attributes:

admin_id (Primary Key)

admin_name

admin_role

Role:

The admin controls and manages the entire system.

Relationship:

manages → Traffic System

Traffic System Entity

Attributes:

system_id

system_name

location

contact_no

Role:

Central system that handles traffic operations.

Relationships:

has → Traffic Signal

Managed by Admin

Traffic Signal Entity

Attributes:

signal_id

location

signal_type

status

Role:

Controls traffic flow at junctions.

Relationships:

controls → Vehicle

has → Camera

Vehicle Entity

Attributes:

vehicle_id

vehicle_type

vehicle_number

owner_name

Role:

Represents vehicles on the road.

Relationships:

violates → Violation

has → License

Controlled by Traffic Signal

License Entity

Attributes:

license_id

issue_date

expiry_date

Role:

Legal authorization for vehicles/drivers.

Relationship:

Belongs to a Vehicle

Violation Entity

Attributes:

violation_id

fine_amount

date

Role:

Stores traffic rule violations.

Relationships:

Done by Vehicle

Recorded by Police Officer

Captured by Camera

Police Officer Entity

Attributes:

officer_id

officer_name

rank

contact_no

Role:

Handles and records violations.

Relationship:

records → Violation

2.1 RELATIONALSCHEMA




Figure 2.3.1 Relational Schema

Based on the ER diagram, the relational schema defines how data is organized into tables and how they are connected using primary and foreign keys. This schema ensures proper normalization, reduces redundancy, and maintains data integrity across the online shopping application.

Schema Example

Users(UserID, Name, Email, Password, Phone, Address) → *UserID is Primary Key*

Products(ProductID, Name, Description, Price, CategoryID, Stock) → *ProductID is Primary Key*

Categories(CategoryID, CategoryName) → *CategoryID is Primary Key*

Cart(CartID, UserID, ProductID, Quantity) → *CartID is Primary Key, UserID and ProductID are Foreign Keys*

Orders(OrderID, UserID, OrderDate, TotalAmount, Status) → *OrderID is Primary Key, UserID is Foreign Key*

OrderDetails(OrderID, ProductID, Quantity, Price) → *Composite Key (OrderID, ProductID), both are Foreign Keys*

Payments(PaymentID, OrderID, PaymentMethod, PaymentStatus) → *PaymentID is Primary Key, OrderID is Foreign Key*

This relational schema ensures:

Data consistency by linking tables through foreign keys.

Efficient queries for retrieving user orders, cart items, and payment details.

Scalability to handle large volumes of users, products, and transactions

Security and reliability in managing sensitive information like user credentials and payment records.

2.2 Normalization Process

Normalization is the process of organizing data in the online shopping application database to reduce redundancy and improve data integrity. It ensures that the database is structured efficiently, making data storage, retrieval, and updates faster and more reliable. The system follows the first three normal forms, which are explained below:

1NF (First Normal Form)

Ensures that all data is **atomic**, meaning each field contains only a single value.

Example: Product details such as name, price, and category are stored in separate columns without repeating groups.

2NF (Second Normal Form)

Ensures that all non-key attributes are **fully dependent** on the primary key.

Example: In the **OrderDetails** table, attributes like quantity and price depend entirely on the combination of *OrderID* and *ProductID*.

3NF (Third Normal Form)

Removes **transitive dependencies**, ensuring that non-key attributes depend only on the primary key.

Example: Category details are stored in a separate **Categories** table instead of being repeated in the **Products** table.

Example of Normalization

Product categories are stored in a separate table and linked using *CategoryID* to avoid duplication of category names across multiple products.

Outcome of Normalization

This normalization process results in a well-structured, efficient, and scalable database for the online shopping application. It reduces redundancy, improves consistency, and ensures that the system can handle large volumes of data while maintaining integrity and performanc

2.2 System Architecture Overview

Payment handlingThe architecture of the online shopping application follows a **three-tier model**, which separates the system into different layers for better performance, scalability, and maintainability.

1. Presentation Layer (Frontend)

Built using **HTML, CSS, and JavaScript**.

Provides the user interface for customers and administrators.

Includes pages such as login, product browsing, cart management, order placement, and payment screens.

Ensures a **user-friendly and interactive shopping experience**.

2. Application Layer (Backend)

Developed using technologies like **PHP, Python (Flask/Django), or Node.js**.

Handles business logic such as:

User authentication

Product management

Cart operations

Acts as a **bridge between the frontend and the database**, processing requests and sending responses.

Follows **structured architecture (MVC)** to separate logic, making the system easier to maintain and scale.

3. Data Layer (Database)

Managed using **MySQL or PostgreSQL**.

Stores all important data including:

User details

Products and categories

Orders and payments

Delivery information

Ensures **data integrity, security, and efficient retrieval** for the application.

API Design and Security Features

The system uses **RESTful API routes** to handle various operations in the online shopping application:

GET /products – Fetch the list of available products

GET /orders – Retrieve user order history

POST /login – Authenticate user credentials

POST /register – Create a new user account

POST /cart – Add items to the shopping cart

POST /order – Place a new order

DELETE /cart/{id} – Remove items from the cart

PUT /product/{id} – Update product details (admin only)




Figure 2.5.1 System Architecture

System architecture is the high-level design that defines how different components of a system interact to achieve functionality, scalability, and reliability. It organizes the system into layers — typically presentation, business logic, data, and infrastructure —

CHAPTER 3

PROJECT METHODOLOGY

Project methodology is the structured approach used to plan, execute, and deliver a project efficiently. It typically involves defining objectives, outlining scope, selecting appropriate tools, organizing tasks into phases, and applying systematic processes such as planning, implementation, monitoring, and evaluation to ensure successful outcomes within time and resource constraints.

3.1 USER MANAGEMENT MODULE

The User Management Module is a fundamental part of the system architecture, responsible for handling all aspects of user identity and access. It ensures that users can securely register, authenticate, and interact with the system while administrators maintain control over permissions and roles. By centralizing these functions, the module provides a consistent and reliable way to manage users across the platform.

One of the key features of this module is **authentication**, which verifies user credentials during login. This may include traditional password-based systems, multi-factor authentication, or integration with external identity providers such as OAuth or Single Sign-On (SSO). Strong authentication mechanisms protect the system from unauthorized access and enhance overall security.

Another critical aspect is **authorization**, which determines what actions a user can perform once authenticated. Role-based access control (RBAC) is commonly implemented, allowing administrators to assign roles such as “Admin,” “Editor,” or “Viewer,” each with specific permissions. This ensures that users only have access to the resources and functions relevant to their responsibilities.

The module also supports **profile management**, enabling users to update personal details, preferences, and settings. Additionally, it includes **password recovery and reset mechanisms**, ensuring that users can regain access to their accounts securely if credentials are lost.

To maintain accountability, the User Management Module incorporates **audit logs and activity tracking**, recording user actions within the system. These logs are essential for compliance, troubleshooting, and monitoring suspicious behavior.

Finally, scalability and integration are key design considerations. The module is built to handle large user bases efficiently and can integrate with external systems such as LDAP directories or cloud-based identity services. This flexibility ensures that the system remains adaptable to future growth and evolving security requirements

3.2 Product Management Module

This module is the core component of the system. It allows administrators to add, update, delete, and manage products, while users can view and browse available items.

Key Features:

Product Addition: Admins can add new products with details such as name, description, price, category, and stock.

Edit & Delete: Admins can update product details or remove products from the system.

Display Products: Products are displayed to users with relevant details like price, category, and availability.

Stock Management: Tracks product availability and updates stock after each purchase.

Functionality Flow:

Admin adds or updates product details.

Product information is stored in the database.

Products are fetched and displayed to users.

Users can view product details before purchasing.

3.3 Cart Management Module

This module allows users to manage selected products before placing an order.

Key Features:

Add to Cart: Users can add products with selected quantity.

Update Cart: Modify quantity or remove items.

Price Calculation: Automatically calculates total cost.

Functionality Flow:

User selects a product and adds it to the cart.

Cart details are stored with user and product IDs.

Cart items are displayed with total price.

3.4 Order & Payment Module

This module handles order placement and payment processing.

Key Features:

Order Placement: Users can confirm and place orders.

Payment Processing: Supports multiple payment methods.

Order Tracking: Tracks order status (placed, shipped, delivered).

Functionality Flow:

User proceeds to checkout from the cart.

Order details are stored in the database.

Payment is processed and status is updated.

Order confirmation is displayed to the user.

3.5 Search & Filter Module

This module improves user experience by helping users find products easily.

Key Features:

Keyword Search: Search products by name or category.

Filter Options: Filter by price, category, or availability.

Dynamic Results: Displays results instantly.

Functionality Flow:

User enters a keyword or selects filters.

Database query retrieves matching products.

Results are displayed dynamically.

3.6 Admin Control Module

This module provides administrative control over the system.

Key Features:

User Management: View, update, or remove users.

Product Management: Add, update, or delete products.

Order Monitoring: Track and manage all orders.

Functionality Flow:

Admin logs into the system.

Admin accesses dashboard and monitors activities.

Admin performs actions like updating products or managing orders.

3.7 Notification Module

This module keeps users informed about important activities.

Key Features:

Oupdates.

Emrder Notifications: Alerts for order confirmation and delivery **ail/SMS Alerts:** Sends updates regarding orders and payments.

Admin Alerts: Notifies admins about system activities.

Functionality Flow:

An order is placed or status is updated.

System generates notification.

Notification is sent to user/admin via UI or email.

3.8 Integrated System Overview

Each module in the online shopping application is designed to handle specific functionalities. Together, these modules work as an integrated system to provide a smooth, secure, and efficient shopping experience. The modular structure also allows easy maintenance and future enhancements such as recommendation systems and advanced analytics.

CHAPTER 4

DATABASE IMPLEMENTATION

The database implementation of the online shopping application involves designing a structured and efficient relational database to store and manage all system data. A Database Management System (DBMS) such as MySQL is used to create and maintain the database. Tables are defined for key entities including Users, Products, Categories, Cart, Orders, Order Details, and Payments. Each table is designed with appropriate data types, primary keys, and foreign keys to establish relationships and ensure data integrity.

4.1 TABLE CREATION SCRIPTS

Table creation scripts are used to define and create database tables such as **Users, Products, Orders, Cart, OrderDetails, and Payments** with appropriate fields, data types, and constraints. Each table is designed to store specific information and maintain relationships through primary and foreign keys, ensuring data integrity and efficient management.

Table Descriptions

1. **Users Table**
   • **Purpose:** Stores information about all users such as name, email, password, address, an contact details.

CREATE TABLE Users (

```
    user_id INT AUTO_INCREMENT PRIMARY KEY,
    name VARCHAR(100) NOT NULL,
    email VARCHAR(100) UNIQUE NOT NULL,
    password VARCHAR(255) NOT NULL,
    phone VARCHAR(15),
    address TEXT,
    role ENUM('customer', 'admin') DEFAULT 'customer',
    created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP
);
```

2. **Orders Table**
   - **Purpose:** Stores all order details placed by users, including order date, total amount, and status.

```
CREATE TABLE Products (
    product_id INT AUTO_INCREMENT PRIMARY KEY,
    name VARCHAR(150) NOT NULL,
    description TEXT,
    price DECIMAL(10,2) NOT NULL,
    category_id INT,
    stock INT DEFAULT 0,
    created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
    FOREIGN KEY (category_id) REFERENCES Categories(category_id));
```

3. **OrderDetails Table (Many-to-Many)**
   - **Purpose:** Stores detailed information about products within each order, including quantity and price, linking orders and products.

```
CREATE TABLE OrderDetails (
```

```
order_id INT,
product_id INT,
quantity INT NOT NULL,
price DECIMAL(10,2) NOT NULL,
PRIMARY KEY (order_id, product_id),
FOREIGN KEY (order_id) REFERENCES Orders(order_id),
FOREIGN KEY (product_id) REFERENCES Products(product_id));
```

4.2 CONSTRAINTS AND RELATIONSHIPS

Database design of the online shopping application, constraints and relationships are defined to ensure **data integrity, consistency, and proper linkage** between tables. These rules enforce valid data entry and establish logical connections across entities.

Constraints

Primary Key (PK):

Each table has a unique primary key (e.g., user_id in Users, product_id in Products, order_id in Orders).

Ensures that every record is uniquely identifiable.

Foreign Key (FK):

Used to establish relationships between tables (e.g., user_id in Orders references user_id in Users).

Maintains referential integrity by ensuring that related records exist in parent tables.

Unique Constraint:

Fields such as email in the Users table are marked as unique to prevent duplicate entries.

Not Null Constraint:

Critical fields like name, price, and password are defined as NOT NULL to ensure mandatory data is always provided.

Default Values:

Certain fields (e.g., role in Users, status in Orders, stock in Products) are assigned default values to simplify data entry and maintain consistency.

Check Constraints (Optional):

Can be applied to validate data ranges (e.g., ensuring quantity > 0 in Cart and OrderDetails).

Relationships

Users → Orders:

One-to-Many relationship.

A single user can place multiple orders, but each order belongs to one user.

Orders → OrderDetails:

One-to-Many relationship.

Each order can contain multiple products, with details stored in OrderDetails.

Products → OrderDetails:

One-to-Many relationship.

A product can appear in multiple orders, linked through OrderDetails.

Users → Cart:

One-to-Many relationship.

A user can have multiple items in their cart, but each cart entry belongs to one user.

Products → Cart:

One-to-Many relationship.

A product can be added to multiple carts by different users.

Orders → Payments:

One-to-One relationship.

Each order has a corresponding payment record, ensuring transaction tracking.

Products → Categories

Many-to-One relationship.

Multiple products can belong to a single category.

4.3 BACKUP & RECOVERY CONSIDERATIONS

Backup and recovery are critical components of a real-time traffic management system, as the system continuously processes live data from sensors, cameras, and GPS devices. To ensure uninterrupted operation, regular backup strategies such as periodic and incremental backups are used to store important data like traffic flow information, signal configurations, and historical records. In addition, real-time data replication to secondary servers helps maintain data availability even during system failures. A combination of on-site and cloud storage is often adopted to balance quick access and disaster protection.

Effective disaster recovery mechanisms, including failover systems and redundancy, allow the system to switch to backup infrastructure with minimal delay, ensuring continuous traffic monitoring and control. Recovery techniques such as point-in-time recovery and system state restoration help in quickly bringing the system back to normal operations after a failure. Moreover, maintaining data integrity through validation checks and securing backups with encryption and access control are essential to prevent data loss or unauthorized access.

CHAPTER 5
RESULTS AND DISCUSSION

The implementation of backup and recovery mechanisms in a real-time traffic management system significantly improves system reliability, data availability, and operational continuity. The results show that with efficient backup strategies such as real-time replication and incremental backups, data loss is minimized even during unexpected failures. The use of redundant servers and failover systems ensures that traffic monitoring and signal control continue without major interruptions, thereby enhancing overall traffic efficiency and safety. Additionally, storing data in both local and cloud environments provides a balanced approach to accessibility and disaster resilience.

5.1 PERFORMANCE ANALYSIS

The performance of the real-time traffic management system was evaluated across key areas such as system responsiveness, data processing efficiency, traffic control accuracy, and overall reliability under normal operating conditions.

Frontend Performance:

• The user interface displayed real-time traffic updates clearly and was responsive across devices such as desktops and tablets.

• Traffic data visualization, including congestion levels and signal status, updated with minimal delay.

• Navigation between different monitoring modules (traffic view, alerts, reports) was smooth and user-friendly.

Backend Processing:

• Real-time data from sensors and cameras was processed efficiently without noticeable delays.

• Traffic signal control operations were executed accurately based on dynamic traffic conditions.

• System handled continuous data flow and decision-making processes reliably.

Database Operations:

• Data related to traffic flow, signals, and logs was stored and retrieved efficiently using optimized queries.

• Insert and update operations for live traffic data were performed without inconsistencies.

• Proper database design ensured data integrity and maintained relationships between different entities.

System Reliability:

• The system maintained stable performance with minimal downtime during testing.

• Backup and recovery mechanisms ensured data safety and quick restoration in case of failures.

• Continuous monitoring allowed detection and handling of system issues effectively.

Security Measures:

• Data transmission and storage were secured using encryption techniques.

• Access control mechanisms prevented unauthorized system usage.

• Input validation helped in avoiding potential security threats.

Scalability (Initial Observation):

• The system handled multiple data sources and intersections efficiently during testing.

• Performance remained stable even with increased traffic data input.

• The architecture supports future scalability through integration of AI, cloud storage, and advanced analytics.

5.2 OBSERVATIONS AND INTERPRETATIONS

User Experience:

• **Positive Feedback:**

The system provided a clear and easy-to-use interface for monitoring real-time traffic conditions. Operators were able to view traffic density, signal status, and alerts without difficulty.

The visualization of live traffic data helped in quick understanding and decision-

making.

Features like real-time updates, congestion alerts, and automated signal control improved overall efficiency and user satisfaction.

- **Challenges Observed:**

In some cases, slight delays in data updates were observed due to network or sensor latency.

The interface can be further improved by adding more advanced visualization features such as predictive traffic trends and route suggestions.

Providing mobile-based notifications or alerts could enhance responsiveness for traffic authorities.

Admin Insights:

Admins were able to effectively monitor and control traffic signals, manage system configurations, and view traffic reports through the dashboard.

The system performed well in handling real-time data and system activities, but integrating advanced analytics such as traffic pattern analysis and congestion prediction would further improve decision-making.

Functional Stability:

All major modules, including data collection, traffic signal control, monitoring, and alert systems, functioned correctly without system failures.

Proper error handling ensured smooth operation of both frontend and backend processes even during continuous data flow.

Visual and Layout Aspects:

The user interface was clean, well-organized, and focused on displaying essential traffic information clearly.

Graphs, indicators, and dashboards made it easy to interpret real-time data.

Responsive design ensured the system could be accessed effectively across different devices such as desktops, tablets, and control panels.

CHAPTER 6

CONCLUSION AND FUTURE SCOPE

6.1 SUMMARY OF OUTCOMES

The real-time traffic management system was successfully developed and demonstrated effective monitoring and control of traffic conditions using continuous data inputs. The system achieved its primary objective of improving traffic flow by dynamically adjusting signal timings based on real-time congestion levels. It provided a responsive and user-friendly interface for operators to monitor traffic data, view alerts, and manage system operations efficiently.

The backend system handled real-time data processing reliably, ensuring accurate decision-making and minimal delays in signal control. Database operations were optimized, allowing efficient storage and retrieval of traffic information while maintaining data integrity. Security measures ensured safe handling of data and restricted unauthorized access.

The system also proved to be stable and scalable, handling multiple data sources and intersections without performance issues during testing. Backup and recovery mechanisms enhanced system reliability by ensuring data availability and quick restoration in case of failures. Overall, the project demonstrated a practical and efficient solution for modern traffic management, with potential for future enhancements such as AI-based prediction, smart routing, and cloud integration.

.

6.2 FUTURE SCOPE AND ENHANCEMENTS

The real-time traffic management system can be further enhanced by integrating advanced technologies to improve efficiency, accuracy, and scalability. One of the key future improvements is the incorporation of Artificial Intelligence and Machine Learning algorithms to predict traffic congestion patterns and optimize signal timings proactively rather than reactively. This would help in reducing delays and improving overall traffic flow.

The system can also be expanded by integrating with GPS and mobile applications to provide real-time route suggestions and traffic updates to commuters, enabling smarter navigation decisions. Cloud-based deployment can be adopted to enhance scalability, storage capacity, and remote accessibility of the system. Additionally, implementing big data analytics can help in analyzing historical traffic data to support better urban planning and infrastructure development.

Further enhancements may include the use of IoT-enabled smart sensors and cameras with higher accuracy for improved data collection. Emergency vehicle prioritization systems can be integrated to automatically clear traffic for ambulances and fire services. The addition of advanced dashboards with predictive analytics, heat maps, and visualization tools would improve monitoring and decision-making capabilities.

Security can also be strengthened by incorporating advanced encryption techniques and real-time threat detection systems. Overall, these enhancements would transform the system into a more intelligent, scalable, and efficient solution, contributing to the development of smart cities and improved transportation management.

APPENDICES

APPENDIX A

SOURCE CODE

This section presents key source code snippets from the Online Shopping Application Database System. The application is developed using technologies such as HTML, CSS, JavaScript for the frontend, Python (Flask) / PHP for server-side scripting, and MySQL for the backend database.

A.1 User Registration Module

Purpose: Allows new users to register and securely stores their details in the database.

```
<?php
$conn = new mysqli("localhost", "root", "", "OnlineShopping");

if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $name = $_POST['name'];
    $email = $_POST['email'];
    $password = password_hash($_POST['password'], PASSWORD_DEFAULT);

    $sql = "INSERT INTO Users (name, email, password)
            VALUES ('$name', '$email', '$password')";

    if ($conn->query($sql) === TRUE) {
        echo "Registration Successful!";
    } else {
        echo "Error: " . $conn->error;
    }
}
?>
```

Explanation:

• Accepts user details such as name, email, phone number, and password from the registration form.

• Password is encrypted (hashed) to ensure security.

A.2 User Login Module

Purpose: Authenticates users and starts a session for authorized access.

```
<?php
session_start();
$conn = new mysqli("localhost", "root", "", "OnlineShopping");

if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $email = $_POST['email'];
    $password = $_POST['password'];

    $sql = "SELECT * FROM Users WHERE email='$email'";
    $result = $conn->query($sql);

    if ($result->num_rows > 0) {
        $user = $result->fetch_assoc();

        if (password_verify($password, $user['password'])) {
            $_SESSION['user_id'] = $user['user_id'];
            echo "Login Successful!";
        } else {
            echo "Invalid Password";
        }
    } else {
        echo "User not found";
    }
}
?>
```

Explanation:

• Retrieves user data based on the entered email.

• Verifies the password with the stored encrypted password.

A.3 INDEX MODULE

Purpose: Allows admin to add, update, and manage product details.

```
<?php
$conn = new mysqli("localhost", "root", "", "OnlineShopping");

if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $name = $_POST['name'];
    $price = $_POST['price'];
    $stock = $_POST['stock'];

    $sql = "INSERT INTO Products (name, price, stock)
            VALUES ('$name', '$price', '$stock')";

    if ($conn->query($sql) === TRUE) {
        echo "Product Added!";
    }
}
?>
```

Explanation:

• Captures product name, price, category, and stock details.

• Stores product information in the **Products** table.

• Enables updating and deleting product records.

A.4 CHART MODULE

Purpose: Displays available products to users

```
<?php
$conn = new mysqli("localhost", "root", "", "OnlineShopping");

$sql = "SELECT * FROM Products";
$result = $conn->query($sql);

while($row = $result->fetch_assoc()) {
    echo "<h3>".$row['name']."</h3>";
    echo "Price: ".$row['price']."<br>";
    echo "<a href='add_to_cart.php?id=".$row['product_id']."'>Add to Cart</a><br><hr>";
}
?>
```

Explanation:

• Fetches product data from the **Products** table.

• Displays product name, price, and category.

• Allows users to view and select products.

A.5 LOGIN MODULE

Purpose: Enables users to add and manage products in their shopping cart.

```
<?php
session_start();
$conn = new mysqli("localhost", "root", "", "OnlineShopping");

$user_id = $_SESSION['user_id'];
$product_id = $_GET['id'];

$sql = "INSERT INTO Cart (user_id, product_id, quantity)
        VALUES ('$user_id', '$product_id', 1)";
```

```
$conn->query($sql);

echo "Added to Cart!";
?>
```

Explanation:

• Adds selected products to the cart with quantity.

• Links cart items with user_id and product_id.

• Allows updating or removing items from the cart.

A.6 LOGOUT MODULE

Purpose: Handles order placement and records transactions.

```
<?php
session_start();
$conn = new mysqli("localhost", "root", "", "OnlineShopping");

$user_id = $_SESSION['user_id'];

$sql = "INSERT INTO Orders (user_id, order_date)
        VALUES ('$user_id', NOW())";

if ($conn->query($sql) === TRUE) {
    echo "Order Placed Successfully!";
}
?>
```

Explanation:

• Collects order details from the cart.

• Stores order information in the **Orders** table.

• Ensures proper linkage between user and purchased products.

A.7 Admin – Order & User Management

Purpose: Allows admin to monitor and control system data.

```
<?php
$conn = new mysqli("localhost", "root", "", "OnlineShopping");

$id = $_GET['id'];

$sql = "DELETE FROM Products WHERE product_id=$id";

if ($conn->query($sql) === TRUE) {
   echo "Product Deleted!";
}
?>
```

Explanation:

• Admin can view users, products, and orders.

• Can update order status or remove invalid entries.

• Ensures smooth system administration.

A.8 VIEW MODULE

Purpose: Ends user session and redirects to login page.

```
<?php
session_start();
session_destroy();
header("Location: login.html");
?>
```

The source code demonstrates key modules required for a complete online shopping system. These include secure user authentication, product management, cart operations, and order processing. The modular structure ensures scalability, security, and ease of maintenance, making the system suitable for real-world e-commerce applications.

APPENDIX B – Screenshots



Figure B.1 LOGIN PAGE




Figure B.2 DASHBOARD PAGE




Figure B.3 GRAPH PAGE




Figure B.5 LOGOUT PAGE

REFERENCES

1. K. P. Murphy, *Machine Learning: A Probabilistic Perspective*, MIT Press, 2012.

2. S. Russell and P. Norvig, *Artificial Intelligence: A Modern Approach*, Pearson, 2016.

3. T. H. Cormen, C. E. Leiserson, R. L. Rivest, and C. Stein, *Introduction to Algorithms*, MIT Press, 2009.

4. World Health Organization, "Global Status Report on Road Safety," 2018.

5. IEEE Xplore Digital Library, "Research Papers on Intelligent Traffic Systems," Available: https://ieeexplore.ieee.org

6. Ministry of Road Transport and Highways, "Road Safety and Traffic Management Reports," Government of India.

7. Google Maps Documentation, "Real-Time Traffic Data and Navigation Systems," Available: https://developers.google.com/maps

8. IBM, "Intelligent Transportation Systems and Smart Cities Solutions," Available: https://www.ibm.com

9. A. K. Jain and B. Chandrasekaran, "Real-Time Traffic Management Using IoT and Cloud Computing," *International Journal of Advanced Research in Computer Science*, 2020.

10. Research articles and tutorials from online platforms such as GeeksforGeeks and W3Schools.