KAMARAJ
COLLEGE OF ENGINEERING & TECHNOLOGY
(An Autonomous Institution - AFFILIATED TO ANNA UNIVERSITY, CHENNAI)
S.P.G.Chidambara Nadar - C.Nagammal Campus
S.P.G.C. Nagar, K.Vellakulam – 625 701 (Near VIRUDHUNAGAR).

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING
2026 – 2027 (ODD SEMESTER)
CS2307 – INTERNET PROGRAMMING LAB

PlacementHub – Student Placement Management System

Abstract

PlacementHub is a dynamic Student Placement Management System that lets students of a college register online, view the companies visiting for campus recruitment, apply for the drives they are eligible for and track the status of their applications. The placement officer, acting as the administrator, can add and delete company drives, view all applications received and update the status of each application as Applied, Shortlisted, Selected or Rejected.

The front end is built with HTML, CSS and JavaScript, while PHP handles server-side processing and MySQL stores users, student profiles, jobs and applications. Passwords are stored in hashed form, every database query uses prepared statements, all output is escaped before display and access to the dashboard and the admin panel is controlled by role-based sessions, so the website follows basic web-security practice. PlacementHub replaces manual registers and spreadsheets with a single, centralised and easy-to-use web application.

Introduction

Campus placement is one of the most important activities of an engineering college. In many colleges, student details, company information and selection results are still maintained in paper files and spreadsheets. This makes it difficult for students to know which companies are visiting, whether they are eligible and what the result of their application is, and it takes a great deal of effort for the placement office to collect and update this information.

This mini project, PlacementHub, applies the technologies taught in the Internet Programming Laboratory: HTML for page structure, CSS for styling, JavaScript for client-side interactivity, PHP for server-side processing and MySQL for database connectivity. The project demonstrates form processing, user login with sessions, database connectivity and data management (create, read, update and delete) in a single application.

Objectives of the Project

- To design a responsive and easy-to-use placement portal using HTML, CSS and JavaScript.
- To store users, student profiles, jobs and applications in a MySQL database and access them from PHP.
- To provide secure student registration and login using hashed passwords and PHP sessions.
- To let students view company drives, search them and apply online.
- To check the eligibility of a student automatically using the minimum CGPA required by the company and to prevent duplicate applications.
- To let students track the status of their applications from a personal dashboard.
- To give the placement officer an admin panel to add and delete jobs and to update application status.
- To apply basic security measures: password hashing, prepared statements, output escaping and role-based access.

Modules Description

1. User Authentication Module (register.php, login.php, logout.php)

New students register with a name, e-mail, password, branch, CGPA and phone number. The password is stored using password_hash() and verified with password_verify(). JavaScript checks the registration form in the browser (password length and a 10-digit phone number) and PHP validates the data again on the server. After a successful login the user id, name, e-mail and role are kept in a PHP session. The administrator is sent to the admin panel, while students are sent to their dashboard. Logging out destroys the session.

2. Home Module (index.php)

The home page shows the PlacementHub banner with Get Started and View Companies buttons, together with live counts of registered students, job openings and students placed, which are read from the database.

3. Company and Job Listing Module (jobs.php)

Displays all open placement drives with the company name, role, description, package in LPA, minimum CGPA and last date. The list is read from the jobs table and sorted by deadline. A JavaScript live search box hides the rows that do not match the company or role typed by the user.

4. Job Application Module (jobs.php)

A logged-in student can apply for a drive with the Apply button. The server compares the CGPA of the student with the minimum CGPA of the job and rejects the request if the student is not eligible. A unique key on student and job prevents the same student from applying twice, and a suitable message is shown for every case.

5. Student Dashboard Module (dashboard.php)

Available only to logged-in students. It shows the profile details (e-mail, branch, CGPA and phone) and a table called My Applications listing the company, role, package, application date and the current status (Applied, Shortlisted, Selected or Rejected).

6. Admin Module (admin.php)

Available only to users with the admin role. The placement officer can add a new company and job, delete a job, view every application together with the student name, branch and CGPA, and change the status of an application from a drop-down list. The change is saved immediately and is visible to the student on the dashboard.

7. Database and Configuration Module (config.php, database.sql, includes/, assets/)

Holds the MySQL connection and session start, the helper functions for output escaping and role checking, the SQL script that creates four tables and loads the admin account and sample jobs, the shared header and footer, the stylesheet and the JavaScript file.

Methodology / Approach

The project was developed in four iterative stages: requirement analysis, design, implementation and testing.

1. System Architecture

PlacementHub follows a three-tier architecture, as summarised below.

Tier	Technology	Responsibility
Presentation	HTML, CSS, JavaScript	Page layout, responsive design, form validation, live job search, confirmation dialogs
Application	PHP (Apache)	Sessions, form validation, authentication, eligibility check, application processing, admin actions
Data	MySQL / MariaDB	Persistent storage of users, student profiles, jobs and applications

2. Database Design

The database placement_db contains four tables. The students table references users, and the applications table references users and jobs, through foreign keys with ON DELETE CASCADE, which keeps the data consistent. A unique key on (student_id, job_id) prevents duplicate applications.

Table	Main columns	Purpose
users	id, name, email (unique), password (hash), role (admin / student)	Student and administrator accounts
students	user_id (PK, FK), branch, cgpa, phone	Academic profile of each student
jobs	id, company, title, package_lpa, min_cgpa, deadline, description	Company drives added by the admin
applications	id, student_id (FK), job_id (FK), status, applied_at	Applications made by students and their status

3. Development Steps

- Created the MySQL database and tables and loaded the admin account and sample company drives.
- Wrote the database connection file, the helper functions and the shared header and footer so that every page has a consistent layout.
- Implemented student registration and login with password hashing and sessions.
- Built the job listing page with live search and the apply feature with the eligibility check.
- Built the student dashboard to display the profile and application status.
- Built the admin panel to add and delete jobs and to update the status of applications.
- Styled the website with a responsive CSS layout and added JavaScript for form validation and live search.

4. Security Measures

- SQL injection is prevented by using prepared statements with bound parameters.
- Cross-site scripting is prevented by escaping all output with htmlspecialchars().
- Passwords are never stored in plain text; they are saved with password_hash() and checked with password_verify().
- Admin and dashboard pages check the role stored in the session on the server and redirect unauthorised users to the login page.

- The eligibility check and the duplicate-application check are done on the server, so they cannot be bypassed from the browser.

5. Testing Approach

Each module was designed against the following test cases.

Test case	Input	Expected result
Register with an existing e-mail	Same e-mail twice	Error: e-mail already registered
Register with a short password	Password of fewer than 6 characters	Validation error, account not created
Login with a wrong password	Valid e-mail, wrong password	Error message, no session created
Open the dashboard as a guest	Open dashboard.php without login	Redirected to the login page
Apply for a job without eligibility	Student CGPA below the minimum CGPA	Message: CGPA is below the eligibility criteria
Apply for the same job twice	Click Apply again for the same job	Message: already applied, no duplicate row
Apply for an eligible job	Student CGPA at or above the minimum	Application saved with status Applied
Open the admin panel as a student	Role = student	Access denied, redirected to login
Update application status	Admin selects Selected for an application	Status saved and shown on the student dashboard
Search a company	Type part of a company name	Only matching rows are displayed

6. Running the Project

- Install XAMPP (Apache, PHP and MySQL) and copy the placement folder to htdocs.
- Start Apache and MySQL, open phpMyAdmin and import database.sql.
- Check the database user and password in config.php (XAMPP default: root with an empty password).
- Open http://localhost/placement/ in a browser.
- Log in to the admin panel with admin@college.com and the password "password", or register a new student account.

Implementation Code

Note: the project files contain an emoji character in the page header. It is shown as [emoji] in this printed listing.

database.sql (schema and sample data)

```
CREATE DATABASE IF NOT EXISTS placement_db;
USE placement_db;
CREATE TABLE users(id INT AUTO_INCREMENT PRIMARY KEY, name VARCHAR(100), email
VARCHAR(100) UNIQUE, password VARCHAR(255), role ENUM('admin','student') DEFAULT
'student');
CREATE TABLE students(user_id INT PRIMARY KEY, branch VARCHAR(50), cgpa DECIMAL(3,2),
phone VARCHAR(15), FOREIGN KEY(user_id) REFERENCES users(id) ON DELETE CASCADE);
CREATE TABLE jobs(id INT AUTO_INCREMENT PRIMARY KEY, company VARCHAR(100), title
VARCHAR(100), package_lpa DECIMAL(5,2), min_cgpa DECIMAL(3,2), deadline DATE,
description TEXT);
CREATE TABLE applications(id INT AUTO_INCREMENT PRIMARY KEY, student_id INT, job_id INT,
status ENUM('Applied','Shortlisted','Selected','Rejected') DEFAULT 'Applied', applied_at
TIMESTAMP DEFAULT CURRENT_TIMESTAMP, UNIQUE(student_id,job_id), FOREIGN KEY(student_id)
REFERENCES users(id) ON DELETE CASCADE, FOREIGN KEY(job_id) REFERENCES jobs(id) ON
DELETE CASCADE);
-- Admin login: admin@college.com / password
INSERT INTO users(name,email,password,role) VALUES('Placement
Officer','admin@college.com','$2y$10$92IXUNpkjO0rOQ5byMi.Ye4oKoEa3Ro9llC/.og/at2.uheWG/i
gi','admin');
INSERT INTO jobs(company,title,package_lpa,min_cgpa,deadline,description) VALUES
('TCS','Systems Engineer',3.60,6.00,'2026-12-31','Entry level software role.'),
('Zoho','Software Developer',7.00,7.50,'2026-12-15','Product development role in
Chennai.'),
('Infosys','Specialist Programmer',9.50,8.00,'2026-12-20','Advanced coding role.');
```

config.php

```
<?php
session_start();
$db = new mysqli('localhost', 'root', '', 'placement_db'); // change if your MySQL has a
password
if ($db->connect_error) die('Database error: ' . $db->connect_error);
function e($s){ return htmlspecialchars((string)$s, ENT_QUOTES); }
function need($role){ if (empty($_SESSION['u']) || $_SESSION['u']['role'] !== $role) {
header('Location: login.php'); exit; } }
```

includes/header.php

```
<?php require_once __DIR__.'/../config.php'; $u = $_SESSION['u'] ?? null; ?>
<!DOCTYPE html><html lang="en"><head><meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title><?= e($title ?? 'Placement System') ?></title>
<link rel="stylesheet" href="assets/style.css"></head><body>
<nav><a class="brand" href="index.php">[emoji] PlacementHub</a><div>
<a href="index.php">Home</a><a href="jobs.php">Companies</a>
<?php if(!$u): ?><a href="login.php">Login</a><a href="register.php">Register</a>
<?php else: ?><a href="<?= $u['role']=='admin'?'admin.php':'dashboard.php'
?>">Dashboard</a><a href="logout.php">Logout (<?= e($u['name']) ?>)</a><?php endif; ?>
</div></nav><main>
```

includes/footer.php

```
</main><footer>© 2026 Student Placement Management System | Mini Project</footer>
<script src="assets/script.js"></script></body></html>
```

index.php

```
<?php $title='Home'; include 'includes/header.php';
$s=$db->query("SELECT COUNT(*) c FROM users WHERE role='student'")->fetch_assoc()['c'];
$j=$db->query("SELECT COUNT(*) c FROM jobs")->fetch_assoc()['c'];
$p=$db->query("SELECT COUNT(*) c FROM applications WHERE status='Selected'")-
>fetch_assoc()['c']; ?>
<section class="hero"><h1>Student Placement Management System</h1>
<p>Register, explore company drives, apply online and track your placement status.</p>
<a class="btn" href="register.php">Get Started</a> <a class="btn alt"
href="jobs.php">View Companies</a></section>
<div class="cards"><div class="card"><h2><?= $s ?></h2>Students</div><div
class="card"><h2><?= $j ?></h2>Job Openings</div><div class="card"><h2><?= $p
?></h2>Students Placed</div></div>
<?php include 'includes/footer.php'; ?>
```

register.php

```
<?php $title='Register'; include 'includes/header.php'; $msg='';
if($_SERVER['REQUEST_METHOD']=='POST'){
  $n=trim($_POST['name']); $em=trim($_POST['email']); $pw=$_POST['password'];
  $br=trim($_POST['branch']); $cg=(float)$_POST['cgpa']; $ph=trim($_POST['phone']);
  if(!$n||!filter_var($em,FILTER_VALIDATE_EMAIL)||strlen($pw)<6||$cg<0||$cg>10)
$msg='Please enter valid details.';
  else {
    $h=password_hash($pw,PASSWORD_DEFAULT);
    $st=$db->prepare("INSERT INTO users(name,email,password,role)
VALUES(?,?,?,'student')");
    $st->bind_param('sss',$n,$em,$h);
    if($st->execute()){ $id=$db->insert_id;
      $s2=$db->prepare("INSERT INTO students VALUES(?,?,?,?)"); $s2-
>bind_param('isds',$id,$br,$cg,$ph); $s2->execute();
      header('Location: login.php?registered=1'); exit;
    } else $msg='Email already registered.';
  } } ?>
<form class="box" method="post" onsubmit="return validateReg(this)"><h2>Student
Registration</h2>
<?php if($msg) echo "<p class='err'>".e($msg)."</p>"; ?>
<input name="name" placeholder="Full name" required>
<input name="email" type="email" placeholder="Email" required>
<input name="password" type="password" placeholder="Password (min 6 chars)" required>
<select name="branch" required><option
value="">Branch</option><option>CSE</option><option>IT</option><option>ECE</option><opti
on>EEE</option><option>MECH</option><option>CIVIL</option></select>
<input name="cgpa" type="number" step="0.01" min="0" max="10" placeholder="CGPA"
required>
<input name="phone" placeholder="Phone" required>
<button class="btn">Register</button></form>
<?php include 'includes/footer.php'; ?>
```

login.php

```
<?php $title='Login'; include 'includes/header.php'; $msg='';
if($_SERVER['REQUEST_METHOD']=='POST'){
  $st=$db->prepare("SELECT id,name,email,password,role FROM users WHERE email=?");
  $st->bind_param('s',$_POST['email']); $st->execute(); $r=$st->get_result()-
>fetch_assoc();
  if($r && password_verify($_POST['password'],$r['password'])){
    unset($r['password']); $_SESSION['u']=$r;
    header('Location: '.($r['role']=='admin'?'admin.php':'dashboard.php')); exit;
  } $msg='Invalid email or password.'; } ?>
<form class="box" method="post"><h2>Login</h2>
<?php if(isset($_GET['registered'])) echo "<p class='ok'>Registered! Please login.</p>";
if($msg) echo "<p class='err'>$msg</p>"; ?>
<input name="email" type="email" placeholder="Email" required>
<input name="password" type="password" placeholder="Password" required>
<button class="btn">Login</button></form>
<?php include 'includes/footer.php'; ?>
```

logout.php

```
<?php session_start(); session_destroy(); header('Location: index.php');
```

jobs.php

```
<?php $title='Companies'; include 'includes/header.php'; $msg='';
if($_SERVER['REQUEST_METHOD']=='POST' && $u && $u['role']=='student'){
  $jid=(int)$_POST['job_id'];
  $c=$db->prepare("SELECT s.cgpa,j.min_cgpa FROM students s,jobs j WHERE s.user_id=? AND
j.id=?");
  $c->bind_param('ii',$u['id'],$jid); $c->execute(); $r=$c->get_result()->fetch_assoc();
  if(!$r) $msg='Invalid request.';
  elseif($r['cgpa']<$r['min_cgpa']) $msg='Your CGPA is below the eligibility criteria.';
  else { $a=$db->prepare("INSERT IGNORE INTO applications(student_id,job_id)
VALUES(?,?)"); $a->bind_param('ii',$u['id'],$jid); $a->execute();
    $msg=$a->affected_rows?'Applied successfully!':'You already applied for this job.';
} }
$jobs=$db->query("SELECT * FROM jobs ORDER BY deadline"); ?>
<h2>Open Placement Drives</h2>
```

```
<?php if($msg) echo "<p class='ok'>".e($msg)."</p>"; ?>
<input id="search" placeholder="Search company or role..." onkeyup="filterTable()">
<table id="jobTable"><tr><th>Company</th><th>Role</th><th>Package (LPA)</th><th>Min
CGPA</th><th>Deadline</th><th></th></tr>
<?php while($j=$jobs->fetch_assoc()): ?>
<tr><td><?= e($j['company']) ?></td><td><?= e($j['title']) ?><br><small><?=
e($j['description']) ?></small></td>
<td><?= e($j['package_lpa']) ?></td><td><?= e($j['min_cgpa']) ?></td><td><?=
e($j['deadline']) ?></td>
<td><?php if($u && $u['role']=='student'): ?><form method="post"><input type="hidden"
name="job_id" value="<?= $j['id'] ?>"><button class="btn sm">Apply</button></form>
<?php elseif(!$u): ?><a href="login.php">Login to apply</a><?php endif; ?></td></tr>
<?php endwhile; ?></table>
<?php include 'includes/footer.php'; ?>
```

dashboard.php

```
<?php $title='My Dashboard'; include 'includes/header.php'; need('student');
$st=$db->prepare("SELECT s.*,u.name,u.email FROM students s JOIN users u ON
u.id=s.user_id WHERE user_id=?");
$st->bind_param('i',$u['id']); $st->execute(); $p=$st->get_result()->fetch_assoc();
$ap=$db->prepare("SELECT j.company,j.title,j.package_lpa,a.status,a.applied_at FROM
applications a JOIN jobs j ON j.id=a.job_id WHERE a.student_id=? ORDER BY a.applied_at
DESC");
$ap->bind_param('i',$u['id']); $ap->execute(); $apps=$ap->get_result(); ?>
<h2>Welcome, <?= e($p['name']) ?></h2>
<div class="cards"><div class="card">Email<br><b><?= e($p['email']) ?></b></div><div
class="card">Branch<br><b><?= e($p['branch']) ?></b></div>
<div class="card">CGPA<br><b><?= e($p['cgpa']) ?></b></div><div
class="card">Phone<br><b><?= e($p['phone']) ?></b></div></div>
<h3>My Applications</h3>
<table><tr><th>Company</th><th>Role</th><th>Package</th><th>Applied
On</th><th>Status</th></tr>
<?php while($a=$apps->fetch_assoc()): ?><tr><td><?= e($a['company']) ?></td><td><?=
e($a['title']) ?></td><td><?= e($a['package_lpa']) ?> LPA</td><td><?=
e($a['applied_at']) ?></td><td><span class="tag <?= e($a['status']) ?>"><?=
e($a['status']) ?></span></td></tr>
<?php endwhile; ?></table><p><a class="btn" href="jobs.php">Browse more jobs</a></p>
<?php include 'includes/footer.php'; ?>
```

admin.php

```
<?php $title='Admin Panel'; include 'includes/header.php'; need('admin'); $msg='';
if($_SERVER['REQUEST_METHOD']=='POST'){
  if(isset($_POST['add'])){
    $s=$db->prepare("INSERT INTO
jobs(company,title,package_lpa,min_cgpa,deadline,description) VALUES(?,?,?,?,?,?)");
    $s-
>bind_param('ssddss',$_POST['company'],$_POST['title'],$_POST['pkg'],$_POST['cgpa'],$_PO
ST['deadline'],$_POST['desc']); $s->execute(); $msg='Job added.';
  } elseif(isset($_POST['status'])){
    $s=$db->prepare("UPDATE applications SET status=? WHERE id=?"); $s-
>bind_param('si',$_POST['status'],$_POST['app_id']); $s->execute(); $msg='Status
updated.';
  } elseif(isset($_POST['del'])){
    $s=$db->prepare("DELETE FROM jobs WHERE id=?"); $s->bind_param('i',$_POST['del']);
$s->execute(); $msg='Job deleted.'; } }
$apps=$db->query("SELECT a.id,a.status,u.name,s.branch,s.cgpa,j.company,j.title FROM
applications a JOIN users u ON u.id=a.student_id JOIN students s ON s.user_id=u.id JOIN
jobs j ON j.id=a.job_id ORDER BY a.id DESC");
$jobs=$db->query("SELECT * FROM jobs ORDER BY id DESC"); ?>
<h2>Admin Panel</h2><?php if($msg) echo "<p class='ok'>$msg</p>"; ?>
<form class="box wide" method="post"><h3>Add Company / Job</h3>
<input name="company" placeholder="Company" required><input name="title"
placeholder="Job title" required>
<input name="pkg" type="number" step="0.01" placeholder="Package (LPA)" required><input
name="cgpa" type="number" step="0.01" placeholder="Minimum CGPA" required>
<input name="deadline" type="date" required><textarea name="desc"
placeholder="Description"></textarea>
<button class="btn" name="add" value="1">Add Job</button></form>
<h3>Jobs</h3><table><tr><th>Company</th><th>Role</th><th>LPA</th><th>Min
CGPA</th><th></th></tr>
```

```
<?php while($j=$jobs->fetch_assoc()): ?><tr><td><?= e($j['company']) ?></td><td><?=
e($j['title']) ?></td><td><?= e($j['package_lpa']) ?></td><td><?= e($j['min_cgpa'])
?></td>
<td><form method="post" onsubmit="return confirm('Delete this job?')"><button class="btn
sm danger" name="del" value="<?= $j['id'] ?>">Delete</button></form></td></tr><?php
endwhile; ?></table>
<h3>Applications</h3><table><tr><th>Student</th><th>Branch</th><th>CGPA</th><th>Company<
/th><th>Role</th><th>Status</th></tr>
<?php while($a=$apps->fetch_assoc()): ?><tr><td><?= e($a['name']) ?></td><td><?=
e($a['branch']) ?></td><td><?= e($a['cgpa']) ?></td><td><?= e($a['company'])
?></td><td><?= e($a['title']) ?></td>
<td><form method="post"><input type="hidden" name="app_id" value="<?= $a['id']
?>"><select name="status" onchange="this.form.submit()">
<?php foreach(['Applied','Shortlisted','Selected','Rejected'] as $s) echo
"<option".($s==$a['status']?' selected':'').">$s</option>";
?></select></form></td></tr><?php endwhile; ?></table>
<?php include 'includes/footer.php'; ?>
```

assets/style.css

```
*{box-sizing:border-box}body{margin:0;font-family:Segoe UI,Arial,sans-
serif;background:#f4f6fb;color:#222}
nav{display:flex;justify-content:space-between;align-
items:center;background:#1e3a8a;padding:14px 30px;flex-wrap:wrap}
nav a{color:#fff;text-decoration:none;margin-left:18px}.brand{font-weight:bold;font-
size:20px;margin:0!important}
main{max-width:1000px;margin:30px auto;padding:0 20px;min-height:70vh}
.hero{text-align:center;background:linear-
gradient(135deg,#1e3a8a,#3b82f6);color:#fff;padding:60px 20px;border-radius:12px}
.btn{display:inline-block;background:#f59e0b;color:#000;border:0;padding:10px
20px;border-radius:6px;cursor:pointer;text-decoration:none;font-size:15px}
.btn.alt{background:#fff}.btn.sm{padding:5px
12px}.btn.danger{background:#dc2626;color:#fff}
.cards{display:flex;gap:20px;margin:25px 0;flex-wrap:wrap}.card{flex:1;min-
width:160px;background:#fff;padding:20px;border-radius:10px;text-align:center;box-
shadow:0 2px 8px #0001}
.card h2{margin:0;color:#1e3a8a;font-size:36px}
.box{max-width:420px;margin:20px auto;background:#fff;padding:25px;border-
radius:10px;box-shadow:0 2px 10px #0002}.box.wide{max-width:100%}
input,select,textarea{width:100%;padding:10px;margin:7px 0;border:1px solid #ccc;border-
radius:6px;font-size:15px}
table{width:100%;border-collapse:collapse;background:#fff;margin:15px 0;box-shadow:0 2px
8px #0001}
th{background:#1e3a8a;color:#fff}th,td{padding:10px;text-align:left;border-bottom:1px
solid #eee}td select,td form{margin:0}
.err{color:#dc2626}.ok{color:#16a34a}.tag{padding:3px 10px;border-
radius:12px;background:#ddd;font-size:13px}
.Selected{background:#bbf7d0}.Shortlisted{background:#fde68a}.Rejected{background:#fecac
a}
footer{text-align:center;padding:20px;background:#1e3a8a;color:#fff}
```

assets/script.js

```
function validateReg(f){
  if(f.password.value.length<6){alert('Password must be at least 6 characters');return
false;}
  if(!/^\d{10}$/.test(f.phone.value)){alert('Phone must be 10 digits');return false;}
  return true;
}
function filterTable(){
  const q=document.getElementById('search').value.toLowerCase();
  document.querySelectorAll('#jobTable tr').forEach((r,i)=>{ if(i>0)
r.style.display=r.innerText.toLowerCase().includes(q)?'':'none'; });
}
```

Screenshots

The screenshots of the developed website are shown below.




Figure 1: Home page




Figure 2: Companies page with job listing and search box




Figure 3: Login page




Figure 4: Student registration page




Figure 5: Student dashboard

References

[1] PHP Documentation Group, “PHP Manual”, https://www.php.net/manual/en/

[2] Oracle Corporation, “MySQL Reference Manual”, https://dev.mysql.com/doc/

[3] Mozilla, “MDN Web Docs: HTML, CSS and JavaScript”, https://developer.mozilla.org/

[4] OWASP Foundation, “SQL Injection Prevention Cheat Sheet”, https://cheatsheetseries.owasp.org/

[5] Apache Friends, “XAMPP Installers and Downloads”, https://www.apachefriends.org/

Conclusion

PlacementHub shows how HTML, CSS, JavaScript, PHP and MySQL work together to build a complete, database-driven placement management website. Students can register, log in, view and search company drives, apply online with an automatic eligibility check and track the status of their applications, while the placement officer manages jobs and application results from a protected admin panel. Prepared statements, hashed passwords, output escaping and role-based access give the application a sound security base.

The project can be extended with resume upload, e-mail notifications for shortlisted students, a student profile edit page, company-wise reports with CSV export, and a separate company login to manage its own drives.