BELLOMASSI

SYSTEM REQUIREMENTS

Software Requirements Specification (SRS)

Bellomassi Order-to-Delivery Management Platform

Document ID	BM-SYS-002

Document control

Field	Value
Document title	Software Requirements Specification (SRS)
Document ID	BM-SYS-002
Version	1.0
Status	Draft — for client review
Category	System Requirements
Related module(s)	All modules
Document owner	Business Analyst / Solution Architect
Prepared by	Project documentation team (AI-assisted draft prepared from source-code analysis)
Reviewed by	*Pending — not yet reviewed*
Approval	*Not approved — awaiting client review (no approval has been given)*
Created date	2026-11-12
Last updated date	2026-11-12

> **Status labels used in this document:** VERIFIED (confirmed in the current source code or existing documents) · PROTOTYPE (works in the React/LocalStorage prototype with mock or simulated behaviour) · PROPOSED (recommended production design, not built) · PENDING CONFIRMATION (needs a client decision) · NOT IMPLEMENTED · NOT VERIFIED.

Purpose

Specify the software requirements of the Bellomassi platform — functions, user classes, interfaces, quality attributes and data — for the production build, and record how the prototype satisfies them today.

Scope

Office web application, Drivers App, customer app (if confirmed), backend services, integrations. Requirement IDs are unique across the package (SYS-REQ, FR, NFR, RULE).

Definitions

Other terms: see **BM-GLO-001** (Project Glossary).

References

- IEEE 29148 (structure inspiration)
- Scope of Work, October 2026

- **BM-SYS-001** (System Requirements Document (SRD))
- **BM-SYS-003** (Functional Requirements Document (Consolidated))
- **BM-SYS-004** (Non-Functional Requirements)
- **BM-SYS-007** (Business Rules Catalogue)
- **BM-SYS-008** (Requirement Traceability Matrix)
- **BM-BRD-001** (Business Requirements Document (BRD))
- **BM-ARC-001** (High-Level Design (HLD))
- **BM-API-001** (API Specification (Overview and Conventions))


Contents

- 1. System overview
- 2. System context
- 3. System-level requirements
- 4. Product functions
- 5. User classes and roles
- 6. Functional requirements
- 7. Non-functional requirements
- 8. External interfaces
- 9. Hardware requirements
- 10. Software requirements
- 11. Performance requirements
- 12. Security requirements
- 13. Availability, scalability and reliability
- 14. Usability and maintainability
- 15. Data requirements
- 16. Acceptance criteria

1. System overview

Bellomassi manages the order-to-delivery process of a food distributor: order capture, approval with credit control, consolidation, zone-based dispatch, driver delivery with OTP and proof of delivery, delivery notes, notifications, administration and reporting. The current implementation is a **frontend prototype** (React 19, LocalStorage); production requires a backend (Django REST Framework, PostgreSQL) and mobile apps (React Native) — **PROPOSED**.

2. System context



3. System-level requirements

ID	Requirement	Label
SYS-REQ-001	The system shall maintain one order record from capture to delivery with a complete timeline.	VERIFIED
SYS-REQ-002	The system shall enforce role-based access with permission keys and data scopes on every action.	VERIFIED (prototype client-side) / PROPOSED (server-side)
SYS-REQ-003	The system shall provide an office web application, a driver mobile application and an administration panel.	VERIFIED (web) / PROPOSED (native mobile)
SYS-REQ-004	The system shall notify the responsible role at every workflow hand-off.	VERIFIED (in-app)
SYS-REQ-005	The system shall verify each delivery with a customer OTP and generate a delivery note.	VERIFIED (OTP shown in app) / PROPOSED (SMS / WhatsApp)
SYS-REQ-006	The system shall store data centrally, shared by all users and devices, with backups.	PROPOSED (prototype: per-browser LocalStorage)

ID	Requirement	Label
SYS-REQ-007	The system shall track drivers' locations during active deliveries and show them to authorised users.	PROTOTYPE (DEMO GPS) / PROPOSED
SYS-REQ-008	The system shall integrate with SAP for items, stock, customers and credit in stage 2.	PROPOSED
SYS-REQ-009	The system shall keep an audit trail of administrative, security and workflow events.	VERIFIED
SYS-REQ-010	The system shall provide dashboards and exportable reports per role.	VERIFIED

4. Product functions

35 modules with 179 functional requirements — summary in **BM-SYS-003** (Functional Requirements Document (Consolidated)), detail per module in folder 04 (e.g. **BM-FRD-ORD** (Functional Requirements — Salesman Order Management), **BM-FRD-APR** (Functional Requirements — Sales Manager Approval), **BM-FRD-DSP** (Functional Requirements — Dispatch Management), **BM-FRD-DRV** (Functional Requirements — Driver Application)).

5. User classes and roles

User class	Roles (code)	Device	Frequency	Technical skill
Sales	SALESMAN, SALES_MANAGER	Mobile and desktop	Daily, high	Basic
Operations office	CUSTOMER_SERVICE, DISPATCHER	Desktop / tablet	Daily, high	Basic to medium
Field	DRIVER	Smartphone	Daily, high	Basic
Finance	FINANCE	Desktop	Daily	Medium
Warehouse (extension)	WAREHOUSE_MANAGER, INVENTORY_EXECUTIVE, QA_MANAGER	Desktop / tablet	Daily	Basic
Administration	SUPER_ADMIN, ADMIN	Desktop	Daily	Medium to high
External	CUSTOMER, SUPPLIER	Smartphone / desktop	Occasional	Basic

Role details: **BM-MAN-120** (Role Responsibility Matrix), permission matrix **BM-SEC-005** (RBAC and Access Control Matrix).

6. Functional requirements

See **BM-SYS-003** (Functional Requirements Document (Consolidated)) (consolidated, unique IDs FR--NNN) and the 35 module FRDs. Business rules: **BM-SYS-007** (Business Rules Catalogue).

7. Non-functional requirements

See **BM-SYS-004** (Non-Functional Requirements) (NFR-PERF, NFR-SCAL, NFR-AVL, NFR-REL, NFR-SEC, NFR-USE, NFR-ACC, NFR-MNT, NFR-DATA, NFR-COMP, NFR-PORT, NFR-OBS).

8. External interfaces

Interface	Type	Prototype	Production
User interface — office	Responsive web (React)	VERIFIED	Same, connected to API
User interface — driver	Mobile	Web `/driver` VERIFIED	React Native PROPOSED
User interface — customer	Mobile	Web `/customer` VERIFIED	PENDING CONFIRMATION
REST API	HTTPS JSON	None	PROPOSED (**BM-API-001** (API Specification (Overview and Conventions)))
Real-time	WebSocket (WSS)	None	PROPOSED
Maps / routing	Google Maps JS, Routes API	Static demo map	PROPOSED
Messaging	SMS / WhatsApp provider API	Demo / mock	PROPOSED
Email	SMTP / IMAP or provider API	Demo; gateway contract NOT VERIFIED	PROPOSED
OCR	Server OCR API	Mock	PROPOSED
SAP	RFC / OData / IDoc (to confirm)	None	PROPOSED (stage 2)

9. Hardware requirements

Item	Requirement	Label
Office workstation	Any device with a current browser; 1366×768 minimum	VERIFIED
Driver phone	Android 10+ or iOS 15+, GPS, camera, mobile data, ≥ 3 GB RAM	PROPOSED
Servers	See **BM-INF-003** (Infrastructure, Network Architecture and Server Specification)	PROPOSED

10. Software requirements

Browsers: current Chrome, Edge, Safari, Firefox (VERIFIED for the prototype). Production stack: Python 3.12, Django 5, DRF, PostgreSQL 16, Redis, Celery, Django Channels, Nginx, Docker; React 19 / Vite; React Native — **BM-INF-001** (Technology Stack Document).

11. Performance requirements

NFR-PERF-001 … NFR-PERF-004. No production measurements exist; targets are PROPOSED.

12. Security requirements

NFR-SEC-001 … NFR-SEC-007 and the security package (**BM-SEC-001** (Security Requirements Document)).

13. Availability, scalability and reliability

NFR-AVL-001 (99.5% target), NFR-SCAL-001/002, NFR-REL-001 … 003.

14. Usability and maintainability

NFR-USE-001 … 003, NFR-ACC-001, NFR-MNT-001 … 003.

15. Data requirements

Data	Requirement
Master data	Customers, products, hubs, zones, drivers, vehicles, users, roles — maintained in the Admin Panel; SAP later
Transactions	Orders, approvals, consolidations, dispatches, deliveries, OTPs, PODs, delivery notes, stock movements, scrap, documents, invoices, messages
Retention	PENDING CONFIRMATION (**BM-DAT-005** (Data Retention Policy (Draft)))
Model	Prototype model **BM-DAT-001** (Current Prototype Data Model (LocalStorage)); production schema **BM-DAT-002** (Proposed Production Database Design)

16. Acceptance criteria

1. Every FR labelled VERIFIED passes its test cases on the production build (**BM-QA-011** (Functional Test Cases)).
2. PROPOSED requirements are implemented or formally deferred by change request.
3. PENDING CONFIRMATION items are decided and the baseline updated (**BM-SYS-009** (Requirement Change Log)).
4. NFR targets are measured in staging and accepted.
5. UAT scenarios pass and are signed (**BM-QA-012** (UAT Test Cases), **BM-HND-004** (UAT Sign-Off Document)).

Revision history

Version	Date	Author	Description
1.0	2026-11-12	Documentation team	Initial draft prepared from analysis of the bellomassi-premium-ui source code and existing project documents.