B BELLOMASSI

ADMINISTRATION AND CONFIGURATION

System Administration Guide

Bellomassi Order-to-Delivery Management Platform

Document ID BM-ADM-001

Document control

Field	Value
Document title	System Administration Guide
Document ID	BM-ADM-001
Version	1.0
Status	Draft — for client review
Category	Administration and Configuration
Related module(s)	All modules
Document owner	System Administrator
Prepared by	Project documentation team (AI-assisted draft prepared from source-code analysis)
Reviewed by	*Pending — not yet reviewed*
Approval	*Not approved — awaiting client review (no approval has been given)*
Created date	2026-11-12
Last updated date	2026-11-12

> **Status labels used in this document:** VERIFIED (confirmed in the current source code or existing documents) · PROTOTYPE (works in the React/LocalStorage prototype with mock or simulated behaviour) · PROPOSED (recommended production design, not built) · PENDING CONFIRMATION (needs a client decision) · NOT IMPLEMENTED · NOT VERIFIED.

Purpose

Explain how administrators manage users, roles, permissions, organisation data and audit logs.

Scope

Administration features of the prototype (VERIFIED). Production differences are marked PROPOSED.

Definitions

Other terms: see **BM-GLO-001** (Project Glossary).

References

- docs/RBAC_AND_ADMINISTRATION.md (existing document, reused)
- **BM-ADM-002** (Application Configuration Reference)
- **BM-ADM-003** (Master Data Management Guide)
- **BM-ADM-004** (Monitoring and Maintenance Guide)
- **BM-MAN-101** (Role User Manual — Super Admin)


- **BM-MAN-102** (Role User Manual — Administrator)
- **BM-SEC-004** (Authorization and RBAC Design)
- **BM-SEC-005** (RBAC and Access Control Matrix)

1. Administrator roles

Role	Can do	Cannot do
Super Admin	Everything, including Super Admin accounts and locked system roles	Delete / deactivate own account
Administrator	Users, roles (non-locked), settings, master data, organisation, templates	Manage Super Admin accounts

2. User management (`/admin/users`)

Task	Steps
Create user	Users → Create → name, email, user name, phone, role, hub, department / designation; link to driver / customer / supplier record when needed → Save. First password is set and must be changed at first sign-in (setting)
Edit / change role	Open user → Edit → change role or additional roles → Save (audit logged)
Deactivate / activate	Row action → Deactivate (user cannot sign in)
Unlock	Row action → Unlock (after lockout)
Reset password	Row action → Reset password → new temporary password; force change at next sign-in
Role assignment	`/admin/role-assignment` — bulk view of users per role



3. Roles and permissions (`/admin/roles`, `/admin/permissions`)

1. **Create role**: name, description, data scope, landing page, permission keys (grouped by module).
2. **Edit role**: system roles can be edited except locked keys; Super Admin role is locked.
3. **Permission matrix**: role × permission grid; changes apply at the user's next page load.
4. Custom roles get the workspace launcher dashboard.

Default grants: **BM-SEC-005** (RBAC and Access Control Matrix). Production: roles and permissions enforced on the server (PROPOSED, **BM-SEC-004** (Authorization and RBAC Design)).

4. Organisation set-up (`/admin/organization/*`)

Company profile, branches, business units, departments, designations, warehouses and employees. Company profile holds country, base currency, time zone and tax registration — used by formatters and documents.

5. Audit log (`/admin/audit-logs`)

Every create / update / delete, sign-in, failed sign-in, lockout, permission change and setting change is written with user, time, entity and description. Filter by user, module, action and date; export CSV. In the prototype the log is kept in the browser (VERIFIED); production keeps it in the database with retention (**BM-SEC-008** (Audit Logging and Security Monitoring Policy)).

6. Daily / weekly admin checklist

Frequency	Check
Daily	Locked accounts, failed sign-ins, notifications for document expiry
Weekly	Users without sign-in for 30 days; drivers / vehicles with expiring documents (VMS)
Monthly	Role and permission review; leavers deactivated
On change	Settings changes recorded with reason

Revision history

Version	Date	Author	Description
1.0	2026-11-12	Documentation team	Initial draft prepared from analysis of the bellomassi-premium-ui source code and existing project documents.