BELLOMASSI

CLIENT HANDOVER

Technical Handover Document

Bellomassi Order-to-Delivery Management Platform

Document ID	BM-HND-006

Document control

Field	Value
Document title	Technical Handover Document
Document ID	BM-HND-006
Version	1.0
Status	Draft — for client review
Category	Client Handover
Related module(s)	All modules
Document owner	Solution Architect
Prepared by	Project documentation team (AI-assisted draft prepared from source-code analysis)
Reviewed by	*Pending — not yet reviewed*
Approval	*Not approved — awaiting client review (no approval has been given)*
Created date	2026-11-12
Last updated date	2026-11-12

> **Status labels used in this document:** VERIFIED (confirmed in the current source code or existing documents) · PROTOTYPE (works in the React/LocalStorage prototype with mock or simulated behaviour) · PROPOSED (recommended production design, not built) · PENDING CONFIRMATION (needs a client decision) · NOT IMPLEMENTED · NOT VERIFIED.

Purpose

Give a technical team everything needed to run, understand and extend the prototype, and to start the production build.

Scope

Prototype (VERIFIED). Production design references are PROPOSED.

Definitions

Other terms: see **BM-GLO-001** (Project Glossary).

References

- **BM-HND-007** (Source Code Handover Document)
- **BM-HND-008** (Configuration Handover Document)
- **BM-ARC-001** (High-Level Design (HLD))
- **BM-ARC-002** (Low-Level Design (LLD))

- **BM-DAT-001** (Current Prototype Data Model (LocalStorage))
- **BM-DEP-002** (Deployment Guide and Runbook)

1. Architecture summary

Single-page React application; all business logic in browser services (`src/services`, 84 files); data in LocalStorage (74 keys, about 1 MB seed); configuration in `src/config`; role-based layouts for office, driver and customer. No server. Details: **BM-ARC-002** (Low-Level Design (LLD)) (LLD), **BM-DAT-001** (Current Prototype Data Model (LocalStorage)) (prototype data model), **BM-DAT-007** (Prototype Storage Dictionary) (storage dictionary).

2. How to run

See **BM-DEP-002** (Deployment Guide and Runbook) Part A: `npm install`, `npm run dev` / `npm run build`, `npx vite preview`, `npm run lint`.

3. Key technical facts

Topic	Fact
Data version	8, migrations in storage service on start-up
Auth	Browser demo hash, session in LocalStorage, lockout 5 / 15 min
RBAC	13 roles, 110 permission keys, data scopes, landing pages (config + editable in UI)
Routing	206 navigation entries / 197 screens (`src/config/navigation.js`)
Integrations	Optional gateway URL; otherwise demo mode (email, WhatsApp, AI, OCR, GPS simulated)
External runtime dependency	Google Fonts (Inter)

4. Production build starting points

Business rules catalogue **BM-SYS-007** (Business Rules Catalogue), production database design **BM-DAT-002** (Proposed Production Database Design), API design **BM-API-001** (API Specification (Overview and Conventions)) and OpenAPI draft (BM-API-018), architecture **BM-ARC-001** (High-Level Design (HLD)), security **BM-SEC-001** (Security Requirements Document), infrastructure **BM-INF-003** (Infrastructure, Network Architecture and Server Specification).

5. Acknowledgement (blank)

Receiving technical lead	Signature	Date

Revision history

Version	Date	Author	Description
1.0	2026-11-12	Documentation team	Initial draft prepared from analysis of the bellomassi-premium-ui source code and existing project documents.