# Vulnerablility Asessment Scan Report on a Unix Server Using Nmap

# IP Address: 192.168.10.44


# Prepared by: Aliu B. Sanusi


**Date: 25th February, 2025**

# Table of Contents

Introduction ..... 3
Objective ..... 4
Nmap Scan Report ..... 5
Findings from Nmap Scan on 192.168.10.44 ..... 5
Analysis & Recommendations**:** ..... 9
Conclusion: ..... 10

# Introduction

This report presents the findings of a penetration testing scan performed on a Unix machine with the IP address 192.168.10.44. The assessment was conducted using three security reconnaissance tools: Nmap, SpiderFoot, and Recon-ng. Each tool was used to gather different security-related information about the target system.

The goal of this scan is to identify open ports, services, vulnerabilities, and possible security risks that could be exploited by attackers. This document provides detailed results from each tool, along with relevant screenshots and findings.

## Objective

Nmap (Network Mapper) was used to scan the Unix machine to detect open ports, running services, and vulnerabilities.

# Nmap Scan Report

Scan Command Used

**nmap -A -p- 192.168.10.44**

This is a **powerful Nmap scan** that provides **detailed information** about a target machine (192.168.10.44). Here's what each flag does:

**Breaking it Down:**

1. **nmap** → Calls the **Nmap** tool, which is used for network scanning and security auditing.
2. **-A (Aggressive Scan)** → Enables multiple advanced features, including:
    - OS detection
    - Version detection
    - Script scanning
    - Traceroute
3. **-p- (Scan All Ports)** → Scans **all 65,535 TCP ports** instead of just the default 1,000.
4. **192.168.10.44** → The target IP address being scanned.

**How It Helps in a Vulnerability Scan:**

- **Identifies Open Ports** → Shows which services are running and where vulnerabilities might exist.
- **Detects Running Services & Versions** → Helps find outdated or misconfigured services.
- **Finds OS & System Info** → Useful for fingerprinting a system to tailor attacks or defenses.
- **Performs Traceroute** → Helps map out the network for possible attack paths.

# Findings from Nmap Scan on 192.168.10.44

**General Information:**

- **Target IP:** 192.168.10.44
- **Host is up:** 0.00093s latency
- **Operating System:** Linux 2.6.9 - 2.6.33
- **Network Distance:** 1 hop
- **MAC Address:** 08:00:27:3A:27:F4 (Oracle VirtualBox virtual NIC)
- **Hostname:** metasploitable.localdomain

```
┌──(kali㉿kali)-[~]
└─$ nmap -A -p- 192.168.10.44
Starting Nmap 7.95 ( https://nmap.org ) at 2025-02-25 10:20 EST
Nmap scan report for 192.168.10.44
Host is up (0.00093s latency).
Not shown: 65505 closed tcp ports (reset)
```

**Open Ports and Services:**

1. **FTP (Port 21)**
    - **Service:** vsftpd 2.3.4
    - **Anonymous Login:** Enabled
    - **Vulnerability:** This version is known to have a backdoor vulnerability (CVE-2011-2523).

```
PORT      STATE SERVICE     VERSION
21/tcp    open  ftp         vsftpd 2.3.4
| ftp-syst:
|   STAT:
| FTP server status:
|      Connected to 192.168.10.69
|      Logged in as ftp
|      TYPE: ASCII
|      No session bandwidth limit
|      Session timeout in seconds is 300
|      Control connection is plain text
|      Data connections will be plain text
|      vsFTPd 2.3.4 - secure, fast, stable
|_End of status
```

2. **SSH (Port 22)**
    - **Service:** OpenSSH 4.7p1 Debian 8ubuntu1
    - **Vulnerability:** Outdated version, possibly vulnerable to multiple known exploits.




3. **Telnet (Port 23)**
    - **Service:** Linux telnetd
    - **Vulnerability:** Unencrypted transmission, prone to credential sniffing.
4. **SMTP (Port 25)**
    - **Service:** Postfix smtpd
    - **STARTTLS Enabled:** Yes
    - **Vulnerability:** Could allow enumeration of valid users through VRFY.
5. **DNS (Port 53)**
    - **Service:** ISC BIND 9.4.2
    - **Vulnerability:** Older version, may be susceptible to cache poisoning attacks.




6. **HTTP (Port 80)**
    - **Service:** Apache 2.2.8 (Ubuntu)
    - **Vulnerability:** Version may be affected by several known exploits, including directory traversal and remote code execution.
7. **Samba (Ports 139 & 445)**
    - **Service:** Samba smbd 3.0.20-Debian
    - **Workgroup:** WORKGROUP
    - **Vulnerability:** Susceptible to SMB exploits such as EternalBlue.




8. **MySQL (Port 3306)**
    - **Service:** MySQL 5.0.51a-3ubuntu5
    - **Vulnerability:** May be vulnerable to authentication bypass exploits.




9. **PostgreSQL (Port 5432)**
    - **Service:** PostgreSQL 8.3.0 - 8.3.7
    - **Vulnerability:** Older version, may be susceptible to SQL injection attacks.
10. **VNC (Port 5900)**
    - **Service:** VNC (protocol 3.3)
    - **Vulnerability:** If no password is set, attackers could gain unauthorized remote access.
11. **Apache Tomcat (Port 8180)**
    - **Service:** Apache Tomcat/Coyote JSP engine 1.1
    - **Vulnerability:** Tomcat default credentials might be used for unauthorized access.
12. **DistCC (Port 3632)**
    - **Service:** distccd v1 ((GNU) 4.2.4 (Ubuntu 4.2.4-1ubuntu4))
    - **Vulnerability:** Open access can allow remote code execution (CVE-2004-2687).

## Analysis & Recommendations:

1. **Disable anonymous FTP access** or upgrade vsftpd to a secure version.
2. **Upgrade OpenSSH to the latest version** to patch known vulnerabilities.
3. **Disable Telnet** and use SSH for secure remote access.
4. **Upgrade SMTP service** and restrict VRFY to prevent user enumeration.
5. **Upgrade BIND DNS** to the latest secure version to mitigate cache poisoning risks.
6. **Update Apache HTTP Server** to avoid known exploits.
7. **Harden Samba configuration** and ensure the latest security patches are applied.
8. **Upgrade MySQL and PostgreSQL** to mitigate SQL injection risks.

9. **Secure VNC with strong authentication** or disable it if not needed.
10. **Update Apache Tomcat** and remove default credentials.
11. **Disable or restrict distccd** to prevent remote code execution vulnerabilities.

## Conclusion:

This scan indicates that the target system is highly vulnerable, running several outdated services with known exploits. Immediate security patches and mitigations are recommended to secure the system from potential attacks.