
Cucumber Report




Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Validation of edit functionality in About page	7.472 s	1	0	1	0	11	3	1	7	
Validation of About screen SalonInfo in Glamz web application	7.988 s	1	0	1	0	6	3	1	2	
Validation of About screen PersonalInfo in Glamz web application	8.304 s	1	0	1	0	7	3	1	3	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Validation of edit functionality in About page	: validation of Edit functionality of input fields in About Salon-Info page
2	Validation of About screen SalonInfo in Glamz web application	validation of about SalonInfo screen details
3	Validation of About screen PersonalInfo in Glamz web application	Check wether mobile number in PersonalInfo is same as the mobile number in SalonInfo


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@PersonalInfo	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5



#	Feature Name	T	P	F	S	Duration
1	Validation of edit functionality in About page	1	0	1	0	7.472 s
2	Validation of About screen SalonInfo in Glamz web application	1	0	1	0	7.988 s
3	Validation of About screen PersonalInfo in Glamz web application	1	0	1	0	8.304 s


SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validation of edit functionality in About page	: validation of Edit functionality of input fields in About Salon- Info page	11	3	1	7	7.471 s
2	Validation of About screen SalonInfo in Glamz web application	validation of about SalonInfo screen details	6	3	1	2	7.988 s
3	Validation of About screen PersonalInfo in Glamz web application	Check wether mobile number in PersonalInfo is same as the mobile number in SalonInfo	7	3	1	3	8.304 s

DETAILED SECTION -- 7 --

Validation of edit functionality in About page



: validation of Edit functionality of input fields in About Salon-Info page



#	Step / Hook Details	Status	Duration
1	Given User launch an Glamz web application	PASSED	6.189 s
2	And User click on Login button	PASSED	0.263 s
3	When User enter username "keerthi@gmail.com" and password "123456789" and logs in	PASSED	0.469 s
4	Then User click Setup->About	FAILED	0.009 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: /html/body/app-root/app-full-layout/div/div[1]/app-sidebar/div[2]/div[1]/ul/li[11]/a For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os. version: '12.6', java.version: '19.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [285f7750-9fb5-4398-ae34-0eb6b3552cce, findElement {using=xpath, value=/html/body/app-root/app-full-layout/div/div[1]/app-sidebar/div[2]/div[1]/ul/li[11]/a}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:10096, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 21.6.0, moz:processID: 74229, moz:profile: /var/folders/n3/0q1wc9dx5wq, moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:10096/devtoo, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 285f7750-9fb5-4398-ae34-0eb6b3552cce at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		


#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)		
	at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197)		
	at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:1006)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)		
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:461)		
	at pageobjects.HomePage.clickonabout(HomePage.java:29)		
	at stepDefinitions.HomePageStepDefinitions.user_click_setup_about(HomePageStepDefinitions.java:20)		
	at ?.User click Setup->About(file:///Users/abiramisundarapandian/eclipse-workspace-TESTING/CucumberFrameworkPractise/src/test/java/		
	features/EditAboutSalonInfo.feature:8)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.095 s
	image		
	Note: The second		
5	And User verify about screen is displayed	SKIPPED	0.000 s
6	When User clicks edit button and verify all fields are enabled	SKIPPED	0.000 s
7	And User delete old data and enter new valid data in all editable fields in about screen	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	luxury Salon		
	3rd floor		
	sunrise aprtment		
	28a		
	sunrise aprtments, 1st street, state -567880		
	the best salon		
	07655432		
8	And User deletes the old data in dropdowns and selects the first value in dropdown	SKIPPED	0.000 s
9	Then User clicks on save button	SKIPPED	0.000 s
10	And User clicks on edit button	SKIPPED	0.000 s
11	Then User clicks on cancel button and checks wether the previously given data is present	SKIPPED	0.000 s

Validation of About screen SalonInfo in Glamz web application

FAILED	DURATION - 7.988 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 10:27:59.671 pm	n // 10:28:07.659 pm /	Pass - 0	1	Pass - 3	6
		Fail - 1		Fail - 1	🦊 ് 📕
		Skip - 0		Skip - 2	

validation of about SalonInfo screen details



#	Step / Hook Details	Status	Duration
1	Given User launch an Glamz web application	PASSED	6.721 s
2	And User click on Login button	PASSED	0.272 s
3	When User enter username "keerthi@gmail.com" and password "123456789" and logs in	PASSED	0.485 s

DETAILED SECTION -- 10 --


#	Step / Hook Details	Status	Duration
4	Then User click Setup->About	FAILED	0.003 s
_	Then User Click Setup->About org.openqa.selenium.NoSuchElementException: Unable to locate element: /html/body/app-root/app-full-layout/div/div/div/[J]/app-sidebat/ div/[2]/div[]/Julin[[1]/a For documentation on this error, please visit: https://www.selenium.dev/documentation/bed/dive/roubleshooting/ errors#no-such-element-exception Build info: version: '41.0.', revision: '040bc5406b' System info: os.name: 'Mac OS X', os. arch: 'aarch64', os. version: '12.6', java version: '19.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [e2a315b4-10c6-480e-b62d- e29269a9856x4, findElement (using=xpath, value=/html/body/app-root/app-full-layout/div/div/[J]/app-sidebat/div/[2]/div/[J]/uli]/[1]/ap] Capabilities [acceptinsecureCerts: true, browserName: firefox, browserVersion: 13.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:12473/devz]cekodriverVersion: 0.33, om.oz-headdess: false, moz:pidientorWersion: 2.6.0, moz:processID: 74227, moz:profile: /warfolders/na/0q1wc9dx5wq, moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se-cdp: ws://127.0.0.1:12473/devolo, se-cdp/version: 8.0, setWindowRect: true, strict=lienteractability: false, timeouts: (implicit o, pageLoad: 300000), script: 30000), unhandledPromptBehavior: dismiss and notify) Session ID: e2a315b4-10c6-480e-b62d-e29269a985c4 at java.base/java.lang.reflect.Constructor.newinstance/WinCaller(Constructor; java-500) at java.base/java.lang.reflect.Constructor.newinstance/WinCaller(Constructor; java-500) at java.base/java.lang.reflect.Constructor.newinstance/WinCaller(Constructor; java-500) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120) at org.openqa.selenium.remote.evide.Driver.driverCommandExecutor.invokeExecute(PriverCom		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:461) at pageobjects.HomePage.clickonabout(HomePage.java:29) at stepDefinitions.HomePageStepDefinitions.user_click_setup_about(HomePageStepDefinitions.java:20) at ?.User click Setup->About(file:///Users/abiramisundarapandian/eclipse-workspace-TESTING/CucumberFrameworkPractise/src/test/java/		

#	Step / Hook Details	Status	Duration
	features/AboutSalonInfo.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.081 s
	image		
5	And User verify about screen is displayed	SKIPPED	0.000 s
6	Then User verify all the labels and Edit button are displayed in about screen	SKIPPED	0.000 s

Validation of About screen PersonalInfo in Glamz web application

FAILED	DURATION - 8.304 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 10:27:59.673 pm) // 10:28:07.977 pm /	Pass - 0	1	Pass - 3	7
		Fail - 1		Fail - 1	🚺 1
		Skip - 0		Skip - 3	

Check wether mobile number in PersonalInfo is same as the mobile number in SalonInfo



#	Step / Hook Details	Status	Duration
1	Given User launch an Glamz web application	PASSED	7.171 s
2	And User click on Login button	PASSED	0.251 s
3	When User enter username "keerthi@gmail.com" and password "123456789" and logs in	PASSED	0.474 s

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
4	Then User click Setup->About	FAILED	0.002 s
4	Then User click Setup->About org.openqa.selenium.NoSuchElementException: Unable to locate element: /html/body/app-root/app-full-layout/div/div/div/div/div/div/div/div/div/div		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)		
	at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197)		
	at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:1006)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)		
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:461)		
	at pageobjects.HomePage.clickonabout(HomePage.java:29)		
	at stepDefinitions.HomePageStepDefinitions.user_click_setup_about(HomePageStepDefinitions.java:20)		
	at ?.User click Setup->About(file:///Users/abiramisundarapandian/eclipse-workspace-TESTING/CucumberFrameworkPractise/src/test/java/		

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	features/AboutPersonalInfo.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.079 s
	image		
	Topic and the state of the stat		
5	And User clicks on About->PersonalInfo	SKIPPED	0.000 s
6	Given User extracts the mobile number from SalonInfo	SKIPPED	0.000 s
7	And User extracts the mobile number from PersonalInfo and compares it with mobile number in SalonInfo	SKIPPED	0.000 s