
Cucumber Report




Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Validation of About screen SalonInfo in Glamz web application	7.931 s	1	0	1	0	6	3	1	2	
Validation of About screen PersonalInfo in Glamz web application	8.112 s	1	0	1	0	7	3	1	3	
Validation of edit functionality in About page	8.108 s	1	0	1	0	11	3	1	7	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Validation of About screen SalonInfo in Glamz web application	validation of about SalonInfo screen details
2	Validation of About screen PersonalInfo in Glamz web application	Check wether mobile number in PersonalInfo is same as the mobile number in SalonInfo
3	Validation of edit functionality in About page	: validation of Edit functionality of input fields in About Salon-Info page


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@PersonalInfo	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5



#	Feature Name	Τ	P	F	S	Duration
1	Validation of About screen SalonInfo in Glamz web application	1	0	1	0	7.931 s
2	Validation of About screen PersonalInfo in Glamz web application	1	0	1	0	8.112 s
3	Validation of edit functionality in About page	1	0	1	0	8.108 s


SCENARIOS SUMMARY -- 6




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validation of About screen SalonInfo in Glamz web application	validation of about SalonInfo screen details	6	3	1	2	7.930 s
2	Validation of About screen PersonalInfo in Glamz web application	Check wether mobile number in PersonalInfo is same as the mobile number in SalonInfo	7	3	1	3	8.112 s
3	Validation of edit functionality in About page	: validation of Edit functionality of input fields in About Salon- Info page	11	3	1	7	8.108 s

DETAILED SECTION -- 7 --

Validation of About screen SalonInfo in Glamz web application



validation of about SalonInfo screen details



#	Step / Hook Details	Status	Duration
1	Given User launch an Glamz web application	PASSED	6.630 s
2	And User click on Login button	PASSED	0.283 s
3	When User enter username "keerthi@gmail.com" and password "123456789" and logs in	PASSED	0.462 s
4	Then User click Setup->About	FAILED	0.009 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: /html/body/app-root/app-full-layout/div/div[1]/app-sidebar/div[2]/div[1]/ul/li[11]/a For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os. version: '12.6', java.version: '19.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [d13240e9-9196-4703-972c-29a5dae9f4f7, findElement {using=xpath, value=/html/body/app-root/app-full-layout/div/div[1]/app-sidebar/div[2]/div[1]/ul/li[11]/a}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:35882, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 21.6.0, moz:processID: 74330, moz:profile: /var/folders/n3/0q1wc9dx5wq, moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:35882/devtoo, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: d13240e9-9196-4703-972c-29a5dae9f4f7 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)		
	at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197)		
	at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:1006)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)		
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:461)		
	at pageobjects.HomePage.clickonabout(HomePage.java:29)		
	at stepDefinitions.HomePageStepDefinitions.user_click_setup_about(HomePageStepDefinitions.java:20)		
	at ?.User click Setup->About(file:///Users/abiramisundarapandian/eclipse-workspace-TESTING/CucumberFrameworkPractise/src/test/java/		
	features/AboutSalonInfo.feature:8)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	image		
	1000- 1000-		
5	And User verify about screen is displayed	SKIPPED	0.000 s
6	Then User verify all the labels and Edit button are displayed in about screen	SKIPPED	0.000 s

DETAILED SECTION -- 9 --

Validation of About screen PersonalInfo in Glamz web application

Scenarios		Steps	
Total - 1		Total - 7	
Pass - 0	1	Pass - 3	7
Fail - 1		Fail - 1	🚺 1
Skip - 0		Skip - 3	
	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fail - 1.	Total - 1 Pass - 0 Fail - 1 Total - 7 Pass - 3 Fail - 1

Check wether mobile number in PersonalInfo is same as the mobile number in SalonInfo



#	Step / Hook Details	Status	Duration
1	Given User launch an Glamz web application	PASSED	6.822 s
2	And User click on Login button	PASSED	0.250 s
3	When User enter username "keerthi@gmail.com" and password "123456789" and logs in	PASSED	0.490 s
4	Then User click Setup->About	FAILED	0.005 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: /html/body/app-root/app-full-layout/div/ql/ql/app-sidebar/div[2]/div[1]/ul/li[11]/a For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os. version: '12.6', java.version: '19.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [d615cf01-c89c-4876-b625-810e9deda4cd, findElement {using=xpath, value=/html/body/app-root/app-full-layout/div/div[1]/app-sidebar/div[2]/div[1]/ul/li[11]/a}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:46148, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 21.6.0, moz:processID: 74329, moz:profile: /var/folders/n3/0q1wc9dx5wq, moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:46148/devtoo, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: d615cf01-c89c-4876-b625-810e9deda4cd at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

DETAILED SECTION -- 10 --


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)		
	at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197)		
	at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:1006)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)		
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:461)		
	at pageobjects.HomePage.clickonabout(HomePage.java:29)		
	at stepDefinitions.HomePageStepDefinitions.user_click_setup_about(HomePageStepDefinitions.java:20)		
	at ?.User click Setup->About(file:///Users/abiramisundarapandian/eclipse-workspace-TESTING/CucumberFrameworkPractise/src/test/java/		
	features/AboutPersonalInfo.feature:8)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	image		
	See and the second seco		
5	And User clicks on About->PersonalInfo	SKIPPED	0.000 s
6	Given User extracts the mobile number from SalonInfo	SKIPPED	0.000 s
7	And User extracts the mobile number from PersonalInfo and compares it with mobile number in SalonInfo	SKIPPED	0.000 s

DETAILED SECTION -- 11 --

Validation of edit functionality in About page

FAILED	DURATION - 8.108 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 10:29:59.333 pm	n // 10:30:07.441 pm /	Pass - 0	1	Pass - 3	11
		Fail - 1	•	Fail - 1	11
		Skip - 0		Skip - 7	
		Skip - 0		3KIP - 1	

: validation of Edit functionality of input fields in About Salon-Info page



#	Step / Hook Details	Status	Duration
1	Given User launch an Glamz web application	PASSED	6.856 s
2	And User click on Login button	PASSED	0.251 s
3	When User enter username "keerthi@gmail.com" and password "123456789" and logs in	PASSED	0.458 s
4	Then User click Setup->About	FAILED	0.006 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: /html/body/app-root/app-full-layout/div/[1]/app-sidebar/ div[2]/div[1]/ul/li[11]/a For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os. version: '12.6', java.version: '19.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [9bc5e9b1-5d70-442a-bfaa-361d36d9686c, findElement {using=xpath, value=/html/body/app-root/app-full-layout/div/div[1]/app-sidebar/div[2]/div[1]/ul/li[11]/a}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:31613, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 21.6.0, moz:processID: 74331, moz:profile: /var/folders/n3/0q1wc9dx5wq, moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:31613/devtoo, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 9bc5e9b1-5d70-442a-bfaa-361d36d9686c at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.eodec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:191) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(CefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElement(PofaultElementLocatin.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy3O.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipelines3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.stream.ReferencePipeline.straceptice.getine.java:197) at java.base/java.util.stream.AbstractPipeline.opylnto(AbstractPipeline.java:199) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:294) at java.base/java.util.stream.AbstractPipeline.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluateSequential(ReduceOps.java:294) at java.base/java.util.stream.AbstractPipeline.evaluateSequential(ReduceOps.java:295) at java.base/java.util.stream.AbstractPipeline.evaluateSeque	DASSED	0.106 s
	AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario) image	PASSED	0.106 s
5	And User verify about screen is displayed	SKIPPED	0.000 s
6	When User clicks edit button and verify all fields are enabled	SKIPPED	0.000 s
7	And User delete old data and enter new valid data in all editable fields in about screen	SKIPPED	0.002 s
	luxury Salon		

#	Step / Hook Details	Status	Duration
	3rd floor		
	sunrise aprtment		
	28a		
	sunrise aprtments, 1st street, state -567880		
	the best salon		
	07655432		
8	And User deletes the old data in dropdowns and selects the first value in dropdown	SKIPPED	0.000 s
9	Then User clicks on save button	SKIPPED	0.000 s
10	And User clicks on edit button	SKIPPED	0.000 s
11	Then User clicks on cancel button and checks wether the previously given data is present	SKIPPED	0.000 s