

Cucumber Report

20 Aug 2023, 22:26:15

Start : Aug 20, 10:26:06.413 pm

End : Aug 20, 10:26:14.723 pm

Duration : 8.310 s

Features




Scenarios

Steps

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0


PASSED - 9
FAILED - 3
SKIPPED - 12




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validation of About screen PersonallInfo in Glamz web application</u>	7.622 s	1	0	1	0	7	3	1	3
<u>Validation of edit functionality in About page</u>	7.283 s	1	0	1	0	11	3	1	7
<u>Validation of About screen SalonInfo in Glamz web application</u>	8.304 s	1	0	1	0	6	3	1	2

#	Feature Name	Scenario Name
1	<u>Validation of About screen PersonallInfo in Glamz web application</u>	<u>Check wether mobile number in PersonallInfo is same as the mobile number in SalonInfo</u>
2	<u>Validation of edit functionality in About page</u>	<u>: validation of Edit functionality of input fields in About Salon-Info page</u>
3	<u>Validation of About screen SalonInfo in Glamz web application</u>	<u>validation of about SalonInfo screen details</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@PersonalInfo	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Validation of About screen PersonalInfo in Glamz web application</u>	1	0	1	0	7.622 s
2	<u>Validation of edit functionality in About page</u>	1	0	1	0	7.283 s
3	<u>Validation of About screen SalonInfo in Glamz web application</u>	1	0	1	0	8.304 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validation of About screen PersonalInfo in Glamz web application</u>	<u>Check wether mobile number in PersonalInfo is same as the mobile number in SalonInfo</u>	7	3	1	3	7.621 s
2	<u>Validation of edit functionality in About page</u>	<u>: validation of Edit functionality of input fields in About Salon-Info page</u>	11	3	1	7	7.283 s
3	<u>Validation of About screen SalonInfo in Glamz web application</u>	<u>validation of about SalonInfo screen details</u>	6	3	1	2	8.304 s


Validation of About screen PersonalInfo in Glamz web application

FAILED	DURATION - 7.622 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 3 Fail - 1 Skip - 3	
/ 10:26:06.413 pm // 10:26:14.035 pm /					



Check whether mobile number in PersonalInfo is same as the mobile number in SalonInfo

FAILED	DURATION - 7.621 s		Steps Total - 7 Pass - 3 Fail - 1 Skip - 3	
/ 10:26:06.414 pm // 10:26:14.035 pm /				
Validation of About screen PersonalInfo in Glamz web application				
@PersonalInfo				



#	Step / Hook Details	Status	Duration
1	Given User launch an Glamz web application	PASSED	6.386 s
2	And User click on Login button	PASSED	0.254 s
3	When User enter username "keerthi@gmail.com" and password "123456789" and logs in	PASSED	0.478 s
4	Then User click Setup->About org.openqa.selenium.NoSuchElementException: Unable to locate element: /html/body/app-root/app-full-layout/div/div[1]/app-sidebar/div[2]/div[1]/ul/li[11]/a For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '12.6', java.version: '19.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [6f8f4134-6cda-4061-99ae-623abddc33f1, findElement {using=xpath, value=/html/body/app-root/app-full-layout/div/div[1]/app-sidebar/div[2]/div[1]/ul/li[11]/a}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:33788, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 21.6.0, moz:processID: 74097, moz:profile: /var/folders/n3/0q1wc9dx5wq..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:33788/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 6f8f4134-6cda-4061-99ae-623abddc33f1 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:1006) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:461) at pageobjects.HomePage.clickonabout(HomePage.java:29) at stepDefinitions.HomePageStepDefinitions.user_click_setup_about(HomePageStepDefinitions.java:20) at ?.User click Setup->About(file:///Users/abiramisundarapandian/eclipse-workspace-TESTING/CucumberFrameworkPractise/src/test/java/features/AboutPersonallInfo.feature:8) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario) 	PASSED	0.082 s
5	And User clicks on About->PersonallInfo	SKIPPED	0.000 s
6	Given User extracts the mobile number from SalonInfo	SKIPPED	0.000 s
7	And User extracts the mobile number from PersonallInfo and compares it with mobile number in SalonInfo	SKIPPED	0.000 s


Validation of edit functionality in About page

FAILED	DURATION - 7.283 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 11 Pass - 3 Fail - 1 Skip - 7	
/ 10:26:06.416 pm // 10:26:13.699 pm /					

: validation of Edit functionality of input fields in About Salon-Info page

<div>FAILED</div> <div>DURATION - 7.283 s</div>		<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
/ 10:26:06.416 pm // 10:26:13.699 pm /				
Validation of edit functionality in About page				

#	Step / Hook Details	Status	Duration
1	Given User launch an Glamz web application	PASSED	5.962 s
2	And User click on Login button	PASSED	0.280 s
3	When User enter username "keerthi@gmail.com" and password "123456789" and logs in	PASSED	0.466 s
4	Then User click Setup->About org.openqa.selenium.NoSuchElementException: Unable to locate element: /html/body/app-root/app-full-layout/div/div[1]/app-sidebar/div[2]/div[1]/ul/li[11]/a For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '12.6', java.version: '19.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [36ff8525-fb1e-4d74-b45f-334f9a3dc69e, findElement {using=xpath, value=/html/body/app-root/app-full-layout/div/div[1]/app-sidebar/div[2]/div[1]/ul/li[11]/a}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:8051, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 21.6.0, moz:processID: 74096, moz:profile: /var/folders/n3/0q1wc9dx5wq..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:8051/devtool..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 36ff8525-fb1e-4d74-b45f-334f9a3dc69e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:1006) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:461) at pageobjects.HomePage.clickonabout(HomePage.java:29) at stepDefinitions.HomePageStepDefinitions.user_click_setup_about(HomePageStepDefinitions.java:20) at ?.User click Setup->About(file:///Users/abiramisundarapandian/eclipse-workspace-TESTING/CucumberFrameworkPractise/src/test/java/features/EditAboutSalonInfo.feature:8) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario) 	PASSED	0.113 s
5	And User verify about screen is displayed	SKIPPED	0.000 s
6	When User clicks edit button and verify all fields are enabled	SKIPPED	0.000 s
7	And User delete old data and enter new valid data in all editable fields in about screen	SKIPPED	0.002 s
	luxury Salon		

#	Step / Hook Details	Status	Duration
	<div>3rd floor</div> <div>sunrise aptment</div> <div>28a</div> <div>sunrise aptments, 1st street, state -567880</div> <div>the best salon</div> <div>07655432</div>		
8	And User deletes the old data in dropdowns and selects the first value in dropdown	SKIPPED	0.000 s
9	Then User clicks on save button	SKIPPED	0.000 s
10	And User clicks on edit button	SKIPPED	0.000 s
11	Then User clicks on cancel button and checks wether the previously given data is present	SKIPPED	0.000 s

Validation of About screen SalonInfo in Glamz web application


FAILED	DURATION - 8.304 s	Scenarios		Steps	
/ 10:26:06.419 pm // 10:26:14.723 pm /		Total - 1		Total - 6	
		Pass - 0		Pass - 3	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

validation of about SalonInfo screen details

FAILED	DURATION - 8.304 s		Steps	
/ 10:26:06.419 pm // 10:26:14.723 pm /			Total - 6	
Validation of About screen SalonInfo in Glamz web application			Pass - 3	
			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given User launch an Glamz web application	PASSED	7.051 s
2	And User click on Login button	PASSED	0.254 s
3	When User enter username "keerthi@gmail.com" and password "123456789" and logs in	PASSED	0.482 s
4	Then User click Setup->About	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchElementException: Unable to locate element: /html/body/app-root/app-full-layout/div/div[1]/app-sidebar/div[2]/div[1]/ul/li[11]/a For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '12.6', java.version: '19.0.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [2c8c7bc9-1979-4d39-ba69-d0d18fde62a9, findElement {using=xpath, value=/html/body/app-root/app-full-layout/div/div[1]/app-sidebar/div[2]/div[1]/ul/li[11]/a}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 113.0.1, moz:accessibilityChecks: false, moz:buildID: 20230511191846, moz:debuggerAddress: 127.0.0.1:10189, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 21.6.0, moz:processID: 74098, moz:profile: /var/folders/n3/0q1wc9dx5wq..., moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://127.0.0.1:10189/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 2c8c7bc9-1979-4d39-ba69-d0d18fde62a9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy30.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:1006) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:461) at pageobjects.HomePage.clickonabout(HomePage.java:29) at stepDefinitions.HomePageStepDefinitions.user_click_setup_about(HomePageStepDefinitions.java:20) at ?.User click Setup->About(file:///Users/abiramisundarapandian/eclipse-workspace-TESTING/CucumberFrameworkPractise/src/test/java/features/AboutSalonInfo.feature:8)</p>		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario)		
	image 	PASSED	0.077 s
5	And User verify about screen is displayed	SKIPPED	0.000 s
6	Then User verify all the labels and Edit button are displayed in about screen	SKIPPED	0.000 s