

Cucumber Report

1 Feb 2024, 12:27:30

Start : Feb 01, 12:27:16.933 PM

End : Feb 01, 12:27:29.551 PM

Duration : 12.618 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 6
SKIPPED - 0

PASSED - 0
FAILED - 6
SKIPPED - 36




| Feature | | Scenario | | | | Step | | | |
|---|----------|----------|---|---|---|------|---|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>US121623 [Interaction] [Pre job planning] Single Well Lateral Length</u> | 12.618 s | 6 | 0 | 6 | 0 | 42 | 0 | 6 | 36 |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | <u>US121623 [Interaction] [Pre job planning] Single Well Lateral Length</u> | <u>TC122070 Verify by giving wrong values in Single Well Lateral Length tab without applying condition for unit API</u> |
| 2 | | <u>TC122074 Verify by giving wrong values in Single Well Lateral Length tab without applying condition for unit SI</u> |
| 3 | | <u>TC122071 Verify the default value in Single Well Lateral Length Tab(API Units)</u> |
| 4 | | <u>TC122075 Verify the default value in Single Well Lateral Length Tab(SI Units)</u> |
| 5 | | <u>TC122069 Verify the value in Single Well Lateral Length by applying condition for unit API</u> |
| 6 | | <u>TC122073 Verify the value in Single Well Lateral Length by applying condition for unit SI</u> |





| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>US121623 [Interaction] [Pre job planning] Single Well Lateral Length</u> | 6 | 0 | 6 | 0 | 12.618 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|----------|
| 1 | <u>US121623 [Interaction] [Pre job planning] Single Well Lateral Length</u> | <u>TC122070 Verify by giving wrong values in Single Well Lateral Length tab without applying condition for unit API</u> | 7 | 0 | 1 | 6 | 2.839 s |
| 2 | | <u>TC122074 Verify by giving wrong values in Single Well Lateral Length tab without applying condition for unit SI</u> | 7 | 0 | 1 | 6 | 1.938 s |
| 3 | | <u>TC122071 Verify the default value in Single Well Lateral Length Tab(API Units)</u> | 7 | 0 | 1 | 6 | 1.978 s |
| 4 | | <u>TC122075 Verify the default value in Single Well Lateral Length Tab(SI Units)</u> | 7 | 0 | 1 | 6 | 1.937 s |
| 5 | | <u>TC122069 Verify the value in Single Well Lateral Length by applying condition for unit API</u> | 7 | 0 | 1 | 6 | 1.871 s |
| 6 | | <u>TC122073 Verify the value in Single Well Lateral Length by applying condition for unit SI</u> | 7 | 0 | 1 | 6 | 1.975 s |

US121623 [Interaction] [Pre job planning] Single Well Lateral Length

| | | | | | |
|--|----------------------------|--|---|--|---|
| FAILED | DURATION - 12.618 s | Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0 |  | Steps Total - 42 Pass - 0 Fail - 6 Skip - 36 |  |
| / 12:27:16.933 PM // 12:27:29.551 PM / | | | | | |

TC122070 Verify by giving wrong values in Single Well Lateral Length tab without applying condition for unit API

| | | | | |
|--|---------------------------|--|--|---|
| FAILED | DURATION - 2.839 s |  | Steps Total - 7 Pass - 0 Fail - 1 Skip - 6 |  |
| / 12:27:16.934 PM // 12:27:19.773 PM / | | | | |
| US121623 [Interaction] [Pre job planning] Single Well Lateral Length | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------------|----------|
| 1 | <p>Given User launches the mobile application</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'Abiramis-MacBook-Pro.local', ip: 'fe80:0:0:0:8ba:53d7:4ced:57a0%en0' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.ios.IOSDriver.<init>(IOSDriver.java:104) at utils.TestBase.setup(TestBase.java:32) at utils.TestContextSetup.<init>(TestContextSetup.java:19) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)</pre> | FAILED | 1.826 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: org.openqa.selenium.WebDriverException: java.lang.reflect.InvocationTargetException Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver</p> <pre> at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:137) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) ... 79 more Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133) ... 83 more Caused by: org.openqa.selenium.WebDriverException: App Automate testing time has expired. Contact BrowserStack Support at https://www.browserstack.com/contact for extending your Free Trial. Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver remote stacktrace: </pre> | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:59) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:31) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$1(ProtocolHandshake.java:146) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.stream.Streams\$StreamBuilderImpl.tryAdvance(Streams.java:397) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) | | |
| | AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'Abiramis-MacBook-Pro.local', ip: 'fe80:0:0:0:8ba:53d7:4ced:57a0%en0' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.ios.IOSDriver.<init>(IOSDriver.java:104) at utils.TestBase.setup(TestBase.java:32) at utils.TestContextSetup.<init>(TestContextSetup.java:19) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) | FAILED | 0.992 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: org.openqa.selenium.WebDriverException: java.lang.reflect.InvocationTargetException Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver</p> <pre> at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:137) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) ... 79 more Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133) ... 83 more Caused by: org.openqa.selenium.WebDriverException: App Automate testing time has expired. Contact BrowserStack Support at https://www.browserstack.com/contact for extending your Free Trial. Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver remote stacktrace: at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:59) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:31) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$1(ProtocolHandshake.java:146) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.stream.Streams\$StreamBuilderImpl.tryAdvance(Streams.java:397) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) </pre> | | |
| 2 | When User logs in with username "rajyalakshmi724@gmail.com" and password "Amma@31348286" | SKIPPED | 0.000 s |
| 3 | Then User should be able to login | SKIPPED | 0.000 s |
| 4 | Then User clicks on the pre-planning icon in homepage | SKIPPED | 0.001 s |
| 5 | And User clicks on Frac Sequence Planning in menu tab | SKIPPED | 0.000 s |
| 6 | And Check whether the API radio button is selected by default | SKIPPED | 0.000 s |
| 7 | Then Give the wrong value like 20, 30, 900, 25 and 20001, by terminating condition | SKIPPED | 0.000 s |

TC122074 Verify by giving wrong values in Single Well Lateral Length tab without applying condition for unit SI

| | | | |
|--|---|--|--|
| FAILED DURATION - 1.938 s / 12:27:19.804 PM // 12:27:21.742 PM / US121623 [Interaction] [Pre job planning] Single Well Lateral Length |  | Steps Total - 7 Pass - 0 Fail - 1 Skip - 6 |  |
|--|---|--|--|

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launches the mobile application <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'Abiramis-MacBook-Pro.local', ip: 'fe80:0:0:0:8ba:53d7:4ced:57a0%en0' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) </pre> | FAILED | 0.967 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.ios.IOSDriver.<init>(IOSDriver.java:104) at utils.TestBase.setup(TestBase.java:32) at utils.TestContextSetup.<init>(TestContextSetup.java:19) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p> at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: org.openqa.selenium.WebDriverException: java.lang.reflect.InvocationTargetException Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:137) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102) </p> | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) ... 79 more Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133) ... 83 more Caused by: org.openqa.selenium.WebDriverException: App Automate testing time has expired. Contact BrowserStack Support at https://www.browserstack.com/contact for extending your Free Trial. Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver remote stacktrace: at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:59) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:31) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$1(ProtocolHandshake.java:146) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.stream.Streams\$StreamBuilderImpl.tryAdvance(Streams.java:397) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148)</p> | | |
| | <p>AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'Abiramis-MacBook-Pro.local', ip: 'fe80:0:0:0:8ba:53d7:4ced:57a0%en0' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.ios.IOSDriver.<init>(IOSDriver.java:104) at utils.TestBase.setup(TestBase.java:32) at utils.TestContextSetup.<init>(TestContextSetup.java:19)</p> | FAILED | 0.958 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p> at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: org.openqa.selenium.WebDriverException: java.lang.reflect.InvocationTargetException Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:137) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) ... 79 more Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) </p> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133) ... 83 more Caused by: org.openqa.selenium.WebDriverException: App Automate testing time has expired. Contact BrowserStack Support at https://www.browserstack.com/contact for extending your Free Trial. Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver remote stacktrace: at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:59) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:31) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$1(ProtocolHandshake.java:146) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.stream.Streams\$StreamBuilderImpl.tryAdvance(Streams.java:397) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) </pre> | | |
| 2 | When User logs in with username "rajyalakshmi724@gmail.com" and password "Amma@31348286" | SKIPPED | 0.000 s |
| 3 | Then User should be able to login | SKIPPED | 0.001 s |
| 4 | Then User clicks on the pre-planning icon in homepage | SKIPPED | 0.001 s |
| 5 | And User clicks on Frac Sequence Planning in menu tab | SKIPPED | 0.001 s |
| 6 | Then Check whether SI radio button is selectable | SKIPPED | 0.000 s |
| 7 | Then Give the wrong value like 90, 30.6, 230, 6001, 8002 by terminating condition | SKIPPED | 0.000 s |

TC122071 Verify the default value in Single Well Lateral Length Tab(API Units)

| | | | | |
|--|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 1.978 s</div> | | <div></div> | <div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div> | <div></div> |
| / 12:27:21.757 PM // 12:27:23.735 PM / | | | | |
| US121623 [Interaction] [Pre job planning] Single Well Lateral Length | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------------|----------|
| 1 | <p>Given User launches the mobile application</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'Abiramis-MacBook-Pro.local', ip: 'fe80:0:0:0:8ba:53d7:4ced:57a0%en0' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.ios.IOSDriver.<init>(IOSDriver.java:104) at utils.TestBase.setup(TestBase.java:32) at utils.TestContextSetup.<init>(TestContextSetup.java:19) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)</pre> | FAILED | 1.012 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: org.openqa.selenium.WebDriverException: java.lang.reflect.InvocationTargetException Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:137) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) ... 79 more Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133) ... 83 more Caused by: org.openqa.selenium.WebDriverException: App Automate testing time has expired. Contact BrowserStack Support at https://www.browserstack.com/contact for extending your Free Trial. Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver remote stacktrace: at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:59) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:31) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$1(ProtocolHandshake.java:146) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.stream.Streams\$StreamBuilderImpl.tryAdvance(Streams.java:397) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) </pre> | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) | | |
| | AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'Abiramis-MacBook-Pro.local', ip: 'fe80:0:0:0:8ba:53d7:4ced:57a0%en0' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.ios.IOSDriver.<init>(IOSDriver.java:104) at utils.TestBase.setup(TestBase.java:32) at utils.TestContextSetup.<init>(TestContextSetup.java:19) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) | FAILED | 0.958 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: org.openqa.selenium.WebDriverException: java.lang.reflect.InvocationTargetException Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:137) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) ... 79 more Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133) ... 83 more Caused by: org.openqa.selenium.WebDriverException: App Automate testing time has expired. Contact BrowserStack Support at https://www.browserstack.com/contact for extending your Free Trial. Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver remote stacktrace: at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:59) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:31) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$1(ProtocolHandshake.java:146) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.stream.Streams\$StreamBuilderImpl.tryAdvance(Streams.java:397) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 2 | When User logs in with username "rajyalakshmi724@gmail.com" and password "Amma@31348286" | SKIPPED | 0.000 s |
| 3 | Then User should be able to login | SKIPPED | 0.001 s |
| 4 | Then User clicks on the pre-planning icon in homepage | SKIPPED | 0.000 s |
| 5 | And User clicks on Frac Sequence Planning in menu tab | SKIPPED | 0.000 s |
| 6 | And Check whether the API radio button is selected by default | SKIPPED | 0.000 s |
| 7 | Then Verify the default value in Single Well Lateral Length Tab(API Units) is 9507 | SKIPPED | 0.000 s |

TC122075 Verify the default value in Single Well Lateral Length Tab(SI Units)

| | | | | |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 1.937 s</div> | |  | <div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div> |  |
| / 12:27:23.747 PM // 12:27:25.684 PM / | | | | |
| US121623 [Interaction] [Pre job planning] Single Well Lateral Length | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------------|----------|
| 1 | <p>Given User launches the mobile application</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'Abiramis-MacBook-Pro.local', ip: 'fe80:0:0:0:8ba:53d7:4ced:57a0%en0' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.ios.IOSDriver.<init>(IOSDriver.java:104) at utils.TestBase.setup(TestBase.java:32) at utils.TestContextSetup.<init>(TestContextSetup.java:19) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)</pre> | FAILED | 0.953 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: org.openqa.selenium.WebDriverException: java.lang.reflect.InvocationTargetException Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver</p> <pre> at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:137) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) ... 79 more Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133) ... 83 more Caused by: org.openqa.selenium.WebDriverException: App Automate testing time has expired. Contact BrowserStack Support at https://www.browserstack.com/contact for extending your Free Trial. Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver remote stacktrace: at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) </pre> | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:59) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:31) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$1(ProtocolHandshake.java:146) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.stream.Streams\$StreamBuilderImpl.tryAdvance(Streams.java:397) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) | | |
| | AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'Abiramis-MacBook-Pro.local', ip: 'fe80:0:0:0:8ba:53d7:4ced:57a0%en0' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.ios.IOSDriver.<init>(IOSDriver.java:104) at utils.TestBase.setup(TestBase.java:32) at utils.TestContextSetup.<init>(TestContextSetup.java:19) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) | FAILED | 0.979 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: org.openqa.selenium.WebDriverException: java.lang.reflect.InvocationTargetException Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:137) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) ... 79 more Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133) ... 83 more Caused by: org.openqa.selenium.WebDriverException: App Automate testing time has expired. Contact BrowserStack Support at https://www.browserstack.com/contact for extending your Free Trial. Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver remote stacktrace: at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:59) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:31) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$1(ProtocolHandshake.java:146) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.stream.Streams\$StreamBuilderImpl.tryAdvance(Streams.java:397) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) </pre> | | |
| 2 | When User logs in with username "rajyalakshmi724@gmail.com" and password "Amma@31348286" | SKIPPED | 0.000 s |
| 3 | Then User should be able to login | SKIPPED | 0.000 s |
| 4 | Then User clicks on the pre-planning icon in homepage | SKIPPED | 0.000 s |
| 5 | And User clicks on Frac Sequence Planning in menu tab | SKIPPED | 0.000 s |
| 6 | Then Check whether SI radio button is selectable | SKIPPED | 0.001 s |
| 7 | Then Verify the default value in Single Well Lateral Length Tab(SI Units) is 3007 | SKIPPED | 0.000 s |

TC122069 Verify the value in Single Well Lateral Length by applying condition for unit API

| | | | | | | |
|--|--|--------------------|--|---|---|--|
| FAILED | | DURATION - 1.871 s | |  | Steps Total - 7 Pass - 0 Fail - 1 Skip - 6 |  |
| / 12:27:25.696 PM // 12:27:27.567 PM / | | | | | | |
| US121623 [Interaction] [Pre job planning] Single Well Lateral Length | | | | | | |
| | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User launches the mobile application <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'Abiramis-MacBook-Pro.local', ip: 'fe80:0:0:0:8ba:53d7:4ced:57a0%en0' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) </pre> | FAILED | 0.981 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.ios.IOSDriver.<init>(IOSDriver.java:104) at utils.TestBase.setup(TestBase.java:32) at utils.TestContextSetup.<init>(TestContextSetup.java:19) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: org.openqa.selenium.WebDriverException: java.lang.reflect.InvocationTargetException Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:137) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182) </pre> | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) ... 79 more Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133) ... 83 more Caused by: org.openqa.selenium.WebDriverException: App Automate testing time has expired. Contact BrowserStack Support at https://www.browserstack.com/contact for extending your Free Trial. Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver remote stacktrace: at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:59) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:31) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$1(ProtocolHandshake.java:146) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.stream.Streams\$StreamBuilderImpl.tryAdvance(Streams.java:397) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148)</p> | | |
| | <p>AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'Abiramis-MacBook-Pro.local', ip: 'fe80:0:0:0:8ba:53d7:4ced:57a0%en0' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.ios.IOSDriver.<init>(IOSDriver.java:104) at utils.TestBase.setup(TestBase.java:32) at utils.TestContextSetup.<init>(TestContextSetup.java:19) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> | FAILED | 0.883 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: org.openqa.selenium.WebDriverException: java.lang.reflect.InvocationTargetException Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:137) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) ... 79 more Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) </p> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133) ... 83 more Caused by: org.openqa.selenium.WebDriverException: App Automate testing time has expired. Contact BrowserStack Support at https://www.browserstack.com/contact for extending your Free Trial. Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver remote stacktrace: at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:59) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:31) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$1(ProtocolHandshake.java:146) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.stream.Streams\$StreamBuilderImpl.tryAdvance(Streams.java:397) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) </pre> | | |
| 2 | When User logs in with username "rajyalakshmi724@gmail.com" and password "Amma@31348286" | SKIPPED | 0.000 s |
| 3 | Then User should be able to login | SKIPPED | 0.001 s |
| 4 | Then User clicks on the pre-planning icon in homepage | SKIPPED | 0.001 s |
| 5 | And User clicks on Frac Sequence Planning in menu tab | SKIPPED | 0.000 s |
| 6 | And Check whether the API radio button is selected by default | SKIPPED | 0.001 s |
| 7 | Then Preferred unit is in API, give values as 1001 and 19999 in Single Well Lateral Length tab and the values should be accepted | SKIPPED | 0.001 s |

TC122073 Verify the value in Single Well Lateral Length by applying condition for unit SI

| | | | |
|---|--|---|---|
| <div>FAILED</div> <div>DURATION - 1.975 s</div> |  | <div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div> |  |
| <div>/ 12:27:27.576 PM // 12:27:29.551 PM /</div> | | | |
| <div>US121623 [Interaction] [Pre job planning] Single Well Lateral Length</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------------|----------|
| 1 | <p>Given User launches the mobile application</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'Abiramis-MacBook-Pro.local', ip: 'fe80:0:0:0:8ba:53d7:4ced:57a0%en0' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.ios.IOSDriver.<init>(IOSDriver.java:104) at utils.TestBase.setup(TestBase.java:32) at utils.TestContextSetup.<init>(TestContextSetup.java:19) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)</pre> | FAILED | 1.025 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: org.openqa.selenium.WebDriverException: java.lang.reflect.InvocationTargetException Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:137) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) ... 79 more Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133) ... 83 more Caused by: org.openqa.selenium.WebDriverException: App Automate testing time has expired. Contact BrowserStack Support at https://www.browserstack.com/contact for extending your Free Trial. Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver remote stacktrace: at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:59) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:31) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$1(ProtocolHandshake.java:146) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.stream.Streams\$StreamBuilderImpl.tryAdvance(Streams.java:397) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) | | |
| | AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'Abiramis-MacBook-Pro.local', ip: 'fe80:0:0:0:8ba:53d7:4ced:57a0%en0' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:620) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101) at io.appium.java_client.ios.IOSDriver.<init>(IOSDriver.java:104) at utils.TestBase.setup(TestBase.java:32) at utils.TestContextSetup.<init>(TestContextSetup.java:19) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632) at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118) at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136) at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78) at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335) at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) | FAILED | 0.939 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: org.openqa.selenium.WebDriverException: java.lang.reflect.InvocationTargetException Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:137) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) ... 79 more Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133) ... 83 more Caused by: org.openqa.selenium.WebDriverException: App Automate testing time has expired. Contact BrowserStack Support at https://www.browserstack.com/contact for extending your Free Trial. Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver remote stacktrace: at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:59) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:31) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$1(ProtocolHandshake.java:146) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.stream.Streams\$StreamBuilderImpl.tryAdvance(Streams.java:397) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:127) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:502) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:488) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:543) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 2 | When User logs in with username "rajyalakshmi724@gmail.com" and password "Amma@31348286" | SKIPPED | 0.001 s |
| 3 | Then User should be able to login | SKIPPED | 0.000 s |
| 4 | Then User clicks on the pre-planning icon in homepage | SKIPPED | 0.000 s |
| 5 | And User clicks on Frac Sequence Planning in menu tab | SKIPPED | 0.000 s |
| 6 | Then Check whether SI radio button is selectable | SKIPPED | 0.000 s |
| 7 | Then Preferred unit is in SI, give values as 301 and 5999 in Single Well Lateral Length tab and the values should be accepted | SKIPPED | 0.000 s |