

# Cucumber Report

3 Jan 2024, 13:56:41

Start : Jan 03, 1:56:38.611 PM

End : Jan 03, 1:56:40.609 PM

Duration : 1.998 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 2  
SKIPPED - 0

PASSED - 0  
FAILED - 2  
SKIPPED - 0



| Feature   |          | Scenario |   |   |   | Step |   |   |   |
|---|----------|----------|---|---|---|------|---|---|---|
| Name  | Duration | T        | P | F | S | T    | P | F | S |
| <u>US126162 [CR][Subscriptions] changes to Subscription Tab</u> | 1.998 s  | 2        | 0 | 2 | 0 | 2    | 0 | 2 | 0 |

| # | Feature Name  | Scenario Name   |
|---|---|---|
| 1 | <u>US126162 [CR][Subscriptions] changes to Subscription Tab</u> | <u>TC126227 Verify the updated text in subscription tab</u>                     |
| 2 |   | <u>TC126229 Verify two options are presented under the kind of subscription</u> |





| # | Feature Name  | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>US126162 [CR][Subscriptions] changes to Subscription Tab</u> | 2 | 0 | 2 | 0 | 1.998 s  |



| # | Feature Name  | Scenario Name   | T | P | F | S | Duration |
|---|---|---|---|---|---|---|----------|
| 1 | <u>US126162 [CR][Subscriptions] changes to Subscription Tab</u> | <u>TC126227 Verify the updated text in subscription tab</u>                     | 1 | 0 | 1 | 0 | 1.822 s  |
| 2 |   | <u>TC126229 Verify two options are presented under the kind of subscription</u> | 1 | 0 | 1 | 0 | 0.156 s  |

**US126162 [CR][Subscriptions] changes to Subscription Tab**

|                                      |                           |           |   |           |   |
|--------------------------------------|---------------------------|-----------|---|-----------|---|
| <b>FAILED</b>                        | <b>DURATION - 1.998 s</b> | Scenarios |  | Steps     |  |
| / 1:56:38.611 PM // 1:56:40.609 PM / |                           | Total - 2 |   | Total - 2 |   |
|                                      |                           | Pass - 0  |   | Pass - 0  |   |
|                                      |                           | Fail - 2  |   | Fail - 2  |   |
|                                      |                           | Skip - 0  |   | Skip - 0  |   |

**TC126227 Verify the updated text in subscription tab**

|  |  |  |   |   |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 1.822 s</div>          |  |  | <div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div> |  |
| / 1:56:38.612 PM // 1:56:40.434 PM /                     |  |  |   |   |
| US126162 [CR][Subscriptions] changes to Subscription Tab |  |  |   |   |
|  |  |  |   |   |

| # | Step / Hook Details   | Status        | Duration |
|---|---|---------------|----------|
| 1 | Given Verify the updated text in subscription tab   | <b>FAILED</b> | 0.001 s  |
|   | Step undefined  |               |          |
|   | AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario)   | <b>FAILED</b> | 1.817 s  |
|   | org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Unable to parse remote response: Authorization required<br>Host info: host: 'Abiramis-MacBook-Pro.local', ip: '2402:8100:25c8:86aa:c101:ce26:4e26:84e2%en0'<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:566)<br>at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133)<br>at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102)<br>at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182)<br>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274)<br>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) |               |          |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89)<br>at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101)<br>at io.appium.java_client.ios.IOSDriver.<init>(IOSDriver.java:104)<br>at utils.TestBase.setup(TestBase.java:32)<br>at utils.TestContextSetup.<init>(TestContextSetup.java:19)<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)<br>at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)<br>at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)<br>at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)<br>at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)<br>at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)<br>at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)<br>at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)<br>at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)<br>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)<br>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)<br>at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)<br>at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)<br>at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)<br>at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)<br>at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)<br>at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)<br>at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)<br>at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)<br>at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)<br>at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)<br>at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)<br>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)<br>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)<br>at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)<br>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)<br>at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)<br>at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)<br>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)<br>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56) |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <p> at io.cucumber.core.runner.TestCase.run(TestCase.java:84)<br/> at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)<br/> at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)<br/> at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)<br/> at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)<br/> at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)<br/> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)<br/> at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)<br/> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br/> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)<br/> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br/> at java.base/java.lang.reflect.Method.invoke(Method.java:566)<br/> at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)<br/> at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)<br/> at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)<br/> at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)<br/> at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)<br/> at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)<br/> at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)<br/> at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)<br/> at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)<br/> at org.testng.TestRunner.privateRun(TestRunner.java:848)<br/> at org.testng.TestRunner.run(TestRunner.java:621)<br/> at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)<br/> at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)<br/> at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)<br/> at org.testng.SuiteRunner.run(SuiteRunner.java:336)<br/> at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)<br/> at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)<br/> at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)<br/> at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)<br/> at org.testng.TestNG.runSuites(TestNG.java:1114)<br/> at org.testng.TestNG.run(TestNG.java:1082)<br/> at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)<br/> at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)<br/> at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)<br/> Caused by: org.openqa.selenium.json.JsonException: Unable to parse: Authorization required<br/> at org.openqa.selenium.json.Json.toType(Json.java:169)<br/> at org.openqa.selenium.json.Json.toType(Json.java:152)<br/> at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:122)<br/> ... 88 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: A. Last 1 characters read: A Build info: </p> |        |          |



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver<br>at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:164)<br>at org.openqa.selenium.json.JsonTypeCoercer.lambda\$buildCoercer\$6(JsonTypeCoercer.java:170)<br>at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java:149)<br>at org.openqa.selenium.json.Json.toType(Json.java:206)<br>at org.openqa.selenium.json.Json.toType(Json.java:167) |        |          |

### TC126229 Verify two options are presented under the kind of subscription

|  |                    |  |  |   |
|--|--------------------|--|--|---|
| FAILED   | DURATION - 0.156 s |  | Steps<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  |
| / 1:56:40.453 PM // 1:56:40.609 PM /                     |                    |  |  |   |
| US126162 [CR][Subscriptions] changes to Subscription Tab |                    |  |  |   |
|  |                    |  |  |   |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Verify two options are presented under the kind of subscription  | FAILED | 0.002 s  |
|   | Step undefined   |        |          |
|   | AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario)<br>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Unable to parse remote response: Authorization required<br>Host info: host: 'Abiramis-MacBook-Pro.local', ip: '2402:8100:25c8:86aa:c101:ce26:4e26:84e2%en0'<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:566)<br>at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133)<br>at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102)<br>at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182)<br>at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274)<br>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163)<br>at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:89) | FAILED | 0.154 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:101)<br>at io.appium.java_client.ios.IOSDriver.<init>(IOSDriver.java:104)<br>at utils.TestBase.setup(TestBase.java:32)<br>at utils.TestContextSetup.<init>(TestContextSetup.java:19)<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)<br>at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)<br>at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)<br>at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)<br>at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)<br>at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)<br>at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)<br>at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)<br>at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)<br>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)<br>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)<br>at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)<br>at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)<br>at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)<br>at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)<br>at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)<br>at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)<br>at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)<br>at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)<br>at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)<br>at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)<br>at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)<br>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)<br>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)<br>at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)<br>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)<br>at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)<br>at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)<br>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)<br>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)<br>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)<br>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56)<br>at io.cucumber.core.runner.TestCase.run(TestCase.java:84) |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <pre> at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: org.openqa.selenium.json.JsonException: Unable to parse: Authorization required at org.openqa.selenium.json.Json.toType(Json.java:169) at org.openqa.selenium.json.Json.toType(Json.java:152) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:122) ... 88 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: A. Last 1 characters read: A Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver </pre> |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | info: driver.version: IOSDriver<br>at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:164)<br>at org.openqa.selenium.json.JsonTypeCoercer.lambda\$buildCoercer\$6(JsonTypeCoercer.java:170)<br>at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java:149)<br>at org.openqa.selenium.json.Json.toType(Json.java:206)<br>at org.openqa.selenium.json.Json.toType(Json.java:167) |        |          |