


Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
US121623 [Interaction] [Pre job planning] Single Well Lateral Length	6 m 45.037 s	6	2	4	0	42	35	4	3

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	US121623 [Interaction] [Pre job planning] Single Well Lateral Length	TC122074 Verify by giving wrong values in Single Well Lateral Length tab without applying condition for unit SI
2		TC122071 Verify the default value in Single Well Lateral Length Tab(API Units)
3		TC122075 Verify the default value in Single Well Lateral Length Tab(SI Units)
4		TC122073 Verify the value in Single Well Lateral Length by applying condition for unit SI

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	US121623 [Interaction] [Pre job planning] Single Well Lateral Length	6	2	4	0	6 m 45.037 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	US121623 [Interaction] [Pre job planning] Single Well Lateral Length	TC122070 Verify by giving wrong values in Single Well Lateral Length tab without applying condition for unit API	7	7	0	0	1 m 2.110 s
2		TC122074 Verify by giving wrong values in Single Well Lateral Length tab without applying condition for unit SI	7	5	1	1	1 m 5.273 s
3		TC122071 Verify the default value in Single Well Lateral Length Tab(API Units)	7	6	1	0	1 m 12.524 s
4		TC122075 Verify the default value in Single Well Lateral Length Tab(SI Units)	7	5	1	1	1 m 23.580 s
5		TC122069 Verify the value in Single Well Lateral Length by applying condition for unit API	7	7	0	0	53.460 s
6		TC122073 Verify the value in Single Well Lateral Length by applying condition for unit SI	7	5	1	1	1 m 7.985 s

DETAILED SECTION -- 6 --

#### **US121623** [Interaction] [Pre job planning] Single Well Lateral Length



#### TC122070 Verify by giving wrong values in Single Well Lateral Length tab without applying condition for unit API



#	Step / Hook Details	Status	Duration
1	Given User launches the mobile application	PASSED	22.665 s
2	When User logs in with username "rajyalakshmi724@gmail.com" and password "Amma@31348286"	PASSED	8.499 s
3	Then User should be able to login	PASSED	0.001 s
4	Then User clicks on the pre-planning icon in homepage	PASSED	5.033 s
5	And User clicks on Frac Sequence Planning in menu tab	PASSED	4.354 s
6	And Check whether the API radio button is selected by default	PASSED	1.254 s
7	Then Give the wrong value like 20, 30, 900, 25 and 20001, by terminating condition	PASSED	20.275 s

TC122074 Verify by giving wrong values in Single Well Lateral Length tab without applying condition for unit SI

FAILED DURATION - 1 m 5.273 s Steps 20 -Total - 7 / 12:17:36.388 PM // 12:18:41.661 PM / 15 US121623 [Interaction] [Pre job planning] Single Well 10 Lateral Length 5 Skip - 1 5 2 7 3 6 1

#	Step / Hook Details	Status	Duration
1	Given User launches the mobile application	PASSED	24.509 s
2	When User logs in with username "rajyalakshmi724@gmail.com" and password "Amma@31348286"	PASSED	9.014 s
3	Then User should be able to login	PASSED	0.001 s
4	Then User clicks on the pre-planning icon in homepage	PASSED	5.116 s
5	And User clicks on Frac Sequence Planning in menu tab	PASSED	4.481 s
6	Then Check whether SI radio button is selectable	FAILED	21.326 s
	org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By xpath: //XCUIElementTypeOther/ SmartFleet"/XCUIElementTypeWindow[1]/XCUIElementTypeOther/ACUIElementTypeOther/ACUIElementTypeOther/ACUIElementTypeOther/ACUIElementTypeOther/ACUIElementTypeOther/ACUIElementTypeOther/ACUIElementTypeOther/ACUIElementTypeOther/ACUIElementTypeOther/ACUIElementTypeOther[2]/XCUIElementTypeOther[2]/XCUIElementTypeOther/Bother/ACUIElementTypeOther[2]/XCUIElementTypeOther[2]/XCUIElementTypeOther[2]/XCUIElementTypeOther/AppiumElementLocator.findElement(AppiumElementLocator.java:166) at io.appium.java_client.pagefactory.hpiumElementLocator.findElement.call(InterceptorOfASingleElement.java:64) at io.appium.java_client.proxy.Interceptor.intercept(Interceptor.java:78) at org.openqa.selenium.remote.RemoteWebElement\$ByteBuddy\$BurUWRZa.click(Unknown Source) at pageObjects.PrePlanningMenuPage.checkSiradioBtn(PrePlanningMenuPage.java:303) at stepDefinitions.PrePlanningMenuPageStepDefinitions. check_whether_si_radio_button_is_selectable(PrePlanningMenuPageStepDefinitions.java:82) at ?.Check whether Si radio button is selectable(file:///Users/abiramisundarapandian/Documents/RubixEclipseWorkspace/SmartfleetApp/src/test/java/features/US121623.feature:19) Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory. AppiumElementLocator\$WaitingFunction@7e0cbe79 (tried for 1 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262) at org.openqa.selenium.support.ui.FluentWait.untii(FluentWait.java:230) at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:135) at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:160) at io.appium.java_client.pagefactory.interceptors.Interceptor.Java:78) at org.openqa.selenium.remote.RemoteWebElement\$ByteBuddy\$BurUWRZa.click(Unknown Source)		


#	Step / Hook Details	Status	Duration
	at pageObjects.PrePlanningMenuPage.checkSIradioBtn(PrePlanningMenuPage.java:303)		
	at stepDefinitions.PrePlanningMenuPageStepDefinitions.		
	check_whether_si_radio_button_is_selectable(PrePlanningMenuPageStepDefinitions.java:82)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	Caused by: org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.		
	For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-		
	exception Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.		
	version: '11.0.17' Driver info: io.appium.java_client.ios.IOSDriver Command: [f0dd186d564a9cd9dd22bcf6db1e86b4e5afbdad, findElement		
	\textbf{\lambda} \text{\lambda} \tex		
	XCUIElementTypeOther/XCUIElementTypeOther/2]/XCUIElementTypeScrollView/		
	XCUIElementTypeOther[1]/XCUIElementTypeOther[1]/XCUIElementTypeOther[2]/XCUIEl		
	Capabilities {appium:automationName: XCUITest, appium:bootstrapPath: /usr/local/.browserstack/co, appium:browserstack.isTargetBased:		
	true, appium:build: 2.0.12, appium:bundleID: com.halliburton.ucwmobile, appium:bundleId: com.halliburton.ucwmobile,		
	appium:databaseEnabled: false, appium:deviceName: iphone 14, appium:deviceOrientation: PORTRAIT, appium:javascriptEnabled: true,		
	appium:keychainPassword: [REDACTED VALUE], appium:keychainPath: [REDACTED VALUE], appium:locationContextEnabled: false,		
	appium:name: browserstack sample test, appium:networkConnectionEnabled: false, appium:newCommandTimeout: 0, appium:noReset: true,		
	appium:orientation: PORTRAIT, appium:os_version: 16, appium:project: bsdemo, appium:realMobile: true, appium:safarilgnoreFraudWarning:		
	true, appium:safariInitialUrl: http://mobile-internet-chec, appium:takesScreenshot: true, appium:udid: 00008110-00114D991EF8401E, appium:useXctestrunFile: true, appium:waitForQuiescence: false, appium:wdaStartupRetries: 3, appium:webStorageEnabled: false,		
	appium:webkitResponseTimeout: 20000, bstack:options: {appiumVersion: 1.21.0}, platformName: IOS} Session ID:		
	f0dd186d564a9cd9dd22bcf6db1e86b4e5afbdad		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RelementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:105) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:53) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:139) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$1(AppiumElementLocator.java:160) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:217) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:210) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario) image  Ima	PASSED	0.803 s
7	Then Give the wrong value like 90, 30.6, 230, 6001, 8002 by terminating condition	SKIPPED	0.000 s

# **TC122071** Verify the default value in Single Well Lateral Length Tab(API Units)




DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
1	Given User launches the mobile application	PASSED	51.374 s
2	When User logs in with username "rajyalakshmi724@gmail.com" and password "Amma@31348286"	PASSED	8.578 s
3	Then User should be able to login	PASSED	0.000 s
4	Then User clicks on the pre-planning icon in homepage	PASSED	5.091 s
5	And User clicks on Frac Sequence Planning in menu tab	PASSED	4.254 s
6	And Check whether the API radio button is selected by default	PASSED	1.098 s
7	Then Verify the default value in Single Well Lateral Length Tab(API Units) is 9507	FAILED	1.534 s
	at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.assertEquals(Assert.java:1578) at org.testng.Assert.assertEquals(Impl(Assert.java:150)) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at stepDefinitions.PrePlanningMenuPageStepDefinitions. verify_the_default_value_in_single_well_lateral_length_tab_api_units_is(PrePlanningMenuPageStepDefinitions.java:118) at ?.Verify the default value in Single Well Lateral Length Tab(API Units) is 9507(file:///Users/abiramisundarapandian/Documents/RubixEclipseWorkspace/SmartfleetApp/src/test/java/features/US121623.feature:27) * Not displayable characters are replaced by '?'.  AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario)	PASSED	0.577 s
	image    Mail   Serious   19	FASSEU	

TC122075 Verify the default value in Single Well Lateral Length Tab(SI Units)

DETAILED SECTION -- 12 --



#	Step / Hook Details	Status	Duration
1	Given User launches the mobile application	PASSED	41.494 s
2	When User logs in with username "rajyalakshmi724@gmail.com" and password "Amma@31348286"	PASSED	8.580 s
3	Then User should be able to login	PASSED	0.001 s
4	Then User clicks on the pre-planning icon in homepage	PASSED	7.329 s
5	And User clicks on Frac Sequence Planning in menu tab	PASSED	4.245 s
6	Then Check whether SI radio button is selectable	FAILED	21.378 s
	org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.xpath: //XCUIElementTypeOther/SmartFleet*/JXCUIElementTypeOther/AcuielementAc		

#	Step / Hook Details	Status	Duration
	at pageObjects.PrePlanningMenuPage.checkSIradioBtn(PrePlanningMenuPage.java:303)		
	at stepDefinitions.PrePlanningMenuPageStepDefinitions.		
	check_whether_si_radio_button_is_selectable(PrePlanningMenuPageStepDefinitions.java:82)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		


DETAILED SECTION -- 14 --

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	Caused by: org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.		
	For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-		
	exception Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.		
	version: '11.0.17' Driver info: io.appium.java_client.ios.IOSDriver Command: [9577cafe0e994d8920003f2f6c30c2dcf07f71a6, findElement		
	{using=xpath, value=//XCUIElementTypeApplication[@name="SmartFleet"]/XCUIElementTypeWindow[1]/XCUIElementTypeOther[4]/XCUIEle		
	mentTypeOther/XCUIElementTypeO		
	XCUIElementTypeOther/XCUIElementTypeOther[2]/XCUIElementTypeScrollView/ XCUIElementTypeOther[1]/XCUIElementTypeOther[1]/XCUIElementTypeOther/XCUIElementTypeOther[2]/XCUIElementTypeButton[2]}		
	Capabilities {appium:automationName: XCUITest, appium:bootstrapPath: /usr/local/.browserstack/co, appium:browserstack.isTargetBased:		
	true, appium:build: 2.0.12, appium:bundleID: com.halliburton.ucwmobile, appium:bundleId: com.halliburton.ucwmobile,		
	appium:databaseEnabled: false, appium:deviceName: iphone 14, appium:deviceOrientation: PORTRAIT, appium:javascriptEnabled: true,		
	appium:keychainPassword: [REDACTED VALUE], appium:keychainPath: [REDACTED VALUE], appium:locationContextEnabled: false,		
	appium:name: browserstack sample test, appium:networkConnectionEnabled: false, appium:newCommandTimeout: 0, appium:noReset: true,		
	appium:orientation: PORTRAIT, appium:os_version: 16, appium:project: bsdemo, appium:realMobile: true, appium:safarilgnoreFraudWarning:		
	true, appium:safariInitialUrl: http://mobile-internet-chec, appium:takesScreenshot: true, appium:udid: 00008110-0008343C14A1401E,		
	appium:useXctestrunFile: true, appium:waitForQuiescence: false, appium:wdaStartupRetries: 3, appium:webStorageEnabled: false,		
	appium:webkitResponseTimeout: 20000, bstack:options: {appiumVersion: 1.21.0}, platformName: IOS} Session ID:		
	9577cafe0e994d8920003f2f6c30c2dcf07f71a6		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		

DETAILED SECTION -- 15 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappedBy.java:53) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(ElementLocation.java:139) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$1(AppiumElementLocator.java:160) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:217) at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(AppiumElementLocator.java:210) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario) image  Ima	PASSED	0.520 s
7	Then Verify the default value in Single Well Lateral Length Tab(SI Units) is 3007	SKIPPED	0.000 s


# TC122069 Verify the value in Single Well Lateral Length by applying condition for unit API



DETAILED SECTION -- 16 --

#	Step / Hook Details	Status	Duration
1	Given User launches the mobile application	PASSED	27.809 s
2	When User logs in with username "rajyalakshmi724@gmail.com" and password "Amma@31348286"	PASSED	8.739 s
3	Then User should be able to login	PASSED	0.000 s
4	Then User clicks on the pre-planning icon in homepage	PASSED	5.208 s
5	And User clicks on Frac Sequence Planning in menu tab	PASSED	4.323 s
6	And Check whether the API radio button is selected by default	PASSED	1.166 s
7	Then Preferred unit is in API, give values as 1001 and 19999 in Single Well Lateral Length tab and the values should be	PASSED	6.193 s
	accepted		

### TC122073 Verify the value in Single Well Lateral Length by applying condition for unit SI



#	Step / Hook Details	Status	Duration
1	Given User launches the mobile application	PASSED	26.596 s
2	When User logs in with username "rajyalakshmi724@gmail.com" and password "Amma@31348286"	PASSED	8.598 s
3	Then User should be able to login	PASSED	0.000 s
4	Then User clicks on the pre-planning icon in homepage	PASSED	6.240 s
5	And User clicks on Frac Sequence Planning in menu tab	PASSED	4.199 s
6	Then Check whether SI radio button is selectable	FAILED	21.298 s
	org.openqa.selenium.NoSuchElementException: Can't locate an element by this strategy: By.xpath: //XCUIElementTypeApplication[@name="S martFleet"]/XCUIElementTypeWindow[1]/XCUIElementTypeOther[4]/XCUIElementTypeOther/XCUIElementTypeOther/XCUIElementTypeOther/XCUIElementTypeOther/XCUIElementTypeOther/XCUIElementTypeOther/XCUIElementTypeOther/XCUIElementTypeOther[2]/XCUIElementTypeOther[1]/XCUIElementTypeOther[1]/XCUIElementTypeOther/XCUIElementTypeOther[2]/XCUIElementTypeOther[2]/XCUIElementTypeOther[2]/XCUIElementTypeButton[2]  at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:166)  at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.call(InterceptorOfASingleElement.java:64)  at io.appium.java_client.proxy.Interceptor.intercept(Interceptor.java:78)  at org.openqa.selenium.remote.RemoteWebElement\$ByteBuddy\$Y82rfNTY.click(Unknown Source)  at pageObjects.PrePlanningMenuPage.checkSIradioBtn(PrePlanningMenuPage.java:303)		

#	Step / Hook Details	Status	Duration
	at stepDefinitions.PrePlanningMenuPageStepDefinitions.		
	check_whether_si_radio_button_is_selectable(PrePlanningMenuPageStepDefinitions.java:82)		
	at ?.Check whether SI radio button is selectable(file:///Users/abiramisundarapandian/Documents/RubixEclipseWorkspace/SmartfleetApp/src/		
	test/java/features/US121623.feature:47)		
	Caused by: org.openqa.selenium.TimeoutException: Expected condition failed: waiting for io.appium.java_client.pagefactory.		
	AppiumElementLocator\$WaitingFunction@24682160 (tried for 1 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)		
	at io.appium.java_client.pagefactory.AppiumElementLocator.waitFor(AppiumElementLocator.java:135)		
	at io.appium.java_client.pagefactory.AppiumElementLocator.findElement(AppiumElementLocator.java:160)		
	at io.appium.java_client.pagefactory.interceptors.InterceptorOfASingleElement.call(InterceptorOfASingleElement.java:64)		
	at io.appium.java_client.proxy.Interceptor.intercept(Interceptor.java:78)		
	at org.openqa.selenium.remote.RemoteWebElement\$ByteBuddy\$Y82rfNTY.click(Unknown Source)		
	at pageObjects.PrePlanningMenuPage.checkSIradioBtn(PrePlanningMenuPage.java:303)		
	at stepDefinitions.PrePlanningMenuPageStepDefinitions.		
	check_whether_si_radio_button_is_selectable(PrePlanningMenuPageStepDefinitions.java:82) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
I	at java.base/jdk.internal.reflect.NativeMetriodAccessorImpl.invoke(NativeMetriodAccessorImpl.java.02) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
I	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
I	at io.cucumber.java.AbstractGlueDefinition.invokeMetriou(AbstractGlueDefinition.java.47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
I	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
I	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
I	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.CucumberExecutionContext.iambdasfurr estCase\$5(CucumberExecutionContext.java.137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.Retiriowing ririowabieconector.executeAnd ririow(Retiriowing ririowabieconector.java.23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testing.restingCucumberRuffler.tuffScenario(restingCucumberRuffler.java.129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at io.cucumber.testing.Abstract restingCucumber rests.runscenario(Abstract restingCucumber rests.java.ss) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke((NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	Caused by: org.openqa.selenium.NoSuchElementException: An element could not be located on the page using the given search parameters.		
	For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-		
	exception Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.		
	version: '11.0.17' Driver info: io.appium.java_client.ios.IOSDriver Command: [2e45c20f4513179f89088cf20ac2f201a224fa31, findElement		
	{using=xpath, value=//XCUIElementTypeApplication[@name="SmartFleet"]/XCUIElementTypeWindow[1]/XCUIElementTypeOther[4]/XCUIEle		
	mentTypeOther/XCUIElementTypeO		
	XCUIElementTypeOther[1]/XCUIElementTypeOther[2]/XCUIElementTypeOther[2]/XCUIElementTypeOther[2]/XCUIElementTypeButton[2]}]		
	Capabilities {appium:automationName: XCUITest, appium:bootstrapPath: /usr/local/.browserstack/co, appium:browserstack.isTargetBased:		
	true, appium:build: 2.0.12, appium:bundleID: com.halliburton.ucwmobile, appium:bundleId: com.halliburton.ucwmobile,		
	appium:databaseEnabled: false, appium:deviceName: iphone 14, appium:deviceOrientation: PORTRAIT, appium:javascriptEnabled: true,		
	appium:keychainPassword: [REDACTED VALUE], appium:keychainPath: [REDACTED VALUE], appium:locationContextEnabled: false,		
	appium:name: browserstack sample test, appium:networkConnectionEnabled: false, appium:newCommandTimeout: 0, appium:noReset: true,		
	appium:orientation: PORTRAIT, appium:os_version: 16, appium:project: bsdemo, appium:realMobile: true, appium:safariIgnoreFraudWarning:		
	true, appium:safarilnitialUrl: http://mobile-internet-chec, appium:takesScreenshot: true, appium:udid: 00008110-000A11DC36F2401E,		
	appium:useXctestrunFile: true, appium:waitForQuiescence: false, appium:wdaStartupRetries: 3, appium:webStorageEnabled: false,		
	appium:webkitResponseTimeout: 20000, bstack:options: {appiumVersion: 1.21.0}, platformName: IOS} Session ID:		

DETAILED SECTION -- 19 --

# Step / Hook Details	Status	Duration
2e45c20f4513179f89088cf20ac2f201a224fa31		
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Me	ethod)	
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.newInsta	structorAccessorImpl.java:62)	
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAcces)(DelegatingConstructorAccessorImpl.newInstance(Delega	atingConstructorAccessorImpl.java:45)	
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(V	V3CHttpResponseCodec.java:200)	
at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.decodec.decodec.decodec.decodec.decodec.decodec.decodec.decodec.decodec.decodec.decodec.decodec.decodec.decodec.decodec.decodec.decodec.decodec.decodecodecodecodecodecodecodecodecodeco	ResponseCodec.java:133)	
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpF	ResponseCodec.java:52)	
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor)		
at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandE		
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602		
at org.openga.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(Element		
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:	359)	
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:	· ·	
at io.appium.java_client.pagefactory.bys.ContentMappedBy.findElement(ContentMappe		
at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElement(Element		
at org.openga.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)	•	
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:	359)	
at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:	· ·	
at io.appium.java_client.pagefactory.AppiumElementLocator.lambda\$findElement\$1(Ap	· ·	
at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(App		
at io.appium.java_client.pagefactory.AppiumElementLocator\$WaitingFunction.apply(App		
at org.openga.selenium.support.ui.FluentWait.until(FluentWait.java:205)	, and the same of	
* Not displayable characters are replaced by '?'.		
AFTER STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario	PASSED	1.038 s
image	, , , , , , , , , , , , , , , , , , , ,	1.0000
(66.58)		
Since helmed bits:		
y  Septim Moset		
* ***		
Southar Michael		
Goose Norwithi		
Sep Montainer and 10		
A SI A A A A A A A A A A A A A A A A A A		
Then Preferred unit is in SI, give values as 301 and 5999 in Single Well Lateral L	ength tab and the values should be accepted SKIPPED	0.000 s