
**Duration** : 0.865 s Start: Jan 03, 1:57:27.357 PM End: Jan 03, 1:57:28.222 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 0 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 80 20 80 90 90 10 10 100 100 100

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
US126162 [CR][Subscriptions] changes to Subscription Tab	0.865 s	2	0	2	0	2	0	2	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	US126162 [CR][Subscriptions] changes to Subscription Tab	TC126227 Verify the updated text in subscription tab
2		TC126229 Verify two options are presented under the kind of subscription

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	US126162 [CR][Subscriptions] changes to Subscription Tab	2	0	2	0	0.865 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	US126162 [CR][Subscriptions] changes to Subscription Tab	TC126227 Verify the updated text in subscription tab	1	0	1	0	0.569 s
2		TC126229 Verify two options are presented under the kind of subscription	1	0	1	0	0.277 s

DETAILED SECTION -- 6 --

## **US126162** [CR][Subscriptions] changes to Subscription Tab

FAILED	DURATION - 0.865 s	Scenarios		Steps	
		Total - 2		Total - 2	
/ 1:57:27.357 PM // 1:	57:28.222 PM /	Pass - 0	2	Pass - 0	2
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

## **TC126227** Verify the updated text in subscription tab




#	Step / Hook Details	Status	Duration
1	Given Verify the updated text in subscription tab	FAILED	0.001 s
	Step undefined		
	AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	0.564 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Unable to parse remote response: Authorization required Host info: host: 'Abiramis-MacBook-Pro.local', ip: '2402:8100:25c8:86aa:c101:ce26:4e26:84e2%en0' at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:163) at org.openqa.selenium.remote.RemoteWebDriver.		

#	Step / Hook Details	Status	Duration
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:89)</init>		
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:101)</init>		
	at io.appium.java_client.ios.IOSDriver. <init>(IOSDriver.java:104)</init>		
	at utils.TestBase.setup(TestBase.java:32)		
	at utils.TestContextSetup. <init>(TestContextSetup.java:19)</init>		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	$at\ or g. picocontainer. parameters. Basic Component Parameter \$1. resolve Instance (Basic Component Parameter. java: 118)$		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	$at\ or g. picocontainer. injectors. Abstract Injection Factory \$Life cycle Adapter. get Component Instance (Abstract Injection Factory. java: 56)$		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	Caused by: org.openqa.selenium.json.JsonException: Unable to parse: Authorization required		
	at org.openqa.selenium.json.Json.toType(Json.java:169)		
	at org.openqa.selenium.json.Json.toType(Json.java:152)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:122)		
	88 more Caused by: org.openga.selenium.json.JsonException: Unable to determine type from: A. Last 1 characters read: A Build info:		

#	Step / Hook Details	Status	Duration
	version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver info: driver.version: IOSDriver		
	at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:164)		
	at org.openqa.selenium.json.JsonTypeCoercer.lambda\$buildCoercer\$6(JsonTypeCoercer.java:170)		
	at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java:149)		
	at org.openqa.selenium.json.Json.toType(Json.java:206)		
	at org.openqa.selenium.json.Json.toType(Json.java:167)		

## TC126229 Verify two options are presented under the kind of subscription



#	Step / Hook Details	Status	Duration
1	Given Verify two options are presented under the kind of subscription	FAILED	0.001 s
	Step undefined		
	AFTER_STEP - stepDefinitions.hooks.AddScreenshot(io.cucumber.java.Scenario)	FAILED	0.275 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Unable to parse remote response: Authorization required Host info: host: 'Abiramis-MacBook-Pro.local', ip: '2402:8100:25c8:86aa:c101:ce26:4e26:84e2%en0' at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:133) at io.appium.java_client.remote.AppiumProtocolHandshake.createSession(AppiumProtocolHandshake.java:102) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:182) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:274) at org.openqa.selenium.remote.RemoteWebDriver.		

#	Step / Hook Details	Status	Duration
	at io.appium.java_client.AppiumDriver. <init>(AppiumDriver.java:101)</init>		
	at io.appium.java_client.ios.IOSDriver. <init>(IOSDriver.java:104)</init>		
	at utils.TestBase.setup(TestBase.java:32)		
	at utils.TestContextSetup. <init>(TestContextSetup.java:19)</init>		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	$at\ or g. picocontainer. injectors. Abstract Injector \$Thread Local Cyclic Dependency Guard. observe (Abstract Injector. java: 270)$		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	at org.picocontainer.parameters.BasicComponentParameter\$1.resolveInstance(BasicComponentParameter.java:118)		
	at org.picocontainer.parameters.ComponentParameter\$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector\$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:335)		
	$at\ or g. picocontainer. injectors. Abstract Injector \$Thread Local Cyclic Dependency Guard. observe (Abstract Injector. java: 270)$		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:64)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	Caused by: org.openga.selenium.json.JsonException: Unable to parse: Authorization required		
	at org.openqa.selenium.json.Json.toType(Json.java:169)		
	at org.openga.selenium.json.Json.toType(Json.java:152)		
	at org.openga.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:122)		
	88 more Caused by: org.openga.selenium.json.JsonException: Unable to determine type from: A. Last 1 characters read: A Build info:		
	version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.0', java.version: '11.0.17' Driver		

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	info: driver.version: IOSDriver		
	at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:164)		
	at org.openqa.selenium.json.JsonTypeCoercer.lambda\$buildCoercer\$6(JsonTypeCoercer.java:170)		
	at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java:149)		
	at org.openqa.selenium.json.Json.toType(Json.java:206)		
	at org.openqa.selenium.json.Json.toType(Json.java:167)		