

Depression: 100 Viva Questions and Answers

Q1. What is a common reason for depression #1?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q2. What is a common reason for depression #2?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q3. What is a common reason for depression #3?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q4. What is a common reason for depression #4?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q5. What is a common reason for depression #5?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q6. What is a common reason for depression #6?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q7. What is a common reason for depression #7?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q8. What is a common reason for depression #8?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q9. What is a common reason for depression #9?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q10. What is a common reason for depression #10?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q11. What is a common reason for depression #11?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q12. What is a common reason for depression #12?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q13. What is a common reason for depression #13?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q14. What is a common reason for depression #14?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q15. What is a common reason for depression #15?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q16. What is a common reason for depression #16?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q17. What is a common reason for depression #17?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q18. What is a common reason for depression #18?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q19. What is a common reason for depression #19?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q20. What is a common reason for depression #20?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q21. What is a common reason for depression #21?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q22. What is a common reason for depression #22?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q23. What is a common reason for depression #23?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q24. What is a common reason for depression #24?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q25. What is a common reason for depression #25?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q26. What is a common reason for depression #26?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q27. What is a common reason for depression #27?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q28. What is a common reason for depression #28?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q29. What is a common reason for depression #29?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q30. What is a common reason for depression #30?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q31. What is a common reason for depression #31?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q32. What is a common reason for depression #32?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q33. What is a common reason for depression #33?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q34. What is a common reason for depression #34?

Answer: Common causes include genetics, chronic stress, trauma, loneliness, financial problems, academic or work pressure, physical illness, and substance misuse.

Q35. What is a solution or treatment for depression #35?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q36. What is a solution or treatment for depression #36?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q37. What is a solution or treatment for depression #37?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q38. What is a solution or treatment for depression #38?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q39. What is a solution or treatment for depression #39?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q40. What is a solution or treatment for depression #40?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q41. What is a solution or treatment for depression #41?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q42. What is a solution or treatment for depression #42?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q43. What is a solution or treatment for depression #43?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q44. What is a solution or treatment for depression #44?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q45. What is a solution or treatment for depression #45?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT),

medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q46. What is a solution or treatment for depression #46?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q47. What is a solution or treatment for depression #47?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q48. What is a solution or treatment for depression #48?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q49. What is a solution or treatment for depression #49?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q50. What is a solution or treatment for depression #50?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q51. What is a solution or treatment for depression #51?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q52. What is a solution or treatment for depression #52?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q53. What is a solution or treatment for depression #53?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q54. What is a solution or treatment for depression #54?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q55. What is a solution or treatment for depression #55?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q56. What is a solution or treatment for depression #56?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q57. What is a solution or treatment for depression #57?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q58. What is a solution or treatment for depression #58?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q59. What is a solution or treatment for depression #59?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q60. What is a solution or treatment for depression #60?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q61. What is a solution or treatment for depression #61?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q62. What is a solution or treatment for depression #62?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q63. What is a solution or treatment for depression #63?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q64. What is a solution or treatment for depression #64?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT),

medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q65. What is a solution or treatment for depression #65?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q66. What is a solution or treatment for depression #66?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q67. What is a solution or treatment for depression #67?

Answer: Solutions include seeking professional help, cognitive behavioral therapy (CBT), medication when prescribed, regular exercise, healthy sleep, balanced diet, mindfulness, and support from family and friends.

Q68. General depression question #68?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q69. General depression question #69?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q70. General depression question #70?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q71. General depression question #71?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q72. General depression question #72?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q73. General depression question #73?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q74. General depression question #74?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q75. General depression question #75?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q76. General depression question #76?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q77. General depression question #77?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q78. General depression question #78?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q79. General depression question #79?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q80. General depression question #80?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q81. General depression question #81?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q82. General depression question #82?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q83. General depression question #83?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining

healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q84. General depression question #84?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q85. General depression question #85?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q86. General depression question #86?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q87. General depression question #87?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q88. General depression question #88?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q89. General depression question #89?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q90. General depression question #90?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q91. General depression question #91?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q92. General depression question #92?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q93. General depression question #93?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q94. General depression question #94?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q95. General depression question #95?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q96. General depression question #96?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q97. General depression question #97?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q98. General depression question #98?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q99. General depression question #99?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.

Q100. General depression question #100?

Answer: Early identification, reducing stigma, following treatment plans, and maintaining healthy lifestyle habits improve recovery. People with severe symptoms or suicidal thoughts should seek immediate professional or emergency help.