USER INTERFACE DESIGN - EXPERIMENT 6

RAD Model for Online Furniture Shopping App

NAME:ABISHAA.R
ROLL:240701012

Introduction

RAD (Rapid Application Development) is a software development model that focuses on fast development using prototypes and user feedback. It reduces development time and improves user satisfaction. It is mainly used for UI/UX-based applications like web and mobile apps.

Key Features

Navigation: Home, Categories, Product Listing, Product Details, Cart, Checkout, Order Confirmation User Actions: Browse furniture items, Search products, Add to cart, Place order, View order confirmation

Requirements

1. View furniture categories 2. View list of furniture items 3. View product details 4. Add/remove items from cart 5. Enter user details and payment 6. Place order and view confirmation

User Design

Wireframes are created using Axure tool. Screens: Home, Category, Product Listing, Product Details, Cart, Checkout, Order Confirmation



Categories

- Sofas
- Chairs
- Tables
- Beds
- Wardrobes

Product Listing

Sort / Filter

Sofas

$xxx

Tables

$xxx

Beds

$xxx

Product Details

Product Name

$xxx

$

Product Name

$xxx

$

Product Name

$xxx

$


Cart
Item Name
Remove
Qty 1
+
-
Item Name
Remove
Qty 1
+
-
Total: $XXXX
Proceed to Checkout

Checkout
Product Name
$xxx
xxxxx
- Product Description
Add to Cart

Checkout
Enter Address
Name
Address
Phone
Cash on Delivery
UPI
Place Order



Wireframe Explanation

Home → Categories Category → Furniture types Product Listing → Items Product Details → Price & Add to cart Cart → Selected items Checkout → User details Confirmation → Order success

Construction Phase

Prototype created using Axure. Screens connected using OnClick interactions. Flow: Home → Category → Product List → Details → Cart → Checkout → Confirmation

Testing & Iteration

Prototype tested and improved based on usability and navigation.

Cutover Phase

Final prototype ready for implementation and development.

Conclusion

RAD model enables fast development and is suitable for furniture shopping applications.