

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: my task1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Result Grid

studentid	name	grade	age
-----------	------	-------	-----

students 4 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
35	12:06:07	show tables	0 row(s) returned	0.015 sec / 0.000 sec
36	12:09:22	create table students (studentid int auto_increment, name varchar(30), grade varchar(20), age int)	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL se...	0.000 sec
37	12:09:56	select * from students LIMIT 0, 1000	Error Code: 1146. Table task1.students doesn't exist	0.000 sec
38	12:10:02	show tables	0 row(s) returned	0.016 sec / 0.000 sec
39	12:14:22	CREATE TABLE students (studentid INT AUTO_INCREMENT, name VARCHAR(30), grade VARCHAR...	0 row(s) affected	0.032 sec
40	12:14:26	select * from students LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Hot weather Now

Search

ENG IN

12:20 PM 03-05-2025

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: my task1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Result Grid

studentid	name	grade	age	email
-----------	------	-------	-----	-------

students 5 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
37	12:09:56	select * from students LIMIT 0, 1000	Error Code: 1146. Table task1.students doesn't exist	0.000 sec
38	12:10:02	show tables	0 row(s) returned	0.016 sec / 0.000 sec
39	12:14:22	CREATE TABLE students (studentid INT AUTO_INCREMENT, name VARCHAR(30), grade VARCHAR...	0 row(s) affected	0.032 sec
40	12:14:26	select * from students LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
41	12:23:06	alter table students add email varchar(50)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.047 sec
42	12:23:31	select * from students LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Upcoming Earnings

Search

ENG IN

12:23 PM 03-05-2025

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: my task1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQL Editor

```
1 create database task1;
2 use task1;
3 show tables;
4 CREATE TABLE students (
11 select * from students;
12
13 -- set2
14
15 alter table students add email varchar(50);
16
17 -- set3
18
19 alter table students drop column grade;
```

Result Grid

studentid	name	age	email
1	John	15	john.doe@university.edu

students 7

Output

Action Output

#	Time	Action	Message	Duration / Fetch
41	12:23:06	alter table students add email varchar(50)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.047 sec
42	12:23:31	select * from students LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
43	12:25:35	alter table students drop grade	Error Code: 1091. Can't DROP 'grade'; check that column/key exists	0.000 sec
44	12:26:17	select * from students LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
45	12:26:28	alter table students drop column grade	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.047 sec
46	12:26:33	select * from students LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

35°C Partly sunny

Search

ENG IN

12:26 PM 03-05-2025

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: my task1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQL Editor

```
12
13 -- set2
14
15 alter table students add email varchar(50);
16
17 -- set3
18
19 alter table students drop column grade;
20
21 -- set4
22
23 alter table students modify age varchar(1);
24
```

Result Grid

studentid	name	age	email
1	John	15	john.doe@university.edu

students 8

Output

Action Output

#	Time	Action	Message	Duration / Fetch
43	12:25:35	alter table students drop grade	Error Code: 1091. Can't DROP 'grade'; check that column/key exists	0.000 sec
44	12:26:17	select * from students LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
45	12:26:28	alter table students drop column grade	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.047 sec
46	12:26:33	select * from students LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
47	12:34:35	alter table students modify age varchar(1)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.079 sec
48	12:34:41	select * from students LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Breaking news India Bans All Im...

Search

ENG IN

12:34 PM 03-05-2025

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: my task1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQL Editor

```

1 create database task1;
2 use task1;
3 show tables;
4 CREATE TABLE students (
11 select * from students;
12
13 -- set2
14
15 alter table students add email varchar(50);
16
17 -- set3
18
19 alter table students drop column grade;

```

Result Grid

Tables in task1

- studentdetails

Output

Action Output

#	Time	Action	Message	Duration / Fetch
46	12:26:33	select * from students LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
47	12:34:35	alter table students modify age varchar(3)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.079 sec
48	12:34:41	select * from students LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
49	12:41:54	rename table students to studentdetails	0 row(s) affected	0.031 sec
50	12:42:43	select * from studentdetails LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
51	12:46:37	show tables	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

35°C Partly sunny

12:46 PM 03-05-2025

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: my task1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQL Editor

```

28
21 -- set4
22
23 alter table students modify age varchar(3);
24
25 -- set 5
26
27 rename table students to studentdetails;
28 select * from studentdetails;
29
30 -- set6
31
32 delete from studentdetails;

```

Result Grid

studentdetails

studentid	name	age	email
1	John	15	john.doe@university.edu

Output

Action Output

#	Time	Action	Message	Duration / Fetch
52	12:46:49	select * from studentdetails LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
53	13:47:15	delete from studentdetails	0 row(s) affected	0.000 sec
54	13:47:21	select * from students LIMIT 0, 1000	Error Code: 1146 Table task1.students' doesn't exist	0.000 sec
55	13:47:28	select * from students LIMIT 0, 1000	Error Code: 1146 Table task1.students' doesn't exist	0.000 sec
56	13:47:39	select * from students LIMIT 0, 1000	Error Code: 1146 Table task1.students' doesn't exist	0.000 sec
57	13:47:49	select * from studentdetails LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

34°C Sunny

01:48 PM 03-05-2025

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: my* task1*

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQL Editor

```

28 select * from studentdetails;
29
30 -- set6
31
32 delete from studentdetails;
33
34 -- set7
35
36
37 create database employee ;
38 use employee ;
39
40 show tables;

```

Result Grid | Filter Rows: | Exports | Wrap Cell Contents: |

Tables_in_employee

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result 15 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
78	14:14:57	create database employees	1 row(s) affected	0.016 sec
79	14:15:16	create database employees	Error Code: 1007: Can't create database 'employees'; database exists	0.000 sec
80	14:16:10	show tables	1 row(s) returned	0.000 sec / 0.000 sec
81	14:16:42	create database employee	1 row(s) affected	0.016 sec
82	14:16:43	use employee	0 row(s) affected	0.000 sec
83	14:16:43	show tables	0 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Feels hotter Now

Search

ENG IN

02:16 PM 03-05-2025

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: my* task1*

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQL Editor

```

36
37 create database employee ;
38 use employee ;
39
40 show tables;
41 CREATE TABLE employee (
42     empid INT AUTO_INCREMENT,
43     empname VARCHAR(30),
44     empsalary int ,
45     PRIMARY KEY (empid)
46 );
47 select * from employee ;
48

```

Result Grid | Filter Rows: | Edit | Exports/Imports | Wrap Cell Contents: |

empid empname empsalary

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

employee 1 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	13:25:27	use employee	0 row(s) affected	0.000 sec
2	13:25:33	select * from employee LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Hot weather Now

Search

ENG IN

01:26 PM 05-05-2025

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: my task1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQL Editor

```
-- set 7
34
35
36
37 • create database employee ;
38 • use employee ;
39
40 • show tables;
41 • CREATE TABLE employee (
42     empid INT AUTO_INCREMENT,
43     empname VARCHAR(30),
44     empsalary int ,
45     PRIMARY KEY (empid)
46 );
47 • select * from employee ;
```

Result Grid

empid	empname	empsalary	department
1			

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Object Info

No object selected

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	13:25:27	use employee	0 row(s) affected	0.000 sec
2	13:25:33	select * from employee LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
3	13:35:28	alter table employee add department varchar(10)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.063 sec
4	13:35:34	select * from employee LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

500696 +1.1%

01:35 PM 05-05-2025

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: my task1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQL Editor

```
43     empname VARCHAR(30),
44     empsalary int ,
45     PRIMARY KEY (empid)
46 );
47 • select * from employee ;
48
49
50 -- set 8
51
52 • alter table employee add department varchar(10);
53
54 -- set 9
55
56 • drop table employee;
```

Result Grid

empid	empname	empsalary	department
1			

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Object Info

No object selected

Output

Action Output

#	Time	Action	Message	Duration / Fetch
4	13:35:34	select * from employee LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
5	13:45:12	delete from employee	0 row(s) affected	0.000 sec
6	13:45:18	select * from employee LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
7	13:45:42	show tables	1 row(s) returned	0.000 sec / 0.000 sec
8	13:55:41	drop table employee	0 row(s) affected	0.031 sec
9	13:55:48	show tables	0 row(s) returned	0.000 sec / 0.000 sec

500696 +1.17%

01:55 PM 05-05-2025

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator my task1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```
50 -- set 8
51
52 alter table employee add department varchar(10);
53
54 -- set 9
55
56 drop table employee;
57
58 -- set 10
59
60 CREATE TABLE products (
61
62
63 select * from products;
64
```

Result Grid

productid	productname	price
1

products 6 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	13:45:18	select * from employee LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
7	13:45:42	show tables	1 row(s) returned	0.000 sec / 0.000 sec
8	13:55:41	drop table employee	0 row(s) affected	0.031 sec
9	13:55:48	show tables	0 row(s) returned	0.000 sec / 0.000 sec
10	14:04:14	CREATE TABLE products (productid INT AUTO_INCREMENT, productname VARCHAR(30), price int...	0 row(s) affected	0.031 sec
11	14:05:27	select * from products LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Hot weather Now

Search

ENG IN 02:05 PM 05-05-2025

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator my task1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```
71 CREATE TABLE books (
72 bookid INT AUTO_INCREMENT,
73 title VARCHAR(30),
74 author varchar(30),
75 publishedyear int,
76 PRIMARY KEY (bookid)
77 );
78
79 select * from books
80
81
82
83
84
```

Result Grid

bookid	title	author	publishedyear
--------	-------	--------	---------------

books 7 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
10	14:04:14	CREATE TABLE products (productid INT AUTO_INCREMENT, productname VARCHAR(30), price int...	0 row(s) affected	0.031 sec
11	14:05:27	select * from products LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
12	14:06:28	set 11	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL se...	0.015 sec
13	14:10:25	CREATE TABLE books (bookid INT AUTO_INCREMENT, title VARCHAR(30), author varchar(30), ...	0 row(s) affected	0.047 sec
14	14:12:52	select * from books	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL se...	0.000 sec
15	14:13:30	select * from books LIMIT 0, 1000	0 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

Top Stories

What Act Upd...

Search

ENG IN 02:13 PM 05-05-2025

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

task1

```
67 select * from products;
68
69 -- set 11
70
71 CREATE TABLE books (
72     bookid int AUTO_INCREMENT,
73     title VARCHAR(30),
74     author VARCHAR(30),
75     publishedyear int,
76     PRIMARY KEY (bookid)
77 );
78
79 select * from books;
```

Result Grid

bookid	title	author	publishedyear
1	the Great gatsby	F.Scott Fitzgerald	1925
2	harry potter	J. K. Rowling	1997
3	harry potter2	J. K. Rowling	1998
4	harry potter3	J. K. Rowling	1999
5	harry potter4	J. K. Rowling	2000
6	harry potter5	J. K. Rowling	2003
7	harry potter6	J. K. Rowling	2005
8	harry potter7	J. K. Rowling	2007
9	harry potter8	J. K. Rowling	2009
10	ponniyin selvan	Kalki	1954

books 10 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
25	14.42:18	insert into books(title,author,publishedyear) values("harry potter5", "J. K. Rowling", 2003);	1 row(s) affected	0.000 sec
26	14.42:18	insert into books(title,author,publishedyear) values("harry potter6", "J. K. Rowling", 2005);	1 row(s) affected	0.000 sec
27	14.42:18	insert into books(title,author,publishedyear) values("harry potter7", "J. K. Rowling", 2007);	1 row(s) affected	0.000 sec
28	14.42:18	insert into books(title,author,publishedyear) values("harry potter8", "J. K. Rowling", 2009);	1 row(s) affected	0.000 sec
29	14.42:18	insert into books(title,author,publishedyear) values("ponniyin selvan", "Kalki", 1954);	1 row(s) affected	0.015 sec
30	14.42:22	select "from books LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

34°C Mostly cloudy

Search

ENG IN

02:42 PM 05-05-2025

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

task1

```
83
84 insert into books(title,author,publishedyear) values("harry potter", "J. K. Rowling", 1997);
85 insert into books(title,author,publishedyear) values("harry potter2", "J. K. Rowling", 1998);
86 insert into books(title,author,publishedyear) values("harry potter3", "J. K. Rowling", 1999);
87 insert into books(title,author,publishedyear) values("harry potter4", "J. K. Rowling", 2000);
88 insert into books(title,author,publishedyear) values("harry potter5", "J. K. Rowling", 2003);
89 insert into books(title,author,publishedyear) values("harry potter6", "J. K. Rowling", 2005);
90 insert into books(title,author,publishedyear) values("harry potter7", "J. K. Rowling", 2007);
91 insert into books(title,author,publishedyear) values("harry potter8", "J. K. Rowling", 2009);
92 insert into books(title,author,publishedyear) values("ponniyin selvan", "Kalki", 1954);
93
94 -- set 13
95
96 select * from books limit 1;
```

Result Grid

bookid	title	author	publishedyear
1	the Great gatsby	F.Scott Fitzgerald	1925

books 11 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
27	14.42:18	insert into books(title,author,publishedyear) values("harry potter7", "J. K. Rowling", 2007);	1 row(s) affected	0.000 sec
28	14.42:18	insert into books(title,author,publishedyear) values("harry potter8", "J. K. Rowling", 2009);	1 row(s) affected	0.000 sec
29	14.42:18	insert into books(title,author,publishedyear) values("ponniyin selvan", "Kalki", 1954);	1 row(s) affected	0.015 sec
30	14.42:22	select "from books LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
31	14.52:33	select "from employees limit 1	Error Code: 1146. Table 'employees' doesn't exist	0.015 sec
32	14.52:58	select "from books limit 1	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

34°C Mostly cloudy

Search

ENG IN

02:53 PM 05-05-2025

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator my task1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

books 12 x

Result Grid

title	author
the Great gatsby	F. Scott Fitzgerald
harry potter	J. K. Rowling
harry potter2	J. K. Rowling
harry potter3	J. K. Rowling
harry potter4	J. K. Rowling
harry potter5	J. K. Rowling
harry potter6	J. K. Rowling
harry potter7	J. K. Rowling
harry potter8	J. K. Rowling
pomniyin selvan	Kalki

books 12 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
29	14:42:18	insert into books(title,author,publishedyear) values("pomniyin selvan", "Kalki", 1954);	1 row(s) affected	0.015 sec
30	14:42:22	select * from books LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
31	14:52:33	select * from employees limit 1	Error Code: 1146. Table 'employees.employees' doesn't exist	0.015 sec
32	14:52:58	select * from books limit 1	1 row(s) returned	0.000 sec / 0.000 sec
33	15:32:33	SELECT id, title, author FROM books LIMIT 0, 1000	Error Code: 1054. Unknown column 'id' in field list	0.000 sec
34	15:33:02	SELECT title, author FROM books LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Feels hotter Now

Search

ENG IN

03:33 PM 05-05-2025

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator my task1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

books 16 x

Result Grid

bookid	title	author	publishedyear
1	1984	F. Scott Fitzgerald	1925
2	harry potter	J. K. Rowling	1997
3	harry potter2	J. K. Rowling	1998
4	harry potter3	J. K. Rowling	1999
5	harry potter4	J. K. Rowling	2000
6	harry potter5	J. K. Rowling	2003
7	harry potter6	J. K. Rowling	2005
8	harry potter7	J. K. Rowling	2007
9	harry potter8	J. K. Rowling	2009
10	pomniyin selvan	Kalki	1954

books 16 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
37	16:44:41	update books set title="1984" where bookid="1"	Error Code: 1054. Unknown column 'title' in field list	0.000 sec
38	16:44:48	select * from books LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
39	16:45:34	update books set title="1984" where bookid="1"	Error Code: 1054. Unknown column 'title' in field list	0.000 sec
40	16:47:40	update books set title="1984" where bookid="1"	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
41	16:47:45	select * from books limit 1	1 row(s) returned	0.000 sec / 0.000 sec
42	16:47:55	select * from books LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Feels hotter Now

Search

ENG IN

04:48 PM 05-05-2025

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: my task1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQL Editor

```
66
67 • select * from products;
68
69 -- set 11
70
71 • CREATE TABLE books (
72     bookid INT AUTO_INCREMENT,
73     title VARCHAR(30),
74     author varchar(30) ,
75     publishedyear int,
76     PRIMARY KEY (bookid)
77 );
78
79 • select * from books;
```

Result Grid

bookid	title	author	publishedyear
1	1984	F.Scott Fitzgerald	1925
3	harry potter2	J. K. Rowling	1998
4	harry potter3	J. K. Rowling	1999
5	harry potter4	J. K. Rowling	2000
6	harry potter5	J. K. Rowling	2003
7	harry potter6	J. K. Rowling	2005
8	harry potter7	J. K. Rowling	2007
9	harry potter8	J. K. Rowling	2009
10	ponniyin selvan	Kali	1954

books 17 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
40	16:47:40	update books set title="1984" where bookid="1"	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
41	16:47:45	select * from books limit 1	1 row(s) returned	0.000 sec / 0.000 sec
42	16:47:55	select * from books LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
43	17:07:32	delete from books where id=2	Error Code: 1054. Unknown column 'id' in 'where clause'	0.000 sec
44	17:07:50	delete from books where bookid=2	1 row(s) affected	0.000 sec
45	17:07:58	select * from books LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Konnur High Road
Closed road

Search

ENG IN

05:08 PM
05-05-2025

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: my task1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQL Editor

```
108 • delete from books where bookid=2 ;
109
110 -- set 17
111
112 • CREATE TABLE employee (
113     employee_id INT AUTO_INCREMENT,
114     first_name VARCHAR(50),
115     last_name varchar(50),
116     age int ,
117     department varchar(50),
118     salary decimal(10),
119     PRIMARY KEY (employee_id)
120 );
121 • select * from employee;
```

Result Grid

employee_id	first_name	last_name	age	department	salary
-------------	------------	-----------	-----	------------	--------

employee 18 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
42	16:47:55	select * from books LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
43	17:07:32	delete from books where id=2	Error Code: 1054. Unknown column 'id' in 'where clause'	0.000 sec
44	17:07:50	delete from books where bookid=2	1 row(s) affected	0.000 sec
45	17:07:58	select * from books LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec
46	17:44:32	CREATE TABLE employee (employee_id INT AUTO_INCREMENT, first_name VARCHAR(50), last_n...	0 row(s) affected	0.031 sec
47	17:55:04	select * from employee LIMIT 0, 1000	0 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

29°C
Partly sunny

Search

ENG IN

05:55 PM
05-05-2025

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: my task1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

```
112 CREATE TABLE employee (  
113     employee_id INT AUTO_INCREMENT,  
114     first_name VARCHAR(50),  
115     last_name VARCHAR(50),  
116     age INT,  
117     department VARCHAR(50),  
118     salary DECIMAL(10),  
119     PRIMARY KEY (employee_id)  
120 );  
121 SELECT * FROM employee;  
122  
123 -- set 18  
124  
125 INSERT INTO employee VALUES(1,"John ", "doe" , 30,"HR",50000);
```

Result Grid

#	employee_id	first_name	last_name	age	department	salary
1	1	John	doe	30	HR	50000

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
46	17:44:32	CREATE TABLE employee (employee_id INT AUTO_INCREMENT, first_name VARCHAR(50), last_n...	0 row(s) affected	0.031 sec
47	17:55:04	select * from employee LIMIT 0, 1000	0 row(s) returned	0.015 sec / 0.000 sec
48	18:01:17	insert into employee values("John ", "doe" , 30,"HR",50000)	Error Code: 1136. Column count doesn't match value count at row 1	0.015 sec
49	18:01:22	select * from employee LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
50	18:02:01	insert into employee values(1,"John ", "doe" , 30,"HR",50000)	1 row(s) affected	0.016 sec
51	18:02:09	select * from employee LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

29°C Partly sunny

06:02 PM 05-05-2025

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: my task1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

```
118     salary DECIMAL(10),  
119     PRIMARY KEY (employee_id)  
120 );  
121 SELECT * FROM employee;  
122  
123 -- set 18  
124  
125 INSERT INTO employee VALUES(1,"John ", "doe" , 30,"HR",50000);  
126  
127  
128 -- set 19  
129  
130 INSERT INTO employee VALUES(2,"Jane ", "smith" , 25,"finance",60000);  
131 INSERT INTO employee VALUES(3,"Alice ", "Johnson" , 28,"IT",70000);  
132 INSERT INTO employee VALUES(4,"Michael ", "Thylor" , 35,"sales",75000);
```

Result Grid

#	employee_id	first_name	last_name	age	department	salary
1	1	John	doe	30	HR	50000
2	2	Jane	smith	25	finance	60000
3	3	Alice	Johnson	28	IT	70000
4	4	Michael	Thylor	35	sales	75000

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

Action Output

#	Time	Action	Message	Duration / Fetch
50	18:02:01	insert into employee values(1,"John ", "doe" , 30,"HR",50000)	1 row(s) affected	0.016 sec
51	18:02:09	select * from employee LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
52	18:46:28	insert into employee values(2,"Jane ", "smith" , 25,"finance",60000)	1 row(s) affected	0.016 sec
53	18:46:28	insert into employee values(3,"Alice ", "Johnson" , 28,"IT",70000)	1 row(s) affected	0.000 sec
54	18:46:28	insert into employee values(4,"Michael ", "Thylor" , 35,"sales",75000)	1 row(s) affected	0.000 sec
55	18:46:33	select * from employee LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

30°C Partly cloudy

06:46 PM 05-05-2025

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: my task1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQL Editor

```
113 employee_id INT AUTO_INCREMENT,
114 first_name VARCHAR(50),
115 last_name VARCHAR(50),
116 age INT,
117 department VARCHAR(50),
118 salary DECIMAL(10),
119 PRIMARY KEY (employee_id)
120 );
121 select * from employee;
122
123 -- set 18
124
125 insert into employee values(1,"John ", "doe", 30,"HR",50000);
126
```

Result Grid

employee_id	first_name	last_name	age	department	salary
1	John	doe	30	HR	50000
2	Jane	Smith	25	Finance	60000
4	Michael	Thylor	35	Sales	75000

Output

employee 22 x

Apply Revert Context Help Snippets

Action Output

#	Time	Action	Message	Duration / Fetch
52	18.46.28	insert into employee values(2,"Jane ", "Smith", 25,"Finance",60000)	1 row(s) affected	0.016 sec
53	18.46.28	insert into employee values(3,"Alice ", "Johnson", 28,"IT",70000)	1 row(s) affected	0.000 sec
54	18.46.28	insert into employee values(4,"Michael ", "Thylor", 35,"Sales",75000)	1 row(s) affected	0.000 sec
55	18.46.33	select * from employee LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
56	18.50.28	delete from employee where employee_id=3	1 row(s) affected	0.000 sec
57	18.50.32	select * from employee LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Upcoming Earnings

Search

ENG IN 06:50 PM 05-05-2025

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: my task1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

SQL Editor

```
113 employee_id INT AUTO_INCREMENT,
114 first_name VARCHAR(50),
115 last_name VARCHAR(50),
116 age INT,
117 department VARCHAR(50),
118 salary DECIMAL(10),
119 PRIMARY KEY (employee_id)
120 );
121 select * from employee;
122
123 -- set 18
124
125 insert into employee values(1,"John ", "doe", 30,"HR",50000);
126
```

Result Grid

employee_id	first_name	last_name	age	department	salary
1	John	doe	30	HR	50000
2	Jane	Smith	25	Finance	60000
3	Alice	Johnson	28	IT	70000
4	Michael	Thylor	35	Sales	75000
5	Emily	Davis	40	Marketing	80000
6	Michael	Thylor	35	Sales	75000

Output

employee 23 x

Apply Revert Context Help Snippets

Action Output

#	Time	Action	Message	Duration / Fetch
57	18.50.32	select * from employee LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
58	18.54.19	insert into employee values(4,"Michael ", "Thylor", 35,"Sales",75000.00)	Error Code: 1062. Duplicate entry '4' for key 'employee.PRIMARY'	0.015 sec
59	18.54.43	insert into employee values(5,"Michael ", "Thylor", 35,"Sales",75000.00)	1 row(s) affected	0.000 sec
60	18.54.43	insert into employee values(3,"Alice ", "Johnson", 28,"IT",70000)	1 row(s) affected	0.000 sec
61	18.54.43	insert into employee values(5,"Emily ", "Davis", 40,"Marketing",80000)	1 row(s) affected	0.000 sec
62	18.54.53	select * from employee LIMIT 0, 1000	6 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

30°C Partly cloudy

Search

ENG IN 06:55 PM 05-05-2025

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

my task1

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Result Grid

	employee_id	first_name	last_name	age	department	salary
1	John	Doe	30	HR	50000	
2	Jane	Smith	25	Finance	70000	
3	Alice	Johnson	28	IT	70000	
4	Michael	Thylor	35	sales	75000	
5	Emily	Davis	40	Marketing	80000	
6	Michael	Thylor	35	sales	75000	

Output

Action Output

#	Time	Action	Message	Duration / Fetch
60	18:54:43	insert into employee values(3,"Alice ", "Johnson", 28,"IT",70000)	1 row(s) affected	0.000 sec
61	18:54:43	insert into employee values(5,"Emily ", "Davis", 40,"Marketing",80000)	1 row(s) affected	0.000 sec
62	18:54:53	select * from employee LIMIT 0, 1000	6 row(s) returned	0.016 sec / 0.000 sec
63	19:00:44	update employee set salary=70000 where emp_id="2"	Error Code: 1054. Unknown column 'emp_id' in 'where clause'	0.000 sec
64	19:01:24	update employee set salary=70000 where employee_id="2"	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.000 sec
65	19:01:32	select * from employee LIMIT 0, 1000	6 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

30°C Partly cloudy

Search

ENG IN

07:01 PM 05-05-2025