

Activities

Terminal

17 Sep 11:38



uki-kili@ukikili-X542UAR: ~/my-git-project



```
uki-kili@ukikili-X542UAR:~$ mkdir my-git-project
uki-kili@ukikili-X542UAR:~$ cd my-git-project
uki-kili@ukikili-X542UAR:~/my-git-project$ git init
Initialized empty Git repository in /home/uki-kili/my-git-project/.git/
uki-kili@ukikili-X542UAR:~/my-git-project$
```



uki-kili@ukikili-X542UAR: ~/my-git-project

```
uki-kili@ukikili-X542UAR:~$ mkdir my-git-project
uki-kili@ukikili-X542UAR:~$ cd my-git-project
uki-kili@ukikili-X542UAR:~/my-git-project$ git init
Initialized empty Git repository in /home/uki-kili/my-git-project/.git/
uki-kili@ukikili-X542UAR:~/my-git-project$ touch index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git add index.html
uki-kili@ukikili-X542UAR:~/my-git-project$
```

uki-kili@ukikili-X542UAR: ~/my-git-project

```
uki-kili@ukikili-X542UAR:~$ mkdir my-git-project
uki-kili@ukikili-X542UAR:~$ cd my-git-project
uki-kili@ukikili-X542UAR:~/my-git-project$ git init
Initialized empty Git repository in /home/uki-kili/my-git-project/.git/
uki-kili@ukikili-X542UAR:~/my-git-project$ touch index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git add index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   index.html

uki-kili@ukikili-X542UAR:~/my-git-project$
```

uki-kili@ukikili-X542UAR: ~/my-git-project

```
uki-kili@ukikili-X542UAR:~$ mkdir my-git-project
uki-kili@ukikili-X542UAR:~$ cd my-git-project
uki-kili@ukikili-X542UAR:~/my-git-project$ git init
Initialized empty Git repository in /home/uki-kili/my-git-project/.git/
uki-kili@ukikili-X542UAR:~/my-git-project$ touch index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git add index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   index.html

uki-kili@ukikili-X542UAR:~/my-git-project$ git commit -m 'Initial commit'
[main (root-commit) ff92e77] Initial commit
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 index.html
uki-kili@ukikili-X542UAR:~/my-git-project$
```

uki-kili@ukikili-X542UAR: ~/my-git-project

```
uki-kili@ukikili-X542UAR:~$ mkdir my-git-project
uki-kili@ukikili-X542UAR:~$ cd my-git-project
uki-kili@ukikili-X542UAR:~/my-git-project$ git init
Initialized empty Git repository in /home/uki-kili/my-git-project/.git/
uki-kili@ukikili-X542UAR:~/my-git-project$ touch index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git add index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   index.html

uki-kili@ukikili-X542UAR:~/my-git-project$ git commit -m 'Initial commit'
[main (root-commit) ff92e77] Initial commit
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git branch feature-branch
uki-kili@ukikili-X542UAR:~/my-git-project$
```


uki-kili@ukikili-X542UAR: ~/my-git-project

```
uki-kili@ukikili-X542UAR:~$ mkdir my-git-project
uki-kili@ukikili-X542UAR:~$ cd my-git-project
uki-kili@ukikili-X542UAR:~/my-git-project$ git init
Initialized empty Git repository in /home/uki-kili/my-git-project/.git/
uki-kili@ukikili-X542UAR:~/my-git-project$ touch index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git add index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   index.html

uki-kili@ukikili-X542UAR:~/my-git-project$ git commit -m 'Initial commit'
[main (root-commit) ff92e77] Initial commit
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git branch feature-branch
uki-kili@ukikili-X542UAR:~/my-git-project$ git checkout feature-branch
Switched to branch 'feature-branch'
uki-kili@ukikili-X542UAR:~/my-git-project$
```

uki-kili@ukikili-X542UAR: ~/my-git-project

```
uki-kili@ukikili-X542UAR:~$ mkdir my-git-project
uki-kili@ukikili-X542UAR:~$ cd my-git-project
uki-kili@ukikili-X542UAR:~/my-git-project$ git init
Initialized empty Git repository in /home/uki-kili/my-git-project/.git/
uki-kili@ukikili-X542UAR:~/my-git-project$ touch index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git add index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   index.html

uki-kili@ukikili-X542UAR:~/my-git-project$ git commit -m 'Initial commit'
[main (root-commit) ff92e77] Initial commit
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git branch feature-branch
uki-kili@ukikili-X542UAR:~/my-git-project$ git checkout feature-branch
Switched to branch 'feature-branch'
uki-kili@ukikili-X542UAR:~/my-git-project$ echo '<h1>Hello World</h1>' > index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git add index.html
uki-kili@ukikili-X542UAR:~/my-git-project$
```

uki-kili@ukikili-X542UAR: ~/my-git-project

```
uki-kili@ukikili-X542UAR:~$ mkdir my-git-project
uki-kili@ukikili-X542UAR:~$ cd my-git-project
uki-kili@ukikili-X542UAR:~/my-git-project$ git init
Initialized empty Git repository in /home/uki-kili/my-git-project/.git/
uki-kili@ukikili-X542UAR:~/my-git-project$ touch index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git add index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   index.html

uki-kili@ukikili-X542UAR:~/my-git-project$ git commit -m 'Initial commit'
[main (root-commit) ff92e77] Initial commit
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git branch feature-branch
uki-kili@ukikili-X542UAR:~/my-git-project$ git checkout feature-branch
Switched to branch 'feature-branch'
uki-kili@ukikili-X542UAR:~/my-git-project$ echo '<h1>Hello World</h1>' > index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git add index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git commit -m 'Add heading to index.html'
[feature-branch 93246a6] Add heading to index.html
 1 file changed, 1 insertion(+)
uki-kili@ukikili-X542UAR:~/my-git-project$
```


uki-kili@ukikili-X542UAR: ~/my-git-project

```
uki-kili@ukikili-X542UAR:~$ mkdir my-git-project
uki-kili@ukikili-X542UAR:~$ cd my-git-project
uki-kili@ukikili-X542UAR:~/my-git-project$ git init
Initialized empty Git repository in /home/uki-kili/my-git-project/.git/
uki-kili@ukikili-X542UAR:~/my-git-project$ touch index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git add index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   index.html

uki-kili@ukikili-X542UAR:~/my-git-project$ git commit -m 'Initial commit'
[main (root-commit) ff92e77] Initial commit
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git branch feature-branch
uki-kili@ukikili-X542UAR:~/my-git-project$ git checkout feature-branch
Switched to branch 'feature-branch'
uki-kili@ukikili-X542UAR:~/my-git-project$ echo '<h1>Hello World</h1>' > index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git add index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git commit -m 'Add heading to index.html'
[feature-branch 93246a6] Add heading to index.html
 1 file changed, 1 insertion(+)
uki-kili@ukikili-X542UAR:~/my-git-project$ git checkout main
Switched to branch 'main'
uki-kili@ukikili-X542UAR:~/my-git-project$ git merge feature-branch
Updating ff92e77..93246a6
Fast-forward
 index.html | 1 +
 1 file changed, 1 insertion(+)
uki-kili@ukikili-X542UAR:~/my-git-project$
```

uki-kili@ukikili-X542UAR: ~/my-git-project

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git commit -m 'Initial commit'
[main (root-commit) ff92e77] Initial commit
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git branch feature-branch
uki-kili@ukikili-X542UAR:~/my-git-project$ git checkout feature-branch
Switched to branch 'feature-branch'
uki-kili@ukikili-X542UAR:~/my-git-project$ echo '<h1>Hello World</h1>' > index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git add index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git commit -m 'Add heading to index.html'
[feature-branch 93246a6] Add heading to index.html
1 file changed, 1 insertion(+)
uki-kili@ukikili-X542UAR:~/my-git-project$ git checkout main
Switched to branch 'main'
uki-kili@ukikili-X542UAR:~/my-git-project$ git merge feature-branch
Updating ff92e77..93246a6
Fast-forward
 index.html | 1 +
1 file changed, 1 insertion(+)
uki-kili@ukikili-X542UAR:~/my-git-project$ git push origin feature-branch
fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.
uki-kili@ukikili-X542UAR:~/my-git-project$ git remote add origin git@github.com:Abishan1127/mygit.git
uki-kili@ukikili-X542UAR:~/my-git-project$ git push origin feature-branch
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (6/6), 463 bytes | 154.00 KiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:Abishan1127/mygit.git
 * [new branch]      feature-branch -> feature-branch
uki-kili@ukikili-X542UAR:~/my-git-project$
```


uki-kili@ukikili-X542UAR: ~/my-git-project

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git checkout feature-branch
Switched to branch 'feature-branch'
uki-kili@ukikili-X542UAR:~/my-git-project$ echo '<h1>Hello World</h1>' > index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git add index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git commit -m 'Add heading to index.html'
[feature-branch 93246a6] Add heading to index.html
1 file changed, 1 insertion(+)
uki-kili@ukikili-X542UAR:~/my-git-project$ git checkout main
Switched to branch 'main'
uki-kili@ukikili-X542UAR:~/my-git-project$ git merge feature-branch
Updating ff92e77..93246a6
Fast-forward
 index.html | 1 +
1 file changed, 1 insertion(+)
uki-kili@ukikili-X542UAR:~/my-git-project$ git push origin feature-branch

fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.
uki-kili@ukikili-X542UAR:~/my-git-project$ git remote add origin git@github.com:Abishan1127/mygit.git
uki-kili@ukikili-X542UAR:~/my-git-project$ git push origin feature-branch
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (6/6), 463 bytes | 154.00 KiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:Abishan1127/mygit.git
 * [new branch]      feature-branch -> feature-branch
uki-kili@ukikili-X542UAR:~/my-git-project$ git pull origin main
fatal: couldn't find remote ref main
uki-kili@ukikili-X542UAR:~/my-git-project$ git pull origin feature-branch
From github.com:Abishan1127/mygit
 * branch            feature-branch -> FETCH_HEAD
Already up to date.
uki-kili@ukikili-X542UAR:~/my-git-project$
```

uki-kili@ukikili-X542UAR: ~/my-git-project

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git add index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git commit -m 'Add heading to index.html'
[feature-branch 93246a6] Add heading to index.html
1 file changed, 1 insertion(+)
uki-kili@ukikili-X542UAR:~/my-git-project$ git checkout main
Switched to branch 'main'
uki-kili@ukikili-X542UAR:~/my-git-project$ git merge feature-branch
Updating ff92e77..93246a6
Fast-forward
 index.html | 1 +
1 file changed, 1 insertion(+)
uki-kili@ukikili-X542UAR:~/my-git-project$ git push origin feature-branch
fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.
uki-kili@ukikili-X542UAR:~/my-git-project$ git remote add origin git@github.com:Abishan1127/mygit.git
uki-kili@ukikili-X542UAR:~/my-git-project$ git push origin feature-branch
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (6/6), 463 bytes | 154.00 KiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:Abishan1127/mygit.git
 * [new branch]      feature-branch -> feature-branch
uki-kili@ukikili-X542UAR:~/my-git-project$ git pull origin main
fatal: couldn't find remote ref main
uki-kili@ukikili-X542UAR:~/my-git-project$ git pull origin feature-branch
From github.com:Abishan1127/mygit
 * branch            feature-branch -> FETCH_HEAD
Already up to date.
uki-kili@ukikili-X542UAR:~/my-git-project$ echo '<p>Unfinished work</p>' >> index.html
uki-kili@ukikili-X542UAR:~/my-git-project$ git stash
Saved working directory and index state WIP on main: 93246a6 Add heading to index.html
uki-kili@ukikili-X542UAR:~/my-git-project$
```


uki-kili@ukikili-X542UAR: ~/my-git-project

Fast-forward

index.html | 1 +

1 file changed, 1 insertion(+)

uki-kili@ukikili-X542UAR:~/my-git-project\$ git push origin feature-branch

fatal: 'origin' does not appear to be a git repository

fatal: Could not read from remote repository.

Please make sure you have the correct access rights

and the repository exists.

uki-kili@ukikili-X542UAR:~/my-git-project\$ git remote add origin git@github.com:Abishan1127/mygit.git

uki-kili@ukikili-X542UAR:~/my-git-project\$ git push origin feature-branch

Enumerating objects: 6, done.

Counting objects: 100% (6/6), done.

Delta compression using up to 8 threads

Compressing objects: 100% (2/2), done.

Writing objects: 100% (6/6), 463 bytes | 154.00 KiB/s, done.

Total 6 (delta 0), reused 0 (delta 0), pack-reused 0

To github.com:Abishan1127/mygit.git

* [new branch] feature-branch -> feature-branch

uki-kili@ukikili-X542UAR:~/my-git-project\$ git pull origin main

fatal: couldn't find remote ref main

uki-kili@ukikili-X542UAR:~/my-git-project\$ git pull origin feature-branch

From github.com:Abishan1127/mygit

* branch feature-branch -> FETCH_HEAD

Already up to date.

uki-kili@ukikili-X542UAR:~/my-git-project\$ echo '<p>Unfinished work</p>' >> index.html

uki-kili@ukikili-X542UAR:~/my-git-project\$ git stash

Saved working directory and index state WIP on main: 93246a6 Add heading to index.html

uki-kili@ukikili-X542UAR:~/my-git-project\$ git stash apply

On branch main

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: index.html

no changes added to commit (use "git add" and/or "git commit -a")

uki-kili@ukikili-X542UAR:~/my-git-project\$

uki-kili@ukikili-X542UAR: ~/my-git-project

Writing objects: 100% (6/6), 463 bytes | 154.00 KiB/s, done.

Total 6 (delta 0), reused 0 (delta 0), pack-reused 0

To github.com:Abishan1127/mygit.git

* [new branch] feature-branch -> feature-branch

uki-kili@ukikili-X542UAR:~/my-git-project\$ git pull origin main

fatal: couldn't find remote ref main

uki-kili@ukikili-X542UAR:~/my-git-project\$ git pull origin feature-branch

From github.com:Abishan1127/mygit

* branch feature-branch -> FETCH_HEAD

Already up to date.

uki-kili@ukikili-X542UAR:~/my-git-project\$ echo '<p>Unfinished work</p>' >> index.html

uki-kili@ukikili-X542UAR:~/my-git-project\$ git stash

Saved working directory and index state WIP on main: 93246a6 Add heading to index.html

uki-kili@ukikili-X542UAR:~/my-git-project\$ git stash apply

On branch main

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: index.html

no changes added to commit (use "git add" and/or "git commit -a")

uki-kili@ukikili-X542UAR:~/my-git-project\$ git log

commit 93246a6873dfcdbc3ead08c888e8a16e53337946 (HEAD -> main, origin/feature-branch, feature-branch)

Author: Abishan1127 <kunananthan19abishan@gmail.com>

Date: Tue Sep 17 11:44:59 2024 +0530

Add heading to index.html

commit ff92e77dc6f335e062c494c7e01b2380a194ee0a

Author: Abishan1127 <kunananthan19abishan@gmail.com>

Date: Tue Sep 17 11:41:47 2024 +0530

Initial commit

uki-kili@ukikili-X542UAR:~/my-git-project\$ git reset --hard abc1234

fatal: ambiguous argument 'abc1234': unknown revision or path not in the working tree.

Use '--' to separate paths from revisions, like this:

'git <command> [<revision>...] -- [<file>...]'

uki-kili@ukikili-X542UAR:~/my-git-project\$

uki-kili@ukikili-X542UAR: ~/my-git-project

```
(use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
modified:   index.html
```

```
no changes added to commit (use "git add" and/or "git commit -a")
```

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git log
```

```
commit 93246a6873dfcdbc3ead08c888e8a16e53337946 (HEAD -> main, origin/feature-branch, feature-branch)
```

```
Author: Abishan1127 <kunananthan19abishan@gmail.com>
```

```
Date: Tue Sep 17 11:44:59 2024 +0530
```

```
Add heading to index.html
```

```
commit ff92e77dc6f335e062c494c7e01b2380a194ee0a
```

```
Author: Abishan1127 <kunananthan19abishan@gmail.com>
```

```
Date: Tue Sep 17 11:41:47 2024 +0530
```

```
Initial commit
```

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git reset --hard abc1234
```

```
fatal: ambiguous argument 'abc1234': unknown revision or path not in the working tree.
```

```
Use '--' to separate paths from revisions, like this:
```

```
'git <command> [<revision>...] -- [<file>...']
```

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git log
```

```
commit 93246a6873dfcdbc3ead08c888e8a16e53337946 (HEAD -> main, origin/feature-branch, feature-branch)
```

```
Author: Abishan1127 <kunananthan19abishan@gmail.com>
```

```
Date: Tue Sep 17 11:44:59 2024 +0530
```

```
Add heading to index.html
```

```
commit ff92e77dc6f335e062c494c7e01b2380a194ee0a
```

```
Author: Abishan1127 <kunananthan19abishan@gmail.com>
```

```
Date: Tue Sep 17 11:41:47 2024 +0530
```

```
Initial commit
```

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git diff abc1234 def5678
```

```
fatal: ambiguous argument 'abc1234': unknown revision or path not in the working tree.
```

```
Use '--' to separate paths from revisions, like this:
```

```
'git <command> [<revision>...] -- [<file>...']
```

```
uki-kili@ukikili-X542UAR:~/my-git-project$
```


uki-kili@ukikili-X542UAR: ~/my-git-project

Date: Tue Sep 17 11:41:47 2024 +0530

Initial commit

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git reset --hard abc1234
fatal: ambiguous argument 'abc1234': unknown revision or path not in the working tree.
```

```
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'
```

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git log
commit 93246a6873dfcdbc3ead08c888e8a16e53337946 (HEAD -> main, origin/feature-branch, feature-branch)
```

```
Author: Abishan1127 <kunananthan19abishan@gmail.com>
```

```
Date: Tue Sep 17 11:44:59 2024 +0530
```

Add heading to index.html

```
commit ff92e77dc6f335e062c494c7e01b2380a194ee0a
```

```
Author: Abishan1127 <kunananthan19abishan@gmail.com>
```

```
Date: Tue Sep 17 11:41:47 2024 +0530
```

Initial commit

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git diff abc1234 def5678
fatal: ambiguous argument 'abc1234': unknown revision or path not in the working tree.
```

```
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'
```

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git log
commit 93246a6873dfcdbc3ead08c888e8a16e53337946 (HEAD -> main, origin/feature-branch, feature-branch)
```

```
Author: Abishan1127 <kunananthan19abishan@gmail.com>
```

```
Date: Tue Sep 17 11:44:59 2024 +0530
```

Add heading to index.html

```
commit ff92e77dc6f335e062c494c7e01b2380a194ee0a
```

```
Author: Abishan1127 <kunananthan19abishan@gmail.com>
```

```
Date: Tue Sep 17 11:41:47 2024 +0530
```

Initial commit

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git cherry-pick abc1234
```

```
fatal: bad revision 'abc1234'
```

```
uki-kili@ukikili-X542UAR:~/my-git-project$
```

uki-kili@ukikili-X542UAR: ~/my-git-project

Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...']

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git log
commit 93246a6873dfcdbc3ead08c888e8a16e53337946 (HEAD -> main, origin/feature-branch, feature-branch)
Author: Abishan1127 <kunananthan19abishan@gmail.com>
Date: Tue Sep 17 11:44:59 2024 +0530
```

Add heading to index.html

```
commit ff92e77dc6f335e062c494c7e01b2380a194ee0a
Author: Abishan1127 <kunananthan19abishan@gmail.com>
Date: Tue Sep 17 11:41:47 2024 +0530
```

Initial commit

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git diff abc1234 def5678
fatal: ambiguous argument 'abc1234': unknown revision or path not in the working tree.
```

Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...']

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git log
commit 93246a6873dfcdbc3ead08c888e8a16e53337946 (HEAD -> main, origin/feature-branch, feature-branch)
Author: Abishan1127 <kunananthan19abishan@gmail.com>
Date: Tue Sep 17 11:44:59 2024 +0530
```

Add heading to index.html

```
commit ff92e77dc6f335e062c494c7e01b2380a194ee0a
Author: Abishan1127 <kunananthan19abishan@gmail.com>
Date: Tue Sep 17 11:41:47 2024 +0530
```

Initial commit

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git cherry-pick abc1234
fatal: bad revision 'abc1234'
```

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git tag v1.0.0
uki-kili@ukikili-X542UAR:~/my-git-project$ git push origin v1.0.0
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:Abishan1127/mygit.git
 * [new tag]          v1.0.0 -> v1.0.0
uki-kili@ukikili-X542UAR:~/my-git-project$
```


uki-kili@ukikili-X542UAR: ~/my-git-project

```
commit 93246a6873dfcdbe3ead08c888e8a16e53337946 (HEAD -> main, origin/feature-branch, feature-branch)
Author: Abishan1127 <kunananthan19abishan@gmail.com>
Date: Tue Sep 17 11:44:59 2024 +0530
```

Add heading to index.html

```
commit ff92e77dc6f335e062c494c7e01b2380a194ee0a
Author: Abishan1127 <kunananthan19abishan@gmail.com>
Date: Tue Sep 17 11:41:47 2024 +0530
```

Initial commit

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git diff abc1234 def5678
fatal: ambiguous argument 'abc1234': unknown revision or path not in the working tree.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'
```

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git log
commit 93246a6873dfcdbe3ead08c888e8a16e53337946 (HEAD -> main, origin/feature-branch, feature-branch)
Author: Abishan1127 <kunananthan19abishan@gmail.com>
Date: Tue Sep 17 11:44:59 2024 +0530
```

Add heading to index.html

```
commit ff92e77dc6f335e062c494c7e01b2380a194ee0a
Author: Abishan1127 <kunananthan19abishan@gmail.com>
Date: Tue Sep 17 11:41:47 2024 +0530
```

Initial commit

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git cherry-pick abc1234
fatal: bad revision 'abc1234'
uki-kili@ukikili-X542UAR:~/my-git-project$ git tag v1.0.0
uki-kili@ukikili-X542UAR:~/my-git-project$ git push origin v1.0.0
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:Abishan1127/mygit.git
 * [new tag]          v1.0.0 -> v1.0.0
uki-kili@ukikili-X542UAR:~/my-git-project$ touch temp-file.txt
uki-kili@ukikili-X542UAR:~/my-git-project$ git clean -f
Removing temp-file.txt
uki-kili@ukikili-X542UAR:~/my-git-project$
```


uki-kili@ukikili-X542UAR: ~/my-git-project

Add heading to index.html

```
commit ff92e77dc6f335e062c494c7e01b2380a194ee0a
Author: Abishan1127 <kunananthan19abishan@gmail.com>
Date: Tue Sep 17 11:41:47 2024 +0530
```

Initial commit

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git diff abc1234 def5678
fatal: ambiguous argument 'abc1234': unknown revision or path not in the working tree.
Use '--' to separate paths from revisions, like this:
'git <command> [<revision>...] -- [<file>...]'
```

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git log
commit 93246a6873dfcdbc3ead08c888e8a16e53337946 (HEAD -> main, origin/feature-branch, feature-branch)
Author: Abishan1127 <kunananthan19abishan@gmail.com>
Date: Tue Sep 17 11:44:59 2024 +0530
```

Add heading to index.html

```
commit ff92e77dc6f335e062c494c7e01b2380a194ee0a
Author: Abishan1127 <kunananthan19abishan@gmail.com>
Date: Tue Sep 17 11:41:47 2024 +0530
```

Initial commit

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git cherry-pick abc1234
fatal: bad revision 'abc1234'
```

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git tag v1.0.0
uki-kili@ukikili-X542UAR:~/my-git-project$ git push origin v1.0.0
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
```

```
To github.com:Abishan1127/mygit.git
* [new tag] v1.0.0 -> v1.0.0
```

```
uki-kili@ukikili-X542UAR:~/my-git-project$ touch temp-file.txt
```

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git clean -f
```

Removing temp-file.txt

```
uki-kili@ukikili-X542UAR:~/my-git-project$ git rebase main
```

error: cannot rebase: You have unstaged changes.

error: Please commit or stash them.

```
uki-kili@ukikili-X542UAR:~/my-git-project$
```