AquaGuard AI

Water Quality Monitoring & Prediction

All readings

Generated 07/10/2026 at 00:59:29

REPORT DETAILS

Report ID	AGR-20261006-00042
Prediction ID	PRED-00042
Date and time	7 Oct 2026, 12:59 am
Location	Borewell 7, Kolar Main Road, Karnataka, India
Water source	Borewell
Pincode	563101
District	Kolar
State	Karnataka
Country	India
Model version	rf-v3.2

Overall verdict: UNSAFE — Confidence: 91.3%

Parameter	Measured	Normal range	Abnormal range	Status
pH (pH)	**5.20 pH**	6.5 – 8.5 pH	below 0 or above 14 pH	Below normal
Turbidity (NTU)	**8.40 NTU**	0 – 5 NTU	below 0 or above 1000 NTU	Above normal
Total Dissolved Solids (mg/L)	**980 mg/L**	0 – 500 mg/L	below 0 or above 5000 mg/L	Above normal
Temperature (°C)	**— °C**	10 – 25 °C	below 0 or above 60 °C	Not recorded
Dissolved Oxygen (mg/L)	**— mg/L**	6.5 – 9.5 mg/L	below 0 or above 20 mg/L	Not recorded

WHAT TO DO NEXT

1. Treat this water as contaminated. Do not drink it, cook with it, or use it to brush teeth while untreated.
2. Boil for at least one minute, or use bottled water, and keep the source isolated until it is cleared.
3. Retest from the same point. If the second result is also unsafe, have a laboratory analysis done before using the supply again.

WHAT EACH PARAMETER MEANS

pH (pH): Below 6.5 is corrosive; above 8.5 tastes flat and scales pipework.

Turbidity (NTU): Cloudiness shelters bacteria from disinfection. The usual target is under 5 NTU.

Total Dissolved Solids (mg/L): Dissolved salts and minerals. Above 500 mg/L the taste degrades and the source is suspect.

Temperature (°C): Warm water holds less oxygen and grows bacteria faster.

Dissolved Oxygen (mg/L): Low readings point to stagnant or heavily loaded water.

READING AND SAMPLING NOTES

- Sample from the same tap or source each time, and record the time of sampling. Readings taken at different points are not comparable.
- Clean the container before sampling and let the water run briefly first, so the sample is what the supply is actually delivering.
- The normal ranges printed here are the standard drinking-water reference bands, shown for comparison only. The verdict itself comes from the model, not from these bands.
- Confidence is the model's strength of opinion about this sample. A low figure means some parameters were left out — not that the water is uncertain.
- This report is a screening result from five measured parameters and a statistical model. It is not a laboratory analysis and must not be treated as one.



Disclaimer: This report is generated by an AI-based screening model. It is not certified laboratory testing and must not be used as the sole basis for decisions about drinking-water safety.

AquaGuard AI

Water Quality Monitoring & Prediction

Reading 2 of 2

Generated 07/10/2026 at 00:59:29

REPORT DETAILS

Report ID	AGR-20261006-00043
Prediction ID	PRED-00043
Date and time	7 Oct 2026, 12:59 am
Location	Borewell 7, Kolar Main Road, Karnataka, India
Water source	Borewell
Pincode	563101
District	Kolar
State	Karnataka
Country	India
Model version	rf-v3.2

Overall verdict: SAFE — Confidence: 77.0%

Parameter	Measured	Normal range	Abnormal range	Status
pH (pH)	**5.20 pH**	6.5 – 8.5 pH	below 0 or above 14 pH	Below normal
Turbidity (NTU)	**8.40 NTU**	0 – 5 NTU	below 0 or above 1000 NTU	Above normal
Total Dissolved Solids (mg/L)	**980 mg/L**	0 – 500 mg/L	below 0 or above 5000 mg/L	Above normal
Temperature (°C)	**— °C**	10 – 25 °C	below 0 or above 60 °C	Not recorded
Dissolved Oxygen (mg/L)	**— mg/L**	6.5 – 9.5 mg/L	below 0 or above 20 mg/L	Not recorded

WHAT TO DO NEXT

1. This sample is within the healthy band for every parameter measured. The water is treated as potable at the point of testing.
2. Store it in a clean, covered container and use it within 24 hours of sampling.
3. Retest on your normal schedule. A single clean reading describes one moment, not the supply.

WHAT EACH PARAMETER MEANS

pH (pH): Below 6.5 is corrosive; above 8.5 tastes flat and scales pipework.

Turbidity (NTU): Cloudiness shelters bacteria from disinfection. The usual target is under 5 NTU.

Total Dissolved Solids (mg/L): Dissolved salts and minerals. Above 500 mg/L the taste degrades and the source is suspect.

Temperature (°C): Warm water holds less oxygen and grows bacteria faster.

Dissolved Oxygen (mg/L): Low readings point to stagnant or heavily loaded water.

READING AND SAMPLING NOTES

- Sample from the same tap or source each time, and record the time of sampling. Readings taken at different points are not comparable.
- Clean the container before sampling and let the water run briefly first, so the sample is what the supply is actually delivering.
- The normal ranges printed here are the standard drinking-water reference bands, shown for comparison only. The verdict itself comes from the model, not from these bands.
- Confidence is the model's strength of opinion about this sample. A low figure means some parameters were left out — not that the water is uncertain.
- This report is a screening result from five measured parameters and a statistical model. It is not a laboratory analysis and must not be treated as one.

Disclaimer: This report is generated by an AI-based screening model. It is not certified laboratory testing and must not be used as the sole basis for decisions about drinking-water safety.