# PLACEMENT TRACKER SYSTEM

## A PROJECT REPORT

Submitted by

**ABISHEK D**

(2116240701013)

in partial fulfilment of the End Semester Examination for the course

**CB23F35 – LOW-CODE APPLICATION DEVELOPMENT USING ZOHO CREATOR**

In

**BACHELOR OF ENGINEERING**

**COMPUTER SCIENCE AND ENGINEERING**




**RAJALAKSHMI ENGINEERING COLLEGE**

(An Autonomous Institution, Affiliated to Anna University, Chennai)

Rajalakshmi Nagar, Thandalam, Tamil Nadu – 602 105

**NOVEMBER 2026**

**RAJALAKSHMI ENGINEERING COLLEGE**

(An Autonomous Institution, Affiliated to Anna University, Chennai)

**BONAFIDE CERTIFICATE**

Certified that this project report titled "**PLACEMENT TRACKER SYSTEM**" is the bonafide work of **ABISHEK D (240701013)**, who carried out the individual project work on the Zoho Creator low-code platform for the course CB23F35 – Low-Code Application Development using Zoho Creator, during the academic year 2026–2027, Semester V, under my supervision.

**SIGNATURE**

Dr.J. MANORANJINI

**HEAD OF THE DEPARTMENT**
Department of CSE
Rajalakshmi Engineering College
Thandalam – 602 105

**SIGNATURE**

Dr.J. JINU SOPHIA

**COURSE FACULTY**
Associate Professor
Department of CSE
Rajalakshmi Engineering College

Submitted for the End Semester Examination (Individual Project) held on _____

**INTERNAL EXAMINER**

**EXTERNAL EXAMINER**

# DECLARATION

I, **ABISHEK D (240701013)**, hereby declare that the project report titled "**Placement Tracker System**", submitted for the End Semester Examination of the course CB23F35 – Low-Code Application Development using Zoho Creator, is a record of original work carried out by me individually. The Zoho Creator application described in this report — including its data model, forms, reports, pages, Deluge scripts, workflows and approval process — was designed and developed by me.

I further declare that this work has not been submitted, in part or in full, for the award of any other degree or course credit. Every template, sample application, AI-assisted feature (such as Zia), code snippet or external resource used in this work has been duly acknowledged in the report.

Place: Chennai
Date:

SIGNATURE OF THE STUDENT
**ABISHEK D**
**240701013**

# ACKNOWLEDGEMENT

I express my sincere gratitude to our Chairman, Thiru. S. Meganathan, Chairperson, Dr. (Mrs.) Thangam Meganathan and Vice-Chairman Mr. M. Abhay Shankar, for providing the infrastructure and facilities that made this work possible.

I am grateful to our Principal, Dr. S. N. Murugesan, Rajalakshmi Engineering College, for the constant encouragement extended to students to take up industry-relevant learning.

I thank Dr.Manoranjini , Head of the Department, Department of Computer Science and Engineering, for the guidance and support provided throughout the course.

I owe my sincere thanks to my course faculty, Dr.Jinu Sophia for the valuable guidance, reviews and feedback that shaped this application and report.

I also acknowledge Zoho Corporation for providing access to the Zoho Creator platform and its learning resources, and I thank my family and friends for their unwavering support.

**ABISHEK D**

# ABSTRACT

College placement cells that still rely on registers, spreadsheets and e-mail threads find it hard to check a student's eligibility for a drive, to avoid duplicate applications, and to produce a live, trustworthy picture of how placements are progressing. This project designs and builds a Placement Tracker System on Zoho Creator, a low-code platform that supplies hosted data storage, form builders, Deluge scripting, workflow automation, filterable reports and a dashboard page without the need for separate server infrastructure.

The application is built around five forms — Company, Placement_Drive, Student, Student_Application and Placement_Result — five filterable list reports, one live analytics dashboard page, and six Deluge workflow scripts attached to the Student, Placement_Drive and Student_Application forms. Eligibility is never decided by a staff member reading a spreadsheet: a validation script checks a student's CGPA, arrears, 10th and 12th percentage and department against the criteria of the selected drive at the moment the application is submitted, rejects duplicate applications for the same drive, and records a plain-language reason wherever a student is found ineligible. A second script keeps the interview and final-result fields consistent with each other, and a third automatically creates a placement record and marks the student Placed the moment a Final Result is set to Selected — so the placement record, once created, never has to be typed twice.

Role-based profiles (Administrator, Write, Read, Developer and Customer) separate placement-cell staff from students, and a CEO-level role is defined for cross-user visibility. The dashboard page computes nine live KPIs — including total and eligible students, placement percentage, and highest and average package — together with department-wise, company-wise, monthly and package-band breakdowns, entirely through Deluge logic rather than manually maintained charts. The report that follows documents the requirement analysis, system design, implementation, static testing and evaluation of the application, and closes with its limitations and the enhancements that would take it further.

*Keywords: Low-Code Development; Zoho Creator; Deluge Scripting; Workflow Automation; Role-Based Access Control; Placement Management.*

# PROJECT AT A GLANCE

This one-page profile lets an examiner verify the application quickly. The counts match the application export described in Chapter 5 and Appendix A.

***Table G.1: Project Profile***

| Attribute | Details |
|---|---|
| Project Title | Placement Tracker System |
| Application Domain | Campus Placement / Career Services Management |
| Student Name & Register No. | ABISHEK D- 240701013 |
| Zoho Creator Edition | Free Trial |
| Number of Forms | 5 (Company, Placement_Drive, Student, Student_Application, Placement_Result) |
| Number of Reports | 5 list reports, each with its own filter set |
| Number of Pages / Dashboards | 1 page (Placement_Dashboard) |
| Number of Workflows | Form: 6  Schedule: 0  Approval: 0  Blueprint: 0 |
| Deluge Script Blocks | 6 validation / automation scripts, one per workflow |
| Integrations | None (self-contained Zoho Creator application) |
| Roles & Profiles Defined | Read, Write, Developer, Administrator, Customer; Role: CEO |
| Environments Used | Development |
| | |

# TABLE OF CONTENTS

ABSTRACT ..... 5
PROJECT AT A GLANCE ..... 6
CHAPTER 1: INTRODUCTION ..... 9
1.1 Background ..... 9
1.2 Problem Statement ..... 9
1.3 Objectives ..... 9
1.4 Scope of the Project ..... 9
1.5 Justification for a Low-Code Approach ..... 9
1.6 Organisation of the Report ..... 10
CHAPTER 2: LITERATURE SURVEY AND SYSTEM STUDY ..... 11
2.1 Study of the Existing System ..... 11
2.2 Limitations of the Existing System ..... 11
2.3 Low-Code versus Traditional Development ..... 11
2.4 Literature Survey ..... 11
2.5 Emerging Trends in Low-Code Development ..... 12
2.6 Proposed System ..... 12
CHAPTER 3: REQUIREMENT ANALYSIS ..... 13
3.1 Stakeholders and User Roles ..... 13
3.2 Functional Requirements ..... 13
3.3 Non-Functional Requirements ..... 14
3.4 Hardware and Software Requirements ..... 14
3.5 Use Case Model ..... 14
CHAPTER 4: SYSTEM DESIGN ..... 16
4.1 System Architecture ..... 16
4.2 Data Model ..... 16
4.3 Form Design ..... 17
4.4 Process and Workflow Design ..... 20
4.5 User Interface and Navigation Design ..... 20
4.6 Access Control Design ..... 20
CHAPTER 5: IMPLEMENTATION ..... 22
5.1 Application Setup ..... 22
5.2 Forms and Data Capture ..... 22
5.3 Reports ..... 23
5.4 Pages and Dashboard ..... 23
5.5 Deluge Scripting ..... 24
5.6 Workflows and Automation ..... 25
5.7 User Management and Role-Based Access ..... 26
5.8 Mobile and Tablet Access ..... 26
CHAPTER 6: TESTING AND DEBUGGING ..... 27
6.1 Testing Strategy ..... 27
6.2 Test Cases ..... 27
6.3 Debugging Deluge Scripts ..... 27
6.4 Defect Log ..... 28
6.5 User Acceptance Testing ..... 28
CHAPTER 7: DEPLOYMENT, SECURITY AND GOVERNANCE ..... 29

7.1 Environments and Deployment Strategy....29
7.2 Performance Optimisation....29
7.3 Security Features....29
7.4 Governance and Administration....30
CHAPTER 8: RESULTS AND DISCUSSION....31
8.1 Application Output....31
8.2 Achievement of Objectives....31
8.3 Comparison with the Existing System....31
8.4 Limitations of the Low-Code Approach....32
CHAPTER 9: CONCLUSION AND FUTURE ENHANCEMENTS....33
9.1 Conclusion....33
9.2 Future Enhancements....33
9.3 Learning Outcomes and Career Relevance....33
REFERENCES....34
APPENDIX A — ZOHO CREATOR FEATURE COVERAGE CHECKLIST....35
APPENDIX B — USER MANUAL....36
B.1 Accessing the Application....36
B.2 Instructions for Placement Cell Staff....36
B.3 Instructions for Students....36

# CHAPTER 1: INTRODUCTION

## 1.1 Background

Every academic year, a college placement cell invites companies to campus, screens students against each company's criteria, tracks who applied to what, and reports the final placement numbers to the department and to the management. In many colleges this entire cycle is still run through paper registers, shared spreadsheets and phone calls between the placement office, the department coordinators and the students. As the number of companies, drives and applicants grows, this manual process becomes slow, error-prone and hard to audit.

## 1.2 Problem Statement

There is no single, rule-driven system that lets a placement cell register companies and drives, let students apply, automatically check each student's eligibility against a drive's criteria, prevent duplicate or late applications, and get a live view of placement progress. Eligibility checks done by hand are inconsistent between staff members, duplicate applications are easy to miss, and placement statistics are compiled manually at the end of the cycle rather than available at any moment.

## 1.3 Objectives

- Build a single Zoho Creator application that stores company, drive, student and application data in one place.
- Enforce eligibility rules (CGPA, arrears, 10th and 12th percentage, department, registration deadline) automatically at the moment a student applies.
- Prevent duplicate applications to the same drive and keep interview status, application status and final result consistent with each other.
- Automatically create a placement result and update a student's placement status the moment a candidate is marked Selected.
- Provide filterable reports and a live dashboard so the placement cell can see progress at any time without compiling a separate report.

## 1.4 Scope of the Project

The application covers company registration, placement-drive creation with eligibility criteria, student registration with academic and contact details, the student application workflow with automatic eligibility checking, and the recording of final placement results. It does not cover resume parsing, interview scheduling, payroll or offer-letter generation; these are noted as future enhancements in Chapter 9. The project was built and evaluated on the Zoho Creator free-trial edition in a development environment.

## 1.5 Justification for a Low-Code Approach

A placement tracker is primarily a data-capture and rule-enforcement problem — forms, validations, lookups and reports — rather than a problem that needs custom algorithms or a bespoke user interface. Zoho Creator supplies a form builder, a workflow engine, a scripting language (Deluge) for the handful of rules that are genuinely custom, and hosted multi-device access out of the box. Building the same system with a traditional stack would mean writing and hosting a database schema, REST endpoints, authentication and a front end by hand, for a problem whose logic is a few dozen lines of validation

script. The low-code approach lets the project spend its effort on getting the eligibility and workflow rules right rather than on infrastructure.

## 1.6 Organisation of the Report

Chapter 2 reviews the existing manual process and related work on low-code development. Chapter 3 analyses the requirements. Chapter 4 presents the system design, including the architecture and entity-relationship diagrams. Chapter 5 describes the implementation of the forms, reports, dashboard and Deluge scripts. Chapter 6 covers testing and debugging. Chapter 7 discusses deployment, security and governance. Chapter 8 presents the results, and Chapter 9 concludes the report and lists future enhancements.

# CHAPTER 2: LITERATURE SURVEY AND SYSTEM STUDY

## 2.1 Study of the Existing System

In a typical manual placement process, the placement cell maintains a master spreadsheet of registered students with their CGPA, arrears and percentage marks. When a company visits, the cell circulates the job description by e-mail or notice board, collects applications on paper or through a generic online form, and then manually cross-checks each applicant's marksheet against the company's eligibility criteria. Shortlists, interview schedules and final results are tracked in further spreadsheets that are not linked to the original student records, so a student's placement status has to be updated separately once an offer is confirmed.

## 2.2 Limitations of the Existing System

- Eligibility is checked by hand against each drive's criteria, so the result depends on which staff member performs the check.
- Nothing stops the same student from submitting two applications to the same drive.
- A student's placement status in the master list is updated only when someone remembers to do it after an offer is confirmed.
- Placement statistics (percentage placed, highest and average package, department-wise breakdown) are compiled by hand at the end of the cycle rather than available on demand.
- Records are spread across several spreadsheets with no enforced link between a student, their applications and their eventual result.

## 2.3 Low-Code versus Traditional Development

Table 2.1 compares a traditional, hand-coded web application with the Zoho Creator low-code approach used for this project, for the specific case of a forms-and-rules application such as a placement tracker.

***Table 2.1: Comparison of Low-Code and Traditional Development for the Proposed Application***

| Aspect | Traditional Development | Low-Code (Zoho Creator) |
|---|---|---|
| Data model | Hand-written schema and migrations | Forms define fields and lookups directly |
| Business rules | Custom backend code per rule | Deluge scripts attached to form events |
| User interface | Built and styled by hand | Generated from the form definition |
| Hosting | Separate server / cloud setup required | Hosted by the platform |
| Multi-device access | Built separately for web and mobile | Web, phone and tablet layouts included |
| Time to a working prototype | Days to weeks | Hours to days |
| Fine-grained custom logic | Unrestricted | Possible but bounded by Deluge and platform limits |

## 2.4 Literature Survey

Published work on low-code development broadly agrees on where the approach helps most and where it has limits. Bock and Frank describe low-code platforms as tools that let people with limited programming experience assemble applications from pre-built, configurable components, trading some flexibility for speed. Sahay et al. compare several low-code platforms and find that most differ mainly in how they expose workflow automation and how far their scripting layer lets a developer step outside the

visual tooling. Roķis and Kirikova's review of low-code/no-code challenges reports that maintainability and vendor lock-in are the most commonly cited concerns once an application grows past its first version. Waszkowski's case study of a low-code platform used to automate manufacturing processes shows the same pattern seen in this project: the platform is well suited to form-driven, rule-heavy processes, with custom script blocks used only for the handful of rules the visual tooling cannot express directly.

***Table 2.2: Summary of Literature Survey***

| Ref. | Focus | Key Finding | Relevance to this Project |
|---|---|---|---|
| [3] | Definition of low-code platforms | Trades some flexibility for development speed | Motivates the choice of Zoho Creator |
| [4] | Comparison of low-code platforms | Platforms differ mainly in workflow and scripting depth | Informs use of Deluge for custom rules |
| [5] | Low-code/no-code literature review | Maintainability and lock-in are the main long-term concerns | Discussed as a limitation in Section 8.4 |
| [6] | Low-code in process automation | Well suited to form-driven, rule-heavy processes | Matches the placement-tracking use case |

## 2.5 Emerging Trends in Low-Code Development

Current low-code platforms, Zoho Creator included, are adding AI-assisted features (such as Zia), deeper workflow orchestration (blueprints and approval chains), and tighter mobile and offline support. For a scoped academic project such as this one, these features were evaluated but only the features that materially serve the placement-tracking use case — forms, validation scripts, workflows and a dashboard page — were used; blueprint-driven approval chains and AI features were left for future enhancement (Section 9.2) so that the delivered application stays easy to verify and explain.

## 2.6 Proposed System

The proposed Placement Tracker System replaces the spreadsheet-based process with five linked forms, automatic eligibility validation at the point of application, duplicate-application prevention, an automatic placement-result and placement-status update on selection, and a live dashboard. Every rule that used to depend on a staff member's judgement — eligibility, duplicate checking, status consistency
— is now enforced by a Deluge script attached to the relevant form, so the same rule is applied the same way every time.

# CHAPTER 3: REQUIREMENT ANALYSIS

## 3.1 Stakeholders and User Roles

Table 3.1 lists the people who use or are represented in the system. Their Zoho Creator profiles are defined in Table 4.9.

***Table 3.1: Stakeholders and User Roles***

| Role | Description | Key Responsibilities in the Application |
|---|---|---|
| Placement Cell Administrator | Staff who run the placement process. Profiles: Administrator, Write. | Register companies and drives; review applications; update interview status and final result; view the dashboard |
| Student | Registered final-year or pre-final-year student. Profiles: Read, Customer. | Register personal and academic details; apply to eligible drives; track application and result status |
| Company Representative (indirect) | HR contact of a visiting company; does not log in to the application. | Supplies job role, package, eligibility criteria and required skills, entered on their behalf by the placement cell |

## 3.2 Functional Requirements

Each requirement below is written so that it can be tested; the FR identifiers are used again in the test cases in Chapter 6.

***Table 3.2: Functional Requirements***

| FR ID | Requirement | Role(s) | Priority |
|---|---|---|---|
| FR-01 | The system shall register a company with a unique company name, HR contact, job role, location and salary package | Administrator | High |
| FR-02 | The system shall register a student with a unique register number, a unique e-mail address and a 10-digit phone number | Administrator, Student | High |
| FR-03 | The system shall create a placement drive linked to a company, with eligibility criteria (CGPA, arrears, 10th and 12th percentage, department) and a registration deadline | Administrator | High |
| FR-04 | The system shall reject a drive whose registration deadline is later than its drive date | System | High |
| FR-05 | The system shall let a student apply to a drive and shall reject a second application by the same student to the same drive | Student, System | High |
| FR-06 | The system shall automatically check a student's CGPA, arrears, 10th and 12th percentage and department against the selected drive's criteria and record Eligible or Not Eligible with a reason | System | High |
| FR-07 | The system shall reject an application submitted after the drive's registration deadline | System | High |
| FR-08 | The system shall keep Application Status consistent with Interview Status and Final Result whenever an application is edited | System | High |
| FR-09 | The system shall block a Not Eligible application from being marked Cleared or Selected | System | High |

| FR ID | Requirement | Role(s) | Priority |
|---|---|---|---|
| FR-10 | The system shall automatically create a placement result and set the student's placement status to Placed when Final Result is set to Selected | System | High |
| FR-11 | The system shall provide filterable list reports for students, companies, drives, applications and results | Administrator | Medium |
| FR-12 | The system shall show a dashboard with placement KPIs and department-wise, company-wise, monthly and package-band breakdowns | Administrator | Medium |

## 3.3 Non-Functional Requirements

***Table 3.3: Non-Functional Requirements***

| NFR ID | Category | Requirement |
|---|---|---|
| NFR-01 | Performance | List reports and the dashboard shall load within a few seconds for the expected record volumes of a single placement season |
| NFR-02 | Security | Users shall access only the data permitted by their profile; students shall not see other students' records |
| NFR-03 | Usability | The application shall be usable on a desktop browser, the Zoho Creator mobile app and a tablet without separate development effort |
| NFR-04 | Availability | The application shall be available whenever the Zoho Creator service is available |
| NFR-05 | Maintainability | Every business rule shall live in a named workflow or script so that it can be found and changed without affecting unrelated forms |
| NFR-06 | Data Integrity | Register number, e-mail and company name shall be enforced unique by the platform; mandatory fields shall not be left blank |

## 3.4 Hardware and Software Requirements

***Table 3.4: Hardware and Software Requirements***

| Category | Requirement |
|---|---|
| Client device | Any PC, laptop, tablet or smartphone with a modern web browser (Chrome or Edge) |
| Mobile access | Zoho Creator app for Android or iOS |
| Platform | Zoho Creator account (Free Trial edition, as in Table G.1) |
| Development tools | Zoho Creator form builder, page builder, workflow editor and Deluge script editor |
| Time zone / locale | Asia/Kolkata, date format dd-MMM-yyyy, 24-hour time format |

## 3.5 Use Case Model

Table 3.5 lists the principal use cases, grouped by the Administrator and Student actors described in Section 3.1. UC-04 (apply to a placement drive) carries the most business logic, since it triggers the automatic eligibility check described in Section 4.4.

***Table 3.5: Principal Use Cases***

| ID | Use Case | Primary Actor | Linked Workflow |
|---|---|---|---|
| UC-01 | Register / update a company | Administrator | — |

| ID | Use Case | Primary Actor | Linked Workflow |
|---|---|---|---|
| UC-02 | Create / update a placement drive | Administrator | Validate_Drive_Details |
| UC-03 | Register / update a student profile | Administrator, Student | Validate_Student_Details |
| UC-04 | Apply to a placement drive | Student | Check_Eligibility_and_Dup |
| UC-05 | Update interview status / final result | Administrator | Update_Application_Status |
| UC-06 | Record a placement result on selection | System (triggered) | Mark_Student_Placed_on_Selecti on |
| UC-07 | View filtered reports | Administrator | — |
| UC-08 | View the placement dashboard | Administrator | — |

# CHAPTER 4: SYSTEM DESIGN

## 4.1 System Architecture

Figure 4.1 shows the application in four layers. The presentation layer covers the Zoho Creator web browser, mobile app and tablet views, each generated from the same form and page definitions. The application layer holds the five forms, the Deluge workflow engine that carries the validation and automation scripts, the reports module and the dashboard page. The access-control layer applies the role-based profiles to every request before it reaches the data layer, which is the Zoho Creator hosted database holding the Company, Student, Placement_Drive, Student_Application and Placement_Result records. A user never edits a record directly through a report; every change is made by submitting a form, so the automation scripts in the application layer always have a chance to run before a record is saved.





***Figure 4.1: System Architecture of the Application***

## 4.2 Data Model

The data model keeps each fact in one place. A company is stored once even though it may run several placement drives; a drive is stored once even though many students may apply to it. Student_Application links a Student to a Placement_Drive and carries only data about that specific application (eligibility, interview progress, final result), while Placement_Result is a separate entity so

that a student's placement record survives even if the originating application is later edited. Table 4.1 lists the entities and the relationships shown in Figure 4.2.

***Table 4.1: Entities and Relationships***

| Entity | Key Attributes | Related To | Relationship |
|---|---|---|---|
| Company | Company_Name (PK), HR_Contact, Job_Role, Salary_Package_LPA | Placement_Drive, Placement_Result | 1 company posts M drives; 1 company offers M results |
| Student | Register_Number (PK), Student_Name, Department, CGPA | Student_Application, Placement_Result | 1 student submits M applications; 1 student earns M results |
| Placement_Drive | ID (PK), Company (FK), Minimum_CGPA, Package_LPA, Drive_Status | Company, Student_Application | 1 drive receives M applications |
| Student_Application | ID (PK), Student (FK), Drive (FK), Eligibility_Status, Final_Result | Student, Placement_Drive | M applications belong to 1 student and 1 drive |
| Placement_Result | ID (PK), Student (FK), Company (FK), Offer_Status | Student, Company | M results belong to 1 student and 1 company |





***Figure 4.2: Entity-Relationship Diagram***

## 4.3 Form Design

Each form is laid out in a single section with a row-and-column grid and labels placed to the left of each field, as set in the application's web customisation. Required fields are marked mandatory, identifying fields are marked unique, and picklists restrict input to a fixed list of values. Every form has an Add

action (Submit, Reset) and an Edit action (Update, Cancel). Tables 4.2 to 4.6 give the field specification of each form, taken directly from the application definition; the Options / Rule column lists picklist values or the lookup target, and the rules enforced by Deluge scripts rather than the platform are covered separately in Section 4.4.

***Table 4.2: Field Specification — Company Form***

| Field | Type | Mandatory | Unique | Options / Rule |
|---|---|---|---|---|
| Company Name | Single Line | Yes | Yes | – |
| Company Website | URL | No | No | – |
| HR Contact | Single Line | Yes | No | – |
| Job Role | Single Line | Yes | No | – |
| Job Location | Single Line | Yes | No | – |
| Salary Package (LPA) | Decimal | Yes | No | max 6 characters |
| Job Description | Multi Line | No | No | – |
| Required Skills | Multi Line | No | No | – |

***Table 4.3: Field Specification — Placement_Drive Form***

| Field | Type | Mandatory | Unique | Options / Rule |
|---|---|---|---|---|
| Company Name | Drop Down | Yes | No | Lookup to Company, by Company_Name |
| Drive Date | Date | Yes | No | – |
| Registration Deadline | Date | Yes | No | Must not be after Drive Date |
| Eligible Departments | Single Line | Yes | No | Comma-separated, e.g. CSE,IT or ALL |
| Minimum CGPA | Decimal | Yes | No | max 4 characters; 0–10 |
| Maximum Arrears Allowed | Number | Yes | No | max 2 characters; ≥ 0 |
| Minimum 10th Percentage | Decimal | Yes | No | max 6 characters; 0–100 |
| Minimum 12th Percentage | Decimal | Yes | No | max 6 characters; 0–100 |
| Required Skills | Multi Line | No | No | – |
| Job Role | Single Line | Yes | No | – |
| Package (LPA) | Decimal | Yes | No | max 6 characters; must be > 0 |
| Drive Status | Drop Down | Yes | No | Options: Upcoming, Open, Closed, Completed |

***Table 4.4: Field Specification — Student Form***

| Field | Type | Mandatory | Unique | Options / Rule |
|---|---|---|---|---|
| Student Name | Name (prefix, first, last, suffix) | Yes | No | – |
| Register Number | Single Line | Yes | Yes | – |
| Email | Email | Yes | Yes | max 80 characters |

| Field | Type | Mandatory | Unique | Options / Rule |
|---|---|---|---|---|
| Phone Number | Single Line | Yes | No | Exactly 10 digits |
| Department | Drop Down | Yes | No | CSE, IT, ECE, EEE, MECH, CIVIL, AI&DS, CSBS |
| Year of Study | Drop Down | Yes | No | 1, 2, 3, 4 |
| CGPA | Decimal | Yes | No | max 4 characters; 0–10 |
| 10th Percentage | Decimal | Yes | No | max 6 characters; 0–100 |
| 12th Percentage | Decimal | Yes | No | max 6 characters; 0–100 |
| Arrears Count | Number | Yes | No | max 2 characters; ≥ 0 |
| Backlogs History | Multi Line | No | No | Required when Arrears Count > 0 |
| Skills | Multi Line | No | No | – |
| LinkedIn Profile | URL | No | No | – |
| GitHub Profile | URL | No | No | – |
| Placement Status | Drop Down | No | No | Not Placed, Placed; defaults to Not Placed |
| Resume | File Upload | No | No | Browsed from local drive |

***Table 4.5: Field Specification — Student_Application Form***

| Field | Type | Mandatory | Unique | Options / Rule |
|---|---|---|---|---|
| Student | Drop Down | Yes | No | Lookup to Student |
| Placement Drive | Drop Down | Yes | No | Lookup to Placement_Drive, by Job_Role |
| Application Date | Date | No | No | Set automatically to the submission date |
| Eligibility Status | Drop Down | No | No | Eligible, Not Eligible; set automatically |
| Eligibility Reason | Multi Line | No | No | Set automatically from the failed checks |
| Application Status | Drop Down | No | No | Applied, Not Eligible, Shortlisted, Rejected, Selected |
| Interview Status | Drop Down | No | No | Not Scheduled, Scheduled, Cleared, Not Cleared |
| Final Result | Drop Down | No | No | Pending, Selected, Rejected |

***Table 4.6: Field Specification — Placement_Result Form***

| Field | Type | Mandatory | Unique | Options / Rule |
|---|---|---|---|---|
| Student | Drop Down | Yes | No | Lookup to Student |
| Company Name | Drop Down | Yes | No | Lookup to Company |
| Job Role | Single Line | Yes | No | – |
| Package (LPA) | Decimal | Yes | No | max 6 characters |
| Selection Date | Date | Yes | No | – |
| Offer Status | Drop Down | Yes | No | Offered, Accepted, Declined, Pending |

Name sub-fields (prefix, first name, last name, suffix) are optional parts of Student Name; the prefix and suffix sub-fields are not shown to the user. The Submit, Reset, Update and Cancel buttons are omitted from the tables above.

## 4.4 Process and Workflow Design

The application does not use a Zoho Creator blueprint or approval chain; instead, the life cycle of a Student_Application record is driven entirely by three form workflows acting on the Student_Application form, summarised in Table 4.7. An application starts at Applied (or Not Eligible, decided at the moment of submission) and moves through Shortlisted to a Final Result of Selected or Rejected as the placement cell updates the Interview Status and Final Result fields.

***Table 4.7: Application Status Flow***

| Stage | Set By | Typical Trigger | Leads To |
|---|---|---|---|
| Eligible / Not Eligible | Check_Eligibility_and_Dup (on add) | Student submits the application | Applied (if eligible) or Not Eligible (if not) |
| Shortlisted | Update_Application_Status (on edit) | Interview Status set to Scheduled or Cleared | Interview process continues |
| Selected | Update_Application_Status (on edit) | Final Result set to Selected, with Interview Status Cleared | Mark_Student_Placed_on_Selection fires |
| Rejected | Update_Application_Status (on edit) | Final Result set to Rejected, or Interview Status Not Cleared | Application closed |
| Placement recorded | Mark_Student_Placed_on_Selection (on success) | Final Result = Selected | Placement_Result inserted; Student.Placement_Status = Placed |

## 4.5 User Interface and Navigation Design

The web interface is organised as a single Space with seven sections in the left navigation: Students, Companies, Placement Drive, Student Applications, Placement Results and Placement Dashboard each hold their form and report together, alongside the built-in App Preferences, Approvals and Reports sections that Zoho Creator provides for every application. The interface uses the Lato font and a single theme colour (profile accent 11) with the application logo placed on the left of the header, and the app icon is the two-letter monogram “PTS”. On the phone client the layout switches to a two-column form view with a purple accent colour, and on a tablet it switches to a sliding-pane layout with a yellow accent colour; both omit the header logo to save space.

## 4.6 Access Control Design

Table 4.9 lists the profiles defined in the application's share settings, together with the CEO role that is granted visibility across all other users' records. Every profile currently carries the same permission flags (Chat, Predefined component access, API access, PII access and ePHI access); the Read and Write profile names describe the intended level of access to forms and reports rather than a difference in these platform-level flags.

***Table 4.9: Role–Permission Matrix***

| Profile | Type | Intended Use |
|---|---|---|
| Administrator | Users & Permissions | Full access to all components; assigned to placement-cell leadership |
| Write | Users & Permissions | Add and edit records; assigned to placement-cell staff |
| Read | Users & Permissions | View-only access to all components; assigned to department coordinators |

| Profile | Type | Intended Use |
|---|---|---|
| Developer | Developer | Builds and maintains forms, reports, pages and Deluge scripts |
| Customer | Customer Portal | Add and view only own records; assigned to students |
| Role: CEO | User Role | Can access the data of all other users, for cross-department oversight |

# CHAPTER 5: IMPLEMENTATION

## 5.1 Application Setup

The application was created in Zoho Creator under the name Placement Tracker System, with the date format set to dd-MMM-yyyy, the time zone set to Asia/Kolkata, and the time format set to 24-hour, so that drive dates, registration deadlines and selection dates are shown consistently regardless of where a user signs in from. The app icon uses the two-letter monogram “PTS” on the application's theme colour, matching the customisation described in Section 4.5.

## 5.2 Forms and Data Capture

The five forms described in Section 4.3 were built first, since every report, workflow and dashboard figure in the application reads from them. Each form shows a custom success message on submission — for example, Student registration shows “Student Registered Successfully” and a placement drive shows “Placement Drive Created Successfully” — so that staff and students get immediate, specific confirmation rather than a generic message.






***Figure 5.1: Student Registration Form in Live Mode***



## 5.3 Reports

Table 5.1 lists the five list reports built on top of the forms. Every report exposes the filters a placement-cell user is most likely to need, so that, for example, the coordinator for one department can view only that department's students without the Administrator building a separate report.

***Table 5.1: Reports Implemented***

| Report | Source Form | Filters |
|---|---|---|
| All Students | Student | Department, Year of Study, Placement Status, Arrears Count |
| All Companies | Company | — (all fields shown) |
| Placement Drive Report | Placement_Drive | Company, Drive Status, Drive Date |
| All Student Applications | Student_Application | Eligibility Status, Application Status, Interview Status, Final Result, Application Date |
| All Placement Results | Placement_Result | Company, Offer Status, Package (LPA), Selection Date |





***Figure 5.3: All Student Applications Report, Filtered by Application Status***

## 5.4 Pages and Dashboard

The Placement_Dashboard page is a single HTML-snippet widget driven entirely by Deluge. On every page load it recomputes nine KPI tiles — registered students, eligible students, companies, placement drives, students placed, students not yet placed, placement percentage, highest package and average package — directly from the live Student, Company, Placement_Drive and Placement_Result records, so the figures are never stale. Below the KPI tiles, four cards show department-wise placement as a set of progress bars, company-wise selections, the monthly placement trend for the current year, and a placed-versus-unplaced split bar, with a fifth card breaking packages into four bands (below 5 LPA, 5–10, 10–15 and 15+ LPA).





*Figure 5.4: Placement Dashboard — KPI Tiles and Department-wise Placement*

## 5.5 Deluge Scripting

Six Deluge script blocks carry the business logic described in Section 4.4, one per workflow listed in Table 5.2. Code 5.1 shows the eligibility-reason block from Check_Eligibility_and_Dup, which builds a human-readable explanation whenever a student fails one or more of a drive's criteria, and Code 5.2 shows the excerpt from Mark_Student_Placed_on_Selection that creates the Placement_Result record exactly once per student-company pair.

```
reasons = List();
if(stu.CGPA < drv.Minimum_CGPA)
    reasons.add("CGPA " + stu.CGPA + " is below the required " + drv.Minimum_CGPA);
if(stu.Arrears_Count > drv.Maximum_Arrears_Allowed)
    reasons.add("Arrears " + stu.Arrears_Count + " exceed the allowed " +
drv.Maximum_Arrears_Allowed);
// ...10th %, 12th % and Department checks follow the same pattern
if(reasons.size() == 0)
{
    input.Eligibility_Status = "Eligible";
    input.Application_Status = "Applied";
}
else
{
    input.Eligibility_Status = "Not Eligible";
    input.Eligibility_Reason = reasons.toString("; ");
    input.Application_Status = "Not Eligible";
}
```

*Code 5.1: Eligibility reason block (Check_Eligibility_and_Dup, excerpt)*

```
if(input.Final_Result == "Selected")
{
    drv = Placement_Drive[ID == input.Drive];
    if(Placement_Result[Student == input.Student && Company == drv.Company].count()
== 0)
    {
        insert into Placement_Result
        [
            Student = input.Student,  Company = drv.Company,
```

```
            Job_Role = drv.Job_Role,  Package_LPA = drv.Package_LPA,
            Selection_Date = zoho.currentdate,  Offer_Status = "Offered"
        ]
    }
    stu.Placement_Status = "Placed";
}
```

***Code 5.2: Automatic placement-result creation (Mark_Student_Placed_on_Selection, excerpt)***

***Table 5.2: Deluge Scripts Implemented***

| Script (Workflow) | Form | Purpose |
|---|---|---|
| Check_Eligibility_and_Dup | Student_Application | Rejects duplicate applications and late submissions; checks CGPA, arrears, 10th/12th % and department |
| Update_Application_Status | Student_Application | Keeps Application Status consistent with Interview Status and Final Result; blocks invalid transitions |
| Mark_Student_Placed_on_Selection | Student_Application | Creates a Placement_Result and marks the student Placed once Final Result = Selected |
| Show_Eligibility_Result | Student_Application | Redirects the student to the All Student Applications report after submission |
| Validate_Student_Details | Student | Validates phone number, CGPA, percentages and arrears; requires backlog history when arrears exist |
| Validate_Drive_Details | Placement_Drive | Validates the registration deadline, minimum CGPA, arrears allowed, percentages and package |

## 5.6 Workflows and Automation

Table 5.3 restates the same six scripts from the trigger-event point of view, showing exactly when each one runs. All six are on-validate or on-success form workflows; the application does not use a schedule, approval chain or blueprint.

***Table 5.3: Workflow Trigger Matrix***

| Workflow | Form Event | Stage | Outcome if the Check Fails |
|---|---|---|---|
| Check_Eligibility_and_Dup | On Add | On Validate | Submission is cancelled only for a duplicate application or a missed deadline; an ineligible student is still saved, marked Not Eligible |
| Update_Application_Status | On Edit | On Validate | Submission is cancelled with an alert if a Not Eligible record is marked Cleared/Selected, or Selected without Interview Cleared |
| Mark_Student_Placed_on_Selection | On Edit | On Success | Runs only after a successful save with Final Result = Selected |
| Show_Eligibility_Result | On Add | On Success | Runs only after a successful submission |
| Validate_Student_Details | On Add or Edit | On Validate | Submission is cancelled with an alert naming the invalid field |
| Validate_Drive_Details | On Add or Edit | On Validate | Submission is cancelled with an alert naming the invalid field |

## 5.7 User Management and Role-Based Access

User management follows the profiles described in Section 4.6. Placement-cell staff sign in under the Administrator or Write profile and see every section of the navigation described in Section 4.5; students sign in under the Customer profile through the customer portal and are limited to adding their own Student record and viewing their own applications and results. The Role: CEO definition lets a single senior user view data across all other users without needing the Administrator profile, which keeps day-to-day record management separate from cross-department oversight.

## 5.8 Mobile and Tablet Access

No separate mobile application was built; the forms, reports and dashboard page are served automatically through the Zoho Creator mobile app and tablet client. The phone client uses a two-column layout with a purple accent colour and the default font, and the tablet client uses a sliding-pane layout with a yellow accent colour, both as configured in the application's phone and tablet customisation sections. Neither client shows the header logo, which keeps the limited screen space for the form fields themselves.

# CHAPTER 6: TESTING AND DEBUGGING

## 6.1 Testing Strategy

Testing combined a static trace of every Deluge script against the functional requirements in Table 3.2 with manual entry of sample Company, Student and Placement_Drive records to exercise each validation path. Each test case below was traced against the exported script logic line by line; a full, recorded live run of every test case by an independent tester is noted in Section 6.5 as still to be completed.

## 6.2 Test Cases

***Table 6.1: Test Cases***

| TC ID | FR Ref. | Input | Expected Result | Status |
|---|---|---|---|---|
| TC-01 | FR-02 | Student with a register number already used by another student | Submission rejected; register number must be unique | Pass (static) |
| TC-02 | FR-05 | Same student applies to the same drive twice | Second submission cancelled: “Duplicate application…” | Pass (static) |
| TC-03 | FR-07 | Application submitted after the drive's Registration Deadline | Submission cancelled: “The registration deadline… has passed” | Pass (static) |
| TC-04 | FR-06 | Student CGPA below the drive's Minimum CGPA | Eligibility Status = Not Eligible, with the CGPA shortfall in the reason text | Pass (static) |
| TC-05 | FR-06 | Student department not in the drive's Eligible Departments list | Eligibility Status = Not Eligible; reason names the department | Pass (static) |
| TC-06 | NFR-06 | Student phone number with 9 digits | Submission cancelled: “Phone Number must be exactly 10 digits” | Pass (static) |
| TC-07 | NFR-06 | Student Arrears Count > 0 with Backlogs History left blank | Submission cancelled: backlog history is required | Pass (static) |
| TC-08 | FR-04 | Placement drive with Registration Deadline after Drive Date | Submission cancelled: deadline cannot be after the drive date | Pass (static) |
| TC-09 | FR-09 | Not Eligible application edited with Final Result = Selected | Submission cancelled: “A Not Eligible application cannot be… selected” | Pass (static) |
| TC-10 | FR-10 | Eligible application edited: Interview Status = Cleared, Final Result = Selected | Application Status = Selected; Placement_Result created; Student marked Placed | Pass (static) |

## 6.3 Debugging Deluge Scripts

Each script was debugged using Zoho Creator's built-in Deluge editor, which highlights syntax errors before a workflow is saved, and by inserting temporary info statements to print intermediate values

(such as the computed reasons list) to the execution log while a script was first being written. Once a script ran without error, the temporary info statements were removed and the script was re-tested with the same sample records used in Table 6.1.

## 6.4 Defect Log

***Table 6.2: Defect Log***

| ID | Description | Severity | Status / Recommendation |
|---|---|---|---|
| D01 | No reverse workflow exists: if Final Result is changed away from Selected after a Placement_Result has already been created, the result record and the student's Placement Status are not automatically reverted | Medium | Open — add an on-edit script to reverse the record if needed |
| D02 | The Resume upload field has no explicit file-type or size restriction configured | Low | Open — add an allowed-extension and size check |
| D03 | Student Phone Number is validated for format but not enforced unique | Low | Open — add a duplicate-phone check to Validate_Student_Details |
| D04 | A student already marked Placed can still apply to further drives with no warning to staff | Low | Open — may be intentional (multiple offers); confirm with placement cell |
| D05 | The dashboard page recomputes every KPI and loop on each page load with no caching | Medium | Open — acceptable at current volumes; revisit if records grow substantially |

## 6.5 User Acceptance Testing

The test cases in Table 6.1 were traced statically against the exported application logic; a live, recorded run with placement-cell staff and a sample group of students had not been carried out at the time of writing. Table 6.3 lists the acceptance checks planned for that session.

***Table 6.3: Planned User Acceptance Feedback***

| Participant Group | Task | Expected Outcome | Status |
|---|---|---|---|
| Placement Cell Staff | Register a company and create a placement drive | Drive appears in the Placement Drive Report with correct criteria | Pending |
| Student | Register and apply to an eligible and an ineligible drive | Correct Eligible / Not Eligible outcome with a clear reason | Pending |
| Placement Cell Staff | Mark a candidate Selected after interview | Placement_Result created automatically; dashboard KPIs update | Pending |

# CHAPTER 7: DEPLOYMENT, SECURITY AND GOVERNANCE

## 7.1 Environments and Deployment Strategy

The application was built and tested in a single Development environment on the Zoho Creator free-trial edition. Table 7.1 lists the checks to complete before the application is published to production users.

***Table 7.1: Deployment Checklist***

| Check | Status |
|---|---|
| All forms, reports and the dashboard page reviewed against Chapter 4 | Complete |
| All six Deluge scripts traced against the test cases in Table 6.1 | Complete |
| Live user acceptance testing with placement-cell staff and students | Pending |
| Profiles and the CEO role assigned to real users | Pending |
| Application published from Development to a production environment | Pending |

## 7.2 Performance Optimisation

***Table 7.2: Performance Optimisation Measures***

| Measure | Detail |
|---|---|
| Filtered reports | Each report exposes the filters most used by its audience, so large record sets are narrowed before being rendered (Table 5.1) |
| Minimal dashboard loops | KPI and chart calculations iterate the record set once per metric rather than re-querying for every row (Section 5.4) |
| Validation at the earliest point | Eligibility and duplicate checks run on Add, before a record is written, avoiding later clean-up queries |

## 7.3 Security Features

***Table 7.3: Security Controls Implemented***

| Control | Detail |
|---|---|
| Role-based profiles | Administrator, Write, Read, Developer and Customer profiles restrict which components a user can reach (Table 4.9) |
| Unique fields | Company Name, Register Number and Email are enforced unique by the platform |
| Customer portal isolation | Students sign in through the customer portal and can add and view only their own records |
| Field-level validation | Every mandatory and range rule in Tables 4.2–4.6 is enforced before a record is saved |

## 7.4 Governance and Administration

Every record created in Zoho Creator automatically carries the platform's built-in Added User and Added Time fields, which give a basic audit trail of who created a record and when, including the placement results inserted automatically by the workflow in Section 4.4. The Role: CEO definition provides a single point of cross-department oversight without widening the Administrator profile to additional staff.

# CHAPTER 8: RESULTS AND DISCUSSION

## 8.1 Application Output

A walkthrough scenario confirms the design in Chapter 4: a company is registered, a placement drive is created against it with eligibility criteria, a student registers and applies, the application is automatically marked Eligible or Not Eligible with a reason, the placement cell updates the interview status and final result, and on Selected the placement record and the student's placement status update without any further data entry. Figure 8.1 shows the dashboard reflecting this scenario once a handful of sample records have been entered.





*Figure 8.1: Placement Dashboard After Sample Data Entry*

## 8.2 Achievement of Objectives

*Table 8.1: Mapping of Objectives to Outcomes*

| Objective (Section 1.3) | Outcome |
|---|---|
| Single application for company, drive, student and application data | Achieved — five linked forms (Section 4.3) |
| Automatic eligibility enforcement | Achieved — Check_Eligibility_and_Dup (Section 5.5) |
| Duplicate-application and status-consistency checks | Achieved — Check_Eligibility_and_Dup, Update_Application_Status |
| Automatic placement-result creation on selection | Achieved — Mark_Student_Placed_on_Selection (Code 5.2) |
| Filterable reports and a live dashboard | Achieved — five reports and the Placement_Dashboard page |

## 8.3 Comparison with the Existing System

*Table 8.2: Existing System versus Proposed Application*

| Aspect | Existing (Manual) System | Proposed Application |
|---|---|---|
| Eligibility check | Done by hand against each drive's criteria | Automatic, consistent, with a recorded reason |

| Aspect | Existing (Manual) System | Proposed Application |
|---|---|---|
| Duplicate applications | Possible if not noticed | Rejected automatically |
| Placement status update | Updated separately after an offer | Updated automatically on selection |
| Placement statistics | Compiled by hand at the end of the cycle | Live on the dashboard page at any time |

## 8.4 Limitations of the Low-Code Approach

Deluge scripts are easy to write for the rules in this project but are harder to unit-test in isolation than functions in a general-purpose language, which is why testing in Chapter 6 relied on tracing the exported script logic rather than an automated test suite. The application is also tied to the Zoho Creator platform: migrating the data model or the workflow logic to another system would mean re-implementing both by hand. Finally, the free-trial edition used for development carries storage and user limits that would need to be reviewed before a production rollout at full college scale.

# CHAPTER 9: CONCLUSION AND FUTURE ENHANCEMENTS

## 9.1 Conclusion

This project set out to replace a manual, spreadsheet-based placement process with a rule-driven Zoho Creator application, and the delivered system meets that aim: eligibility is checked automatically and consistently, duplicate and late applications are rejected at the point of submission, a placement result is created and a student's status updated without manual re-entry, and the placement cell can see live, accurate statistics on the dashboard at any time rather than only at the end of a placement cycle.

## 9.2 Future Enhancements

- Add a blueprint-driven approval chain so that a new placement drive is reviewed before it is published to students.
- Send automatic e-mail or SMS notifications when an application's eligibility, interview status or final result changes.
- Add interview scheduling with calendar integration instead of a free-text Interview Status field.
- Generate an offer letter directly from a Placement_Result record once Offer Status is set to Accepted.
- Use Zia or a similar AI feature to suggest a shortlist by matching student skills against a drive's required skills.
- Add export of the dashboard figures to a shareable report for department and management review.

## 9.3 Learning Outcomes and Career Relevance

Building this application gave first-hand experience of translating a real administrative process into a data model, a set of validation rules and a small number of automation scripts — the same decomposition used in professional low-code and business-process-automation roles. The project also required reasoning carefully about when a rule belongs in the platform's built-in validation (mandatory, unique, picklist) and when it needs a Deluge script, a distinction that carries directly into evaluating and choosing low-code tools in industry.

# REFERENCES

[1] Zoho Corporation, "Zoho Creator Help Center," 2026. [Online]. Available: https://www.zoho.com/creator/help/resources.html

[2] Zoho Corporation, "Deluge Reference Guide," Zoho Creator Help Center, 2026. [Online]. Available: https://www.zoho.com/creator/help/resources.html

[3] A. C. Bock and U. Frank, "Low-Code Platform," Business & Information Systems Engineering, vol. 63, no. 6,
pp. 733–740, 2021, doi: 10.1007/s12599-021-00726-8.

[4] A. Sahay, A. Indamutsa, D. Di Ruscio and A. Pierantonio, "Supporting the understanding and comparison of low-code development platforms," in Proc. 46th Euromicro Conf. Software Engineering and Advanced Applications (SEAA), 2020, pp. 171–178, doi: 10.1109/SEAA51224.2020.00036.

[5] K. Roķis and M. Kirikova, "Challenges of Low-Code/No-Code Software Development: A Literature Review," in Perspectives in Business Informatics Research (BIR 2022), LNBIP, vol. 462. Cham: Springer, 2022, pp. 3–17, doi: 10.1007/978-3-031-16947-2_1.

[6] R. Waszkowski, "Low-Code Platform for Automating Business Processes in Manufacturing," IFAC-PapersOnLine, vol. 52, no. 10, pp. 376–381, 2019, doi: 10.1016/j.ifacol.2019.10.060.

# APPENDIX A — ZOHO CREATOR FEATURE COVERAGE CHECKLIST

***Table A.1: Feature Coverage Checklist***

| Feature | Implemented | Evidence (Location in Report) |
|---|---|---|
| Forms with validation | Yes | 5 forms; mandatory, unique and picklist rules (Section 4.3) |
| Subforms | No | Not required; relationships use lookups |
| List reports | Yes | 5 list reports (Table 5.1) |
| Kanban / Calendar reports | No | Not required by the process |
| Dashboard page | Yes | Placement_Dashboard (Section 5.4) |
| Form workflows | Yes | 6 form workflows (Table 5.3) |
| Deluge scripts | Yes | 6 validation / automation scripts (Table 5.2) |
| Scheduled task | No | Not used in this version |
| Approval process | No | Not used in this version |
| Blueprint | No | Application lifecycle driven by form workflows instead (Section 4.4) |
| Role-based profiles | Yes | Table 4.9 |
| Customer portal profile | Yes | Customer profile defined for students (Section 5.7) |
| Mobile and tablet access | Yes | Zoho Creator mobile app and tablet client (Section 5.8) |

# APPENDIX B — USER MANUAL

## B.1 Accessing the Application

Sign in to Zoho Creator and open the Placement Tracker System application from the application list, or open the published link shared by the placement cell. Staff sign in with their Administrator, Write, Read or Developer profile; students sign in through the customer portal link with their Customer profile.

## B.2 Instructions for Placement Cell Staff

- Register a company from the Companies section before creating a drive for it.
- Create a placement drive from the Placement Drive section, setting the eligibility criteria carefully, since these are checked automatically against every application.
- Review new applications in the Student Applications report, and update Interview Status and Final Result as the process moves forward.
- Check the Placement Dashboard at any time for a live view of placement progress.

## B.3 Instructions for Students

- Complete the Student registration form with accurate academic details; these are used for every later eligibility check.
- Apply to an open placement drive from the Student Applications section; the Eligibility Status and Reason are shown immediately after submission.
- Track Interview Status and Final Result from the All Student Applications report.