

DOCUMENTATION

PUT /api/customers/edit/{id}

Try it out

Name	Description
id * required	id
integer(\$int32)	(path)

Request body required

application/json

Example Value | Schema

```
{  "id": 0,  "name": "string",  "emailid": "string",  "password": "string",  "authorities": [    {      "authority": "string"    }  ],  "username": "string",  "enabled": true,  "accountNonExpired": true,  "credentialsNonExpired": true,  "accountNonLocked": true}
```

Responses

Code	Description	Links
200	OK	No links

Media type

/

Content Accept header:

Example Value | Schema

```
{  "name": "string",  "emailid": "string"}
```

POST /api/customers/register

Try it out

Name	Description
name * required	name
string	(query)
email * required	email
string	(query)
password * required	password
string	(query)

Responses

Code	Description	Links
200	OK	No links

GET

/api/customers/{id}

^

Parameters

Try it out

Name	Description
id <small>required</small> <small>integer(\$int32)</small> <small>(path)</small>	<input type="text" value="id"/>

Responses

Code	Description	Links
200	OK <div>Media type <input type="text" value="*/"/> <small>Controls Accept header.</small> <div>Example Value Schema</div><div><pre>{ "name": "string", "emailid": "string" }</pre></div></div>	<div>No links</div>

GET

/api/customers/test

^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK <div>Media type <input type="text" value="*/"/> <small>Controls Accept header.</small> <div>Example Value Schema</div><div><pre>string</pre></div></div>	<div>No links</div>

GET

/api/customers/

^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK <div>Media type <input type="text" value="*/"/> <small>Controls Accept header.</small> <div>Example Value Schema</div><div><pre>{ "name": "string", "emailid": "string" }</pre></div></div>	<div>No links</div>

DELETE

/api/customers/delete/{id}

Parameters

Try it out

Name	Description
id * required integer(\$int32) (path)	<div>id</div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div>*/*</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>1.00 CONTINUE</div>	No links

POST

/api/books/add

^

Parameters

Try it out

No parameters

Request body

required

application/json

▼

Example Value

Schema

```
{
  "id": 0,
  "title": "stringtri",
  "author": "string",
  "price": 1,
  "isbn": "stringstrings",
  "version": 0
}
```

Responses

Code	Description	Links
201	Created	No links

Media type

/

▼

Controls Accept header.

Example Value

Schema

```
{
  "id": 0,
  "title": "stringtri",
  "author": "string",
  "price": 1,
  "isbn": "stringstrings",
  "version": 0
}
```

GET

/api/books/test

^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

/

▼

Controls Accept header.

Example Value

Schema

```
string
```

GET

/api/books/search

⌵

Parameters

Try it out

Name	Description
title	<input type="text" value="title"/>
author	<input type="text" value="author"/>

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header

Example Value

Schema

```
{
  "id": 0,
  "title": "stringstr1",
  "author": "string",
  "price": 1,
  "isbn": "stringstrings",
  "version": 0
}
```

GET

/api/books/

⌵

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header

Example Value

Schema

```
{
  "profile": "string",
  "name": "string",
  "templated": true
},
  "additionalProp2": {
    "href": "string",
    "hreflang": "string",
    "title": "string",
    "type": "string",
    "deprecation": "string",
    "profile": "string",
    "name": "string",
    "templated": true
  },
  "additionalProp3": {
    "href": "string",
    "hreflang": "string",
    "title": "string",
    "type": "string",
    "deprecation": "string",
    "profile": "string",
    "name": "string",
    "templated": true
  }
}
```

DELETE

/api/books/delete/{id}

Parameters

Try it out

Name	Description
id <small>* required</small>	id
<small>integer(\$int32)</small>	<small>(path)</small>

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

100 CONTINUE

POST

/api/auth/login

Parameters

Try it out

No parameters

Request body * required

application/json

Example Value | Schema

{
 "email": "string",
 "password": "string"
}

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

{
 "token": "string",
 "expiresIn": 0
}

Schemas

Customer ▼ {

id

> [...]

name

> [...]

emailid

> [...]

password

> [...]

authorities

> [...]

username

> [...]

enabled

> [...]

accountNonExpired

> [...]

credentialsNonExpired

> [...]

accountNonLocked

> [...]

}

```
GrantedAuthority < {
  authority      > [...]
}
```

```
CustomerDTO < {
  name          > [...]
  emailid       > [...]
}
```

```
Book < {
  id            > [...]
  title*       > [...]
  author       > [...]
  price        > [...]
  isbn         > [...]
  version      > [...]
}
```

```
RegisterDTO < {
  email        > [...]
  password     > [...]
  name         > [...]
}
```

```
LoginDTO < {
  email        > [...]
  password     > [...]
}
```

```
LoginResponse < {
  token        > [...]
  expiresIn    > [...]
}
```

```
BookDTO < {
  id            > [...]
  title         > [...]
  author        > [...]
  price         > [...]
  isbn          > [...]
  _links        Links > {...}
}
```

```
Links < {
  < * >:      Link > {...}
}
```

```
Link < {
  href          > [...]
  hreflang      > [...]
  title         > [...]
  type          > [...]
  deprecation   > [...]
  profiles      > [...]
  name          > [...]
  templated     > [...]
}
```