









REVISION	DESCRIPTION	DATE	APPROVED



APPROVALS		DATE		PROJECT			
ENG: *							
DSN: *							
CHK: *							
REFERENCE DOCUMENTS				PROJECT REVISION: *		DOCUMENT REVISION: *	
BOM: *				DESIGN ITEM: *			
				TITLE		Not in version control	
				SIZE		REV	
ASSY DWG:				CAGE CODE			
FAB DWG:				DWG NO.			
PCB DWG:				SCALE:		SHEET 1 OF 1	
				FILE NAME		power_SchDoc	

POWER_PCB

Service

CHARGER_IN

BAT_IN

Fuse

RRC1

PMOS

DRC

D1

RLED3

PLED
L1

LED_5

RLED1

BTS2

RD8 CD3 RD7 CD4

RD6

M1

LED_M1

RLED4

BUF

LM35_3

RD1

RD3

RD4

LED_3

C4

C3

LM35_2

RLED2

ENCODER_OUT

AMS3.3

C1

DRIVER_OUT

PENTAGON

ENTC 23

P_SWITCH

REV 1.3

Name	Description	Designator	Footprint	LibRef	Quantity
AMS1117-3.3	Sot223/Pkg 1-Amp 3.3-Volt Low Drop Out Voltage Regulator	AMS3.3	SOT229P700X180-4N	AMS1117-3.3	1
XT60-M	Plug; DC supply; XT60; male; PIN: 2; for cable; soldered; 30A; 500V	BAT_IN, CHARGER_IN	AMASS_XT60-M	XT60-M	2
BTS7960B	High Current PN Half Bridge NovalithiC, -40 to 150 degC, P-TO-263 7-6	BTS1, BTS2, BTS3, BTS4	INF-P-TO-263-7-6_M	CMP-1114-00025-1	4
LM2596S-5.0	SIMPLE SWITCHER® 4.5V to 40V, 3A Low Component Count Step-Down Regulator	BUCK	TO170P1524X483-6N	LM2596S-5.0	1
SN74AHC244QPWR	Automotive Catalog Octal Buffers/Drivers With 3-State Outputs, PW0020A, LARGE T&R	BUF	PW0020A_N	CMP-0440-01223-3	1
10uF		C1	CAPC2113X140X50LL20T30	CMP-2007-04009-1	1
0.1uF		C2, C4, CD1, CD2, CD3, CD4, CD5, CD6, CD7, CD8	CAPC2013X145X48NL20T23	CMP-2007-01790-1	10
22uF		C3	CAPC2113X140X50LL20T30	CMP-2007-04009-1	1
V0805Y222JAAAC		C5	CAPC2013X145X48NL20T23	CMP-2007-01790-1	1
220uF	CAP ALUM 100UF 20% 50V SMD	C6	FP-107AX2050M-MFG	CMP-29949-000005-1	1
220uF	Conductive Polymer Hybrid Aluminum Electrolytic Capacitors 220uF ±20% 25V RADIAL SMT 8x10.2mm	C7	FP-EBH-F-MFG	CMP-05428-000570-1	1
1N5824	Diode Schottky 30V 5A Through Hole Axial	D1	D10AD1898W129L762D1143	1N5824	1
1N5240BUR-1	DIODE ZENER	DR1	FP-DO-213AA-MFG	CMP-06360-000046-1	1
B6B-XH+AM(LF)(SN)	CONN HEADER VERT 6POS 2.5MM	DRIVER_OUT, M1, M2	FP-B6B-XH+AM_LF_SN-MFG	CMP-17439-000167-1	3
B4B-XH+A(LF)(SN)	CONN HEADER VERT 4POS 2.5MM	ENCODER_OUT, POWER_OUT	FP-B4B-XH+A_LF_SN-MFG	CMP-17439-000250-1	2
0297002.WXNV	2AAC 32V DC Fuse Automotive Holder Blade, Miniature	Fuse	0297002.WXNV	0297002.WXNV	1
33uh	Inductor	L1	INDPM115100X400N	SMMS1040-330M	1
SML-LX0805UWC-TR	SML-LX0805UWC-TR White LED, 0805 Diffused, Rectangle Lens SMD package	LED_3, LED_5, LED_M1, LED_M2	FP-SML-LX0805UWC-TR-MFG	CMP-00229-00139794-1	4
LM35H	Precision Centigrade Temperature Sensor, 3 pin TO-46	LV35_1, LV35_2, LV35_3	NDV0003A	CMP-0066-00004-3	3
XT30UPB-M	Socket; DC supply; XT30; male; PIN: 2; on PCBs; THT; yellow; 15A; 500V	P_SWITCH	AMASS_XT30UPB-M	XT30UPB-M	1
XLUR12D	627nm Red LED; 5x8.6mm, Through-Hole Mount with Red Diffused Round Lamp	PLED	FP-XLUR12D-MFG	CMP-02085-08376351-1	1
IRF5305PBF	MOSFET P-CH 55V 31A TO-220AB	PMOS	FP-PG-TO220-3-0	CMP-32901-000003-1	1
100K	RES SMD 5.1 OHM 0.1% 1/8W 0805	R1	FP-RT0805-MFG	CMP-03412-000032-1	1
33K	RES SMD 5.1 OHM 0.1% 1/8W 0805	R2	FP-RT0805-MFG	CMP-03412-000032-1	1
1K	RES SMD 5.1 OHM 0.1% 1/8W 0805	RD1, RD2, RD3, RD4, RD5, RD6, RD7, RD8, RD9, RD10, RD11, RD12, RD13, RD14, RD15, RD16	FP-RT0805-MFG	CMP-03412-000032-1	16
3.3K	RES SMD 5.1 OHM 0.1% 1/8W 0805	RLED1, RLED2, RLED3, RLED4, RLED5	FP-RT0805-MFG	CMP-03412-000032-1	5
100K	RES SMD 100K OHM 0.01% 0.4W 1206	RRC1	FP-PLTU1206-MFG	CMP-02407-012706-1	1
B3B-XH+A(LF)(SN)	CONN HEADER VERT 3POS 2.5MM	TEMP_OUT	FP-B3B-XH+A_LF_SN-MFG	CMP-17439-000014-3	1