

```
In [1]: # Importing the required libraries
from sklearn.model_selection import train_test_split
from sklearn.linear_model import LinearRegression
import matplotlib.pyplot as plt
import pandas as pd
import numpy as np
```

```
In [2]: # Reading data from remote link
url = r"https://raw.githubusercontent.com/AdiPersonalWorks/Random/master/student_
s_data = pd.read_csv(url)
print("Data import successful")


s_data.head(10)
```

Data import successful

```
Out[2]:
```

	Hours	Scores
0	2.5	21
1	5.1	47
2	3.2	27
3	8.5	75
4	3.5	30
5	1.5	20
6	9.2	88
7	5.5	60
8	8.3	81
9	2.7	25

```
In [3]: # Plotting the distribution of scores
s_data.plot(x='Hours', y='Scores', style='o')
plt.title('Hours vs Percentage')
plt.xlabel('Hours Studied')
plt.ylabel('Percentage Score')
plt.show()
```



```
In [4]: X = s_data.iloc[:, :-1].values
y = s_data.iloc[:, 1].values
```


```
In [5]: X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_s
regressor = LinearRegression()
regressor.fit(X_train.reshape(-1,1), y_train)

print("Training complete.")
```

Training complete.

```
In [6]: # Plotting the regression line
line = regressor.coef_*X+regressor.intercept_

# Plotting for the test data
plt.scatter(X, y)
plt.plot(X, line,color='red');
plt.show()
```



```
In [7]: # Testing data
print(X_test)
# Model Prediction
y_pred = regressor.predict(X_test)
```

```
[[1.5]
 [3.2]
 [7.4]
 [2.5]
 [5.9]]
```

```
In [8]: # Comparing Actual vs Predicted
df = pd.DataFrame({'Actual': y_test, 'Predicted': y_pred})
df
```

```
Out[8]:
```


	Actual	Predicted
0	20	16.884145
1	27	33.732261
2	69	75.357018
3	30	26.794801
4	62	60.491033

```
In [9]: #Estimating training and test score
print("Training Score:",regressor.score(X_train,y_train))
print("Test Score:",regressor.score(X_test,y_test))
```

Training Score: 0.9515510725211552
Test Score: 0.9454906892105356

```
In [10]: # Plotting the Bar graph to depict the difference between the actual and predicted
```

```
df.plot(kind='bar',figsize=(5,5))
plt.grid(which='major', linewidth='0.5', color='red')
plt.grid(which='minor', linewidth='0.5', color='blue')
plt.show()
```



```
In [11]: # Testing the model with our own data
hours = 9.25
test = np.array([hours])
test = test.reshape(-1, 1)
own_pred = regressor.predict(test)
print("No of Hours = {}".format(hours))
print("Predicted Score = {}".format(own_pred[0]))
```

No of Hours = 9.25
Predicted Score = 93.69173248737538

```
In [12]: from sklearn import metrics
print('Mean Absolute Error:',metrics.mean_absolute_error(y_test, y_pred))
print('Mean Squared Error:', metrics.mean_squared_error(y_test, y_pred))
print('Root Mean Squared Error:', np.sqrt(metrics.mean_squared_error(y_test, y_pred)))
print('R-2:', metrics.r2_score(y_test, y_pred))
```

Mean Absolute Error: 4.183859899002975
Mean Squared Error: 21.5987693072174
Root Mean Squared Error: 4.6474476121003665
R-2: 0.9454906892105356

In []: