
Report for Laboratory Two: Voltage Dividers

Austin Piper

Alex Blakely

Ahmed Irfan

*Department of Mechanical Engineering, Saint Martin's University
ME/EE 316—Mechatronics & Measurements Laboratory*

September 21, 2020

Abstract. Applying a 10V DC power supply to a voltage divider circuit with two resistors in series, the voltage across both resistors remains constant while the voltage across a single resistor changes depending on the resistance. Using a myRIO configured with the labVIEW software to change our input voltage and measure the voltage source and the resistor voltage. When connecting a arbitrary function generator to an oscilloscope, a variety of wave functions at 5Vpp had a period of 2.5ms.




Figure 1: Voltage divider circuit

1 Introduction

"What is signal generation and measurement?" "What instruments are used for these tasks?" "How do these concepts relate to the process of prototyping circuits?"

The purpose of this lab is to answer these questions in a first attempt at understanding voltage dividers.

2 Materials and Methods

This lab has three parts. In the first part of the lab two resistors were placed in series on a bread board connected to a DC power supply set to 10V. Using a multimeter measure the voltage across each resistor and both resistors. Then replacing the second resistor and taking measurements again for all four different resistors.

For part two of this lab a myRIO configured with the labVIEW software was be used as the power supply and measurement tool, on the same voltage divider circuit. The myRIO was connected to measure the voltage across both resistors and the voltage across the second resistor. Using labVIEW an analog output and input were made to receive data from the myRIO, as well as a voltage vs time chart window. Starting at 0V and working up to 10V, in increments of

figures/myr.pdf

Figure 2: myRIO Voltage divider circuit

1V, the voltage source and the resistor voltage is displayed in labVIEW and recorded. Again replacing the second resistor with each of the different resistors and repeating measurements.

1. Don't simply copy and paste material from my description.
2. Don't simply list the procedure in bullet points (although some lists are fine). I want a description in *your* words.
3. Don't use a figure from my description unless you properly cite it! A proper citation would be (?, p. 32).

"To write the results section, use the figures and tables as a guide. Start by outlining, in point form, what you found, going slowly through each part of the figures. Then take the points and group them into paragraphs, and finally order the points within each paragraph. Present the data as fully as possible, including stuff that at the moment does

not quite make sense.

“Verbs in the results section are usually in the past tense. Only established scientific knowledge is written about in the present tense, ‘the world is round,’ for example. You cannot presume that your own data are part of the body of established scientific knowledge, and so when you describe your own results, use the past tense, ‘a band of 1.3 KB was seen,’ for example. There are, however, exceptions to this general rule. It is acceptable to say, ‘Table 3 shows the sizes of the DNA fragments in our preparation.’ It is also acceptable to say, ‘In a 1991 paper, Ebright and coworkers used PCR to mutagenize DNA.’ ...

“Some readers begin by scanning the figures first. The figures, with the legends, should provide a self-explanatory overview of your data. Decide what the data show, then create figures which highlight the most important points of your paper.

“Tables are used to present repetitive data that is numerical. Graphs or illustrations, collectively called figures, are used to present numerical trends, raw data (like a picture of a gel), or a model that explains your work.

“When you prepare your figures and tables, keep in mind that it is significantly more expensive for journals to publish figures and tables than text, so try to present the data in a way that is worthy of such added expense.”

3 Discussion

“This is the section of the paper for you to show off your understanding of the data. You should summarize what you found. Explain how this relates to what others have found. Explain the implications.”

4 Author Contributions

You are required to describe each member’s contributions to the laboratory exercise and report.

References

K. Ciesielski. *Set Theory for the Working Mathematician*. London Mathematical Society Student Texts. Cambridge University Press, 1997. ISBN 9780521594653.

Derek Rowell and David N. Wormley. *System Dynamics: An Introduction*. Prentice Hall, 1997.

A Appendix: L^AT_EX Tutorial

I’m going to teach you how to use L^AT_EX a little bit. Like how to cite a source, insert a graphic, and build tables. Follow along in the report.tex file.

Do not use this appendix as any sort of template for the report! Equations, figures, and tables should appear in the body of the report. Delete this appendix before submitting your report.

A.1 Citing a Source

Let’s cite a source. The source must be already saved as a BibTeX file (.bib) in the same directory as the .tex document. I have already created a sample report.bib file. (If you want to add and remove sources to this file, you may use a reference manager like BibDesk on a Mac or JabRef on a PC.)

The next step is to cite the source, inline (Rowell and Wormley, 1997). And I can easily cite another reference (Ciesielski, 1997).

A.2 Equations

Equations should appear in the body of the report, especially in the Introduction (Section 1), when describing your theoretical predictions. An equation should be part of a complete sentence.

Here are some examples.

We now see that

$$x = 1. \quad (1)$$

Somehow, the following impossible equation hold:

$$\int_0^t x_2 \sin x dx = \begin{bmatrix} 1 & 0 & 8 \\ 0 & x^7 & \\ 7 & & \end{bmatrix}. \quad (2)$$

We now see that

$$x = \alpha \left(\left(\frac{2}{3} \right) + \frac{5}{6} \right), \quad (3)$$

where α is the coefficient of stupidity.

And this works too: $\frac{\partial x}{\partial y}$.

$$\begin{aligned} x &= 2y & (\text{where } x > 2) \\ y &= 4x + 8 \end{aligned}$$

Later, you could refer to the equation Equation 2.

Or you could do it multiple times: Equation 2.

A.3 Figures

It is easy enough to add a figure. In the subdirectory figures, I placed a file data.pdf. If we want to include it in the document, we use the following commands.

We can easily reference the figure with its label, like Figure 3.

A.4 Tables

Tables can be a pain in L^AT_EX. Here’s a simple table.

Notice (as in Table 1) that these things don’t go where they’re entered. Most of the time it’s preferable to have a figure or table “float” such that it is at the top or bottom of a column.




Figure 3: here’s a caption.

| | label 1 | label 2 |
|-------------------|----------|----------|
| Interesting thing | 5.1 | 603 |
| Thing of interest | pigtails | χ^3 |

Table 1: a table caption.