MCIR Domain Standards Program (MDSP)

A Federated Constitutional Roadmap for Comparable Governed Artifacts

The program must be federated rather than semantically universal.

Author
Adam Ableman
Constitutional Computing
Contact: ableman.research@gmail.com

Abstract

The MCIR Domain Standards Program proposes a shared constitutional substrate through which independently governed domains can publish canonical artifacts, explicit law packs, execution bindings, receipts, conformance tests, amendments, and forks. Its objective is not uniform policy. It is mechanically inspectable divergence: implementations should be able to determine whether artifacts are byte-identical under the same regime, which standard profiles they implement, how they differ, and whether a declared compatibility claim survives testing.

The program must be federated rather than semantically universal. Canonicalization can provide one deterministic representation within a declared grammar and equivalence regime; it cannot provide universal semantic uniqueness across law, institutions, networks, finance, medicine, or physical systems. Hash equality establishes equality of canonical bytes in a versioned domain. Semantic equivalence, behavioral correspondence, legitimacy, safety, and legal effect remain separate claims.

Each domain begins with the source triad: MCIR domain law, an execution binding, and a conformance suite. This paper expands the triad into a governed standards envelope containing provenance, authority, amendment procedure, compatibility declarations, security and safety scope, evidence, lifecycle status, and withdrawal or fork semantics. It also distinguishes syntactic, semantic, behavioral, governance, and safety conformance.

Program sequencing should follow dependency and risk, not only architectural ambition. Closed, reversible, low-harm profiles should establish the core before safety-critical, financial, clinical, or actuation domains are attempted with independent experts and authorities. The paper remains a roadmap. It establishes no standard, standards body, domain authority, implementation, or conformance result.

Source, Evidence, and Standing

This is an AI-assisted integrated edition derived from one exact author manuscript. Its custody manifest is
`work/paper-saturation-v1/evidence/mcir-domain-standards-program/integration-custody-manifest.v0.1.json`,
SHA-256
`EA29CAF40048418279EA82B014934B339DDA034D1A3D0233B4CCBFE4F40C3370`.
The source remains unchanged.

The program architecture, triad, domain sequence, measurable-property proposals, naming discipline, comparability objective, and civilization-stack framing are author material. Formal distinctions, federated architecture, governance envelope, lifecycle, risk gates, tests, counterevidence, and decisions added here are AI editorial or synthetic candidates until adopted. No external research was conducted.

1. Program Thesis

MDSP seeks a common way to make governed artifacts comparable without requiring domains to share one substantive law. A core representation and receipt vocabulary can support:

- canonical bytes under named regimes;
- explicit domain-law identity;
- diffable amendments and forks;
- typed compatibility claims;
- bounded execution and observation contracts;
- refusal and exception records; and
- evidence attached to conformance claims.

The defensible core claim is:

> Divergence should be mechanically detectable where representations, regimes, and comparison rules are declared; its legitimacy and meaning remain governed by the participating domains.

Narrative negotiation does not disappear. Communities still decide which distinctions matter, who may amend a standard, what evidence is sufficient, and whether two regimes may interoperate.

2. What Canonicalization and Hashing Establish

Let C_v be a partial canonicalizer for regime v. For admitted artifact x:

$$ID_v(x) = H(\texttt{domain} \parallel v \parallel C_v(x)).$$

If $C_v(x) = C_v(y)$, then the regime has intentionally mapped the inputs to the same canonical bytes. This establishes regime-relative representation identity, subject to hash and implementation assumptions. It does not establish:

- equivalence under a different regime;
- equality of external referents;
- behavioral equivalence of realizations;
- truth, authority, legitimacy, safety, or legal validity; or
- compatibility between versions.

The source statement that canonicalization provides semantic uniqueness should therefore be replaced with **canonical representation uniqueness under a declared regime**.

3. The Domain Triad and Standards Envelope

The source triad remains useful:

1. **MCIR-Domain-Law:** schemas, invariants, admissibility, identity, amendment, and refusal.
2. **Execution Binding:** how admitted artifacts reach effects, resources, observations, and receipts. The source calls this PEIR-Domain-Binding; PEIR standing remains separately adjudicable.
3. **Conformance Suite:** positive, negative, boundary, differential, migration, and adversarial vectors.

Each triad should be carried inside a standards envelope:

$$S_d = (L_d, B_d, T_d, G_d, P_d, K_d, E_d, V_d),$$

where L_d is domain law, B_d execution binding, T_d tests, G_d governance and amendment, P_d provenance and authority, K_d compatibility and migration, E_d evidence and claim ceiling, and V_d lifecycle version and status.

Without the envelope, a technically precise grammar can remain institutionally unauthoritative, insecurely maintained, or impossible to revise safely.

4. Conformance Is Multidimensional

Conformance should be reported by class:

Class	Question
syntactic	Does the artifact parse and serialize canonically?
identity	Do independent implementations produce the same canonical bytes and identifier?

Class	Question
semantic	Do required meanings and distinctions survive under the declared profile?
behavioral	Do realizations produce equivalent admitted observations?
governance	Were authority, amendment, refusal, and exceptions applied correctly?
evidence	Are claims bound to sufficient reproducible or independently inspectable support?
safety/security	Do bounded hazards and threat properties hold under the declared model?

Exact hash equality is valuable evidence for identity conformance. It cannot substitute for the other classes.

5. Compatibility Is a Tested Relation

Hash inequality detects difference; it does not determine incompatibility. Compatibility is directional, versioned, scoped, and property-specific:

$$Compat(A_v, B_w, p, k) \in \{supported, unsupported, unknown\},$$

where p is the property and k the context. A reader may accept an older artifact while a writer cannot emit it; one law pack may preserve identity but not execution semantics; a bridge may translate only a subset.

A compatibility declaration needs tests, translation remainders, security assumptions, authority, and expiry or revision conditions. Self-declaration alone is not conformance.

6. Standards Lifecycle and Governance

A candidate lifecycle is:

1. proposal with exact custody and problem statement;
2. draft schema, law, and threat/claim boundaries;
3. candidate test vectors and must-reject corpus;
4. at least two independent implementations where feasible;
5. frozen conformance release with reproducible evidence;
6. provisional domain adoption by named authorities;
7. monitored operation and issue registry;
8. revision, deprecation, withdrawal, or fork with preserved lineage.

MDSP itself needs a constitution: membership, proposal rights, review and voting, conflict disclosure, appeals, release signing, key rotation, emergency handling, capture detection, accessibility, archive custody, and fork recognition. No technical grammar can supply its own legitimate standards authority.

7. Foundational Core

Before domain standards, the program needs bounded foundational profiles:

- canonical grammar, typing, normalization, numeric and text encoding;
- domain separation and hash agility;
- identity, alias, fork, successor, and migration semantics;
- receipt and evidence schemas;
- execution-context, resource, observation, and nondeterminism declarations;
- conformance-result and claim-ceiling vocabulary; and
- amendment and compatibility contracts.

The core should minimize domain assumptions. Every universal feature raises the risk that one domain's ontology or power structure is embedded in all others.

8. Domain Sequencing by Dependency and Risk

The source phases remain useful as a possibility map: compute/Jnana, network/MIP, storage, identity, contract, governance, actuation, finance, and health. They should not be treated as authorized standards or a fixed deployment schedule.

A safer sequencing principle is:

- begin with closed, simulated, reversible artifact and transformation profiles;
- demonstrate independent canonicalization and receipt verification;
- add storage, project-lineage, and bounded network profiles;
- add identity and delegation only with threat analysis and recovery;
- approach contracts and institutional governance with legal and social expertise; and
- defer physical actuation, finance, and health until domain authorities, safety cases, liability, human oversight, and real evidence exist.

Higher harm requires stronger refusal bias and stronger evidence, but refusal itself can cause harm. Domain standards must model omission, delay, denial, recovery, and contest as well as unsafe action.

9. Risk Concentration and Federation

MCIR-Core is a major concentration of risk, but not the only one. Other concentrations include:

- standards-governance capture;
- canonicalizer disagreement or false merge;

- cryptographic and key-management failure;
- reference implementation dominance;
- bridge and migration errors;
- execution-binding mismatch;
- incomplete effect observation;
- domain-law bias or expert disagreement; and
- inaccessible complexity that excludes participants.

Federation limits blast radius. Domain profiles should be independently versioned and forkable, with explicit imports and no silent authority propagation. Common core does not imply one global court.

10. Program Evidence Package

Each release should carry:

- normative source and exact canonical identity;
- grammar, schemas, and semantic obligations;
- positive, negative, boundary, fuzz, migration, and differential vectors;
- implementation and toolchain identities;
- reproducible build or reconstruction instructions where applicable;
- threat, safety, privacy, accessibility, and governance scope;
- test results and unresolved divergences;
- compatibility matrix;
- receipt and signature verification data;
- issue, exception, and known-limitation registry; and
- amendment, deprecation, and fork lineage.

A release missing required evidence may remain a draft or experimental profile. It should not be described as mature because it has a name and hash.

11. Corpus Integration

The canonical **MCIR** paper supplies the shared representation candidate. **Jnana II** supplies the compute-transformation profile. **Mosaic Internet Protocol** supplies a network-domain candidate. **Governed Semantic Project Lineage** supplies artifact custody, succession, and project-history relations. **The Three Hash Rule** binds intent, artifact, and result but does not replace domain conformance. **Governance Coverage Gaps** tests whether execution bindings omit capabilities.

The **Governed Meaning Base (GMB)** can retain standard identities, profiles, imports, standing, tests, evidence, conflicts, exceptions, and revision histories. The universal **GSM** can type relationships without collapsing domain meanings or standards authority.

12. Realization Funnel

$$
\begin{aligned}
& P \\
& \to S \\
& \to CM_1 \\
& \to CM_2 \\
& \to IC \\
& \to IR \\
& \to E \\
& \to R
\end{aligned}
\quad .
$$

- **Possibility:** enumerate core, domain, governance, compatibility, and evidence profiles.
- **Specification:** define the standards envelope, conformance classes, lifecycle, and claim ceilings.
- **CM1:** retain admissible program configurations, including centralized, fragmented, costly, or unsafe ones for comparison.
- **CM2:** prefer configurations by interoperability, sovereignty, safety, accessibility, governance legitimacy, reversibility, and cost.
- **IC:** select an **Instance Constitution** or **Instance Configuration** for the standards program or one domain. The expansions are interchangeable.
- **IR:** produce an **Instance Realization** or **Implementation Realization** such as schemas, canonicalizers, test runners, registries, bridges, and reference tools. The expansions are interchangeable.
- **Evidence:** run independent, differential, adversarial, migration, governance, and domain validation.
- **Revision:** amend, deprecate, withdraw, or fork with successor identity and preserved custody.

This paper reaches Specification and proposes CM1/CM2 and sequencing criteria. It establishes no IC, IR, or standard.

13. Evaluation Program

MDSP should be evaluated through: (1) independent canonicalizers; (2) false-merge and false-split cases; (3) cross-version migration; (4) directional compatibility; (5) must-reject and fuzz corpora; (6) alternate implementation and bootstrap paths; (7) compromised keys and maintainers; (8) standards-body capture and fork; (9) bridge remainder and obligation loss; (10) execution/observation mismatch; (11) provider exit; (12) accessibility and contributor burden; and (13) domain-specific expert validation before high-stakes use.

Federated Standards-Governance Program

Across the completed P1 corpus, the MCIR Domain Standards Program is the **federated standards-governance and evidence program for declaring**

domain profiles, compatibility relations, conformance classes, lifecycle states, and forkable authority around MCIR-family artifacts. It is not itself a standard, standards body, global law, or proof that named domain profiles are ready.

- **Adjacent work:** *MCIR Topologies*
  Supplies: Configuration grammar for canonical representation structures and projections.
  MDSP boundary: MDSP governs domain profile publication and compatibility rather than choosing one topology globally.
- **Adjacent work:** *Jnana II: Constitutional Transformation Substrate*
  Supplies: A candidate compute-transformation and effect profile.
  MDSP boundary: Jnana II is one possible domain program participant, not foundational authority over MDSP.
- **Adjacent work:** *From Content-Addressed Storage to Governed Semantic Project Lineage*
  Supplies: Exact heads, successors, projections, migrations, and reconstructability.
  MDSP boundary: MDSP applies lineage to standards releases, suites, evidence, deprecation, and forks.
- **Adjacent work:** *Governance Coverage Gaps*
  Supplies: Detection of omitted capabilities and effects in execution bindings.
  MDSP boundary: A conforming artifact cannot compensate for an uncovered realization path.
- **Adjacent work:** *The Ableman Format Specification (AFS)*
  Supplies: Cross-artifact roles, canonicalization, profiles, validators, and vectors.
  MDSP boundary: AFS can supply packaging discipline while MDSP governs multi-domain standards relations.

Every published profile should be a governed standards package:

$$S = (core_version, domain_law, execution_binding, \\ conformance_suite, governance, authority, compatibility, \\ migration, security, privacy, accessibility, evidence, \\ lifecycle).$$

Profile status should distinguish `EXPLORATORY`, `DRAFT`, `CANDIDATE`, `ADOPTED_BY_NAMED_AUTHORITY`, `IMPLEMENTED`, `TESTED`, `DEPRECATED`, `WITHDRAWN`, and `FORKED`. These states are multidimensional: adoption does not imply implementation, and implementation does not imply safety, legitimacy, or compatibility.

Compatibility must name direction, property, context, versions, bridge, obligations preserved, remainder, tests, authority, and expiry. A bridge that parses two profiles but drops refusal, privacy, or effect obligations is not compatible for those properties. Federation requires domains to retain a lawful refusal and fork path rather than accepting a central registry as ambient authority.

The universal GSM can type
`DECLARES_DOMAIN_PROFILE`, `IMPORTS_MCIR_CORE_VERSION`, `ADOPTED_BY_NAMED_AUTHORITY`, `TESTS_CONFORMANCE_CLASS`, `COMPATIBLE_DIRECTIONALLY_FOR_PROPERTY`, `MIGRATES_STANDARD_VERSION`, `DROPS_BRIDGE_OBLIGATION`, `DEPRECATES_PROFILE`, `FORKS_STANDARDS_GOVERNANCE`, and
`REMAINS_NONSTANDARD_CANDIDATE`. These relations make standards status inspectable without manufacturing it.

This integration establishes four editorial commitments: retain MDSP as the federated standards-governance program; adopt the governed package and multidimensional lifecycle states; require property-specific directional compatibility with obligation-remainder evidence; and keep every named domain profile nonstandard until a separately identified authority, adoption act, implementation, and conformance package exist.

Standards Adoption Without Self-Ratification

The fixed-seed comparison with Terminability, Water/MCIR, *The Locus of Qualia*, and *Legitimacy Without Self-Ratification* reveals that standards lifecycle labels need a protected adoption-transition contract:

$$\begin{aligned} A = (&profile, proposer, prestate, antecedent_rules,\\ &adopting_authority, control_graph, evidence, decision,.\\ &poststate, standing, contest, receipt) \end{aligned}$$

A profile author, registry operator, test-suite producer, and adopting authority may share infrastructure or personnel. Nominal separation is insufficient when the profile can generate the rule, evidence, adjudication, and status that ratify itself. MDSP should disclose common control and preserve a contest or fork path under a named threat model.

Water can serve as a pedagogical or diagnostic profile only if its mappings and benefit are testable against direct MCIR notation. The Locus of Qualia could motivate a domain evidence package for reports, measurements, interventions, realization bridges, and claim ceilings, but premature standardization would risk freezing an unresolved ontology. A standard may define interoperable records without declaring the scientific hypothesis true.

The Terminability adjacency produces
`NO_MATERIAL_RELATION` to substantive moral decisions. MDSP may standard-

ize case records or procedures, but profile adoption and conformance cannot determine whether ending is justified or who possesses ending authority.

The universal GSM can type
`PROPOSES_STANDARDS_ADOPTION`, `ADOPTS_UNDER_ANTECEDENT_RULE`, `DISCLOSES_STANDARDS_CONTROL_GRAPH`, `CONTESTS_PROFILE_STANDING`, `STANDARDIZES_EVIDENCE_RECORD_WITHOUT_TRUTH`, `FREEZES_UNRESOLVED_ONTOLOGY`, and
`HAS_NO_NORMATIVE_TERMINABILITY_EFFECT`.

This randomized review establishes four editorial commitments: adopt the protected adoption-transition contract; require threat-model-relative control disclosure and contestability; permit evidence-schema standardization without scientific truth standing; and exclude substantive Terminability decisions from conformance effects.

Standards Standing Without Self-Ratification

Three retained downstream uses expose MDSP's constitutional core. *Legitimacy Without Self-Ratification* requires profile adoption to pass an independent authority path. *The Locus of Qualia* uses standards only for interoperable claim, evidence, method, and comparison packages without fixing an ontology or realization bridge. Water may be published as a pedagogical profile subordinate to exact MCIR objects. Terminability is an explicit nonrelation: standards cannot decide the moral or legal standing of ending a subject.

The standards lifecycle should distinguish:

$$S = (proposal, candidate, trial, implemented, conformant, \\ compatible, replicated, adopted, deprecated, withdrawn,, \\ forked)$$

with a transition record:

$$T = (profile, prestate, requested_posture, law, authority, \\ control_graph, evidence, adjudication, receipt, \\ remainder, appeal, successor) \quad .$$

No posture implies the next. Registry publication does not establish adoption. Validator passage does not establish semantic compatibility. Implementation does not establish conformance. Replication does not establish domain truth. Committee plurality does not establish independence when proposer, validator, registry, adjudicator, and primary beneficiaries share control.

Federation should permit domain-specific forks, partial compatibility, and explicit refusal while preserving shared core obligations. A profile can standardize

evidence packaging without standardizing the meaning of the evidence. Deprecation and withdrawal should propagate to dependents without erasing historical conformance results.

The universal GSM can type
`REQUESTS_STANDARD_POSTURE`,
`PASSES_VALIDATOR_WITHOUT_ADOPTION`, `IMPLEMENTS_WITHOUT_CONFORMANCE`,
`CONFORMS_WITHOUT_TRUTH`, `ADJUDICATED_OUTSIDE_SUBJECT_CONTROL`,
`FORKS_DOMAIN_PROFILE`,
`DEPRECATES_WITH_DEPENDENT_IMPACT`, and
`HAS_NO_TERMINABILITY_AUTHORITY`.

This reverse-dependency review establishes four editorial commitments: adopt the explicit standing lifecycle; require a control-graph and anti-self-ratification test for adoption; preserve evidence-package interoperability without ontology capture; and support fork, refusal, deprecation, and withdrawal with dependent impact records.

14. Counterevidence and Failure Modes

The program should be narrowed or rejected where: (1) canonicalization is called semantic uniqueness; (2) hash equality is treated as legitimacy or behavior; (3) domain meaning is forced into one ontology; (4) core imports hidden policy; (5) compatibility is only declared; (6) directional or partial compatibility is hidden; (7) one implementation defines the standard; (8) implementations share code and are not independent; (9) test vectors encode the same bug; (10) false merges erase material distinctions; (11) false splits defeat interoperability; (12) normalization or Unicode assumptions are unverified; (13) hash agility breaks historical identity; (14) key authority is ungoverned; (15) standards governance is captured; (16) emergency changes bypass lineage; (17) a domain profile becomes a global court; (18) bridge translation drops obligations; (19) execution differs from the canonical artifact; (20) receipts omit effects; (21) one score hides conformance failure; (22) a draft is described as a standard; (23) health, finance, contract, or actuation claims lack domain authority and evidence; (24) refusal creates unmodeled harm; (25) privacy and accessibility are omitted; (26) legal effect is inferred from mechanical validity; (27) MIP, Jnana, PEIR, or domain names are treated as implemented standards; (28) GMB inclusion grants standing; (29) forks are discouraged in the name of comparability; or (30) external primary-source and expert review is absent.

Comparable Standards Must Not Become Universal Law

Public orientation

MDSP proposes a federated envelope through which domains can publish canonical artifacts, law packs, execution bindings, conformance suites, authority, amendments, forks, evidence, lifecycle, and withdrawal. The aim is mechanically

inspectable divergence, not uniform policy. Hash equality and canonicalization support exact comparison within a declared regime; semantic, behavioral, governance, safety, legal, and legitimacy claims remain separate.

Adversarial tests

1. **Canonical-universality attack.** One grammar or byte form is treated as a universally unique semantic representation across domains.
2. **Conformance-collapse attack.** Syntactic, semantic, behavioral, governance, security, safety, and legal conformance are compressed into one passing badge.
3. **Self-ratification attack.** Program authors define the profile, build the implementation, run the suite, and grant standards standing to themselves.
4. **Federation-capture attack.** Powerful members control core schemas, naming, certification, amendment, fees, and interoperability terms.
5. **Compatibility-marketing attack.** Partial or directional compatibility is presented as full substitutability or safe interoperability.
6. **Domain-expertise attack.** A shared constitutional substrate enters clinical, financial, legal, infrastructure, or physical domains without independent authorities and expertise.
7. **Test-freeze attack.** Conformance suites stabilize known behavior while missing new threats, affected-party harms, and specification defects.
8. **Adoption-burden attack.** Canonicalization, evidence, receipts, and certification costs exclude small communities or centralize tooling and custody.

Claim and evidence ceiling

The paper is a federated standards roadmap. It establishes no standard, standards body, certification authority, domain law, implementation, conformance result, interoperability, legal effect, safety result, or global adoption case. Canonical bytes are equality under a named profile, not semantic uniqueness or legitimacy.

Progress requires independent governance, transparent participation, appeals, conflict and funding rules, open reference tooling, negative conformance tests, inter-laboratory reproduction, domain-specific safety and legal authority, cost and accessibility evidence, and current standards research. No program was founded or external research performed in this pass.

Reader-facing consequence

MDSP is credible only if different communities can compare artifacts and prove bounded compatibility while retaining the power to diverge, refuse, fork, withdraw, and challenge who gets to call anything a standard.

16. Conclusion

MDSP can make governed divergence inspectable without making civilization uniform. Its viable form is a federation: a minimal shared representation and receipt substrate, domain-owned law and execution profiles, explicit compatibility, independent conformance, and forkable standards governance.

Hashes can reveal that canonical artifacts differ. Tests can establish bounded correspondence. Receipts can preserve decisions and outcomes. None of these decides whether a domain law is just, safe, legitimate, or complete. Those questions remain inside explicit human and institutional authority.

Comparability is valuable when it exposes difference without erasing it. That is the strongest constitutional objective for the program.

Reference and Verification Note

No external source was searched in this pass. Further evidentiary strengthening requires authorized primary-source and domain-expert review of canonicalization and Unicode, cryptographic hashing and agility, formal schema evolution, conformance and standards governance, networking, identity, contracts, institutional design, cyber-physical safety, finance, health, privacy, accessibility, and legal effect.

Corpus-Wide Reference Positioning

This paper argues that the MCIR Domain Standards Program proposes a shared constitutional substrate through which independently governed domains can publish canonical artifacts, explicit law packs, execution bindings, receipts, conformance tests, amendments, and forks. Its nearest external comparison fields are governance, provenance, formal. The sources in [E1], [E2], [E3], [E4], [E5], [E6], [E7] are cited as predecessor literature, adjacent standards, or counterpressure - not as evidence that they caused the Ableman framework or that they validate its novel claims. The comparison isolates where established work already supplies provenance, formal assurance, institutional constraint, empirical method, or engineering practice, and where this paper adds a distinct claim about admissibility, authority, semantic custody, or governed realization.

Within the Ableman corpus, the highest-priority current cross-links are [A1], [A2], [A3], [A4], [A5], [A6], [A7]. These are links among separately custodied works, not silent identity mergers. Their role is to expose mutual dependencies, terminology collisions, and places where a reader should traverse the corpus before treating this paper as self-sufficient.

Reference-pass counterevidence and limit search

The pass applied the following pressure tests: A written constitution can legitimate domination as easily as constrain it unless amendment, participation,

enforcement, and appeal remain effective in practice. A complete provenance graph can faithfully record a false or unauthorized process; provenance is evidence about lineage, not automatic truth or legitimacy. Formal assurance remains relative to the encoded model, trusted base, and refinement chain; proof does not remove specification error or unmodeled environmental behavior. These limits are not generic disclaimers: they identify the assumptions that a later empirical, formal, or implementation review must try to break.

Reference-pass influence and novelty boundary

No newly added external source is asserted to be a documented authorial influence unless the predecessor source already said so. `Predecessor` means earlier relevant work;

`adjacent` means a useful comparison; `standard` means an interoperability or assurance baseline; and `counterevidence` marks work that narrows or pressures a claim. Novelty therefore remains a reviewable, claim-level question rather than an inference from a low similarity score or an absent citation.

References

External scholarship, standards, and prior art

[**E1**] Elinor Ostrom. *Governing the Commons: The Evolution of Institutions for Collective Action.* Cambridge University Press, 1990. DOI: 10.1017/CBO9780511807763. https://doi.org/10.1017/CBO9780511807763 **Relationship:** Predecessor institutional account of rule-governed collective action and polycentric governance.

[**E2**] Wil Waluchow and Dimitrios Kyritsis. "Constitutionalism." *Stanford Encyclopedia of Philosophy*, substantive revision 2023. https://plato.stanford.edu/entries/constitutionalism/ **Relationship:** Adjacent legal-philosophical account of limited authority; included to expose differences between political and computational constitutionalism.

[**E3**] Lawrence Lessig. *Code: Version 2.0.* Basic Books, 2006. https://codev2.cc/ **Relationship:** Predecessor argument that software architecture regulates behavior; the paper's contribution may be to make such regulation inspectable and revisable.

[**E4**] OECD. *Recommendation of the Council on Artificial Intelligence.* OECD/LEGAL/0449, adopted 2019 and updated 2024. legalinstruments.oecd.org source **Relationship:** Adjacent policy standard for accountability, traceability, transparency, safety, and human-centered values.

[**E5**] W3C. *PROV-O: The PROV Ontology.* W3C Recommendation, 30 April 2013. https://www.w3.org/TR/prov-o/ **Relationship:** Adjacent provenance standard; it models entities, activities, and agents, but does not by itself establish the paper's stronger authority or standing claims.

[**E6**] Santiago Torres-Arias et al. "in-toto: Providing Farm-to-Table Guarantees for Bits and Bytes." *28th USENIX Security Symposium*, 2019, pp. 1393-1410. usenix.org source **Relationship:** Predecessor supply-chain lineage system used for comparison; no influence claim is made unless the source head already documents one.

[**E7**] OpenSSF. *Supply-chain Levels for Software Artifacts (SLSA), Version 1.2.* 2026. https://slsa.dev/spec/v1.2/ **Relationship:** Adjacent software-supply-chain assurance standard, especially relevant to provenance and verification boundaries.

Ableman corpus

[**A1**] Adam Ableman. *Ableman Constitutional Governance.* Ableman Corpus current edition; work identity
`AMCS-LOCAL-WORK-79353AF163A4B0F1`;
source SHA-256
`FB0D9B2D3D54168FFE70B24308D1B2766D6D663ED24502D475E975939BE97C8B`.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A2**] Adam Ableman. *Constitutional Theory.* Ableman Corpus current edition; work identity
`AMCS-LOCAL-WORK-D2D97C4042FD281F`;
source SHA-256
`FACC256EDDE5A7D7EA18133CFC9C060CFB8C3811B0221E1969E62347F2BB69CF`.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A3**] Adam Ableman. *Governance Engineering.* Ableman Corpus current edition; work identity `PAPER.PUB.18749870`;
source SHA-256
`372169F315D192733856B1F4A3F1038BBC73F57CF3ED9ACABAE72B965A69C8D0`.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A4**] Adam Ableman. *Universal Governance Kernel (UGK).* Ableman Corpus current edition; work identity
`AMCS-LOCAL-WORK-1F9BFB2BF8370226`;
source SHA-256
`AA5106EA71E5DF120E141435C280DFC532715CA5DE0C75B8862BB7784ECCFACD`.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A5**] Adam Ableman. *Legitimacy Without Self-Ratification.* Ableman Corpus current edition; work identity
`AMCS-LOCAL-WORK-EF2382F9397335AC`;
source SHA-256

0186A39C808F8FDDB5C8F42384DF1A26678928434BD50A0EAE8D4947390F68A2.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A6**] Adam Ableman. *Reasoning by Way of Receipts.* Ableman Corpus current edition; work identity
AMCS-LOCAL-WORK-04E427F6F4D94454;
source SHA-256
AF86A66CCD6A103DD75208500AE99148911A6453B6DFDF36A954279F21AB8489.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A7**] Adam Ableman. *The Epistemic Lineage Engine.* Ableman Corpus current edition; work identity
AMCS-LOCAL-WORK-E0EC3DC7EABF5060;
source SHA-256
CDD74D9AFAB6532645E68F7F6C9F0F7A9E472D9B8E717290522566FF8DC01F11.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

Editorial source notes retained from predecessor

The entries below are corpus-internal comparison and dependency sources. Their inclusion does not establish external validation of this paper's empirical, safety, novelty, or performance claims.

Adam Ableman *The Three Hash Rule.* Zenodo, 2026. doi:10.5281/zenodo.20788617

Adam Ableman *A Theory of Agentic Observation.* Zenodo, 2026. doi:10.5281/zenodo.20437813

Adam Ableman *CARA: Constrained Artificial Reasoning Architecture.* Zenodo, 2025. doi:10.5281/zenodo.18099715

Adam Ableman *Constitutional Computation.* Zenodo, 2026. doi:10.5281/zenodo.20624488

Adam Ableman *Constraint-Bearing Composability.* Zenodo, 2026. doi:10.5281/zenodo.21632061

Adam Ableman *Fractal Governance Architecture.* Zenodo, 2026. doi:10.5281/zenodo.20754189

Adam Ableman *Governed Semantic Compilation: Lawful Continuation, Refusal Semantics, and Epistemic Promotion in Large Language Models.* Zenodo, 2026. doi:10.5281/zenodo.18453681

Adam Ableman *MCIR: A Canonical Intermediate Representation for Governed Transformation.* Zenodo, 2026. doi:10.5281/zenodo.21095303

Corpus source and companion formats: https://github.com/AblemanMosaic/ableman-corpus
License: CC-BY-ND-4.0

DOI: 10.5281/zenodo.23847995