Constitutional Binding Theory

Governed Anchor Resolution Across Semantic Systems

A binding may be provisional, plural, contested, or refused.

Author
Adam Ableman
Constitutional Computing
Contact: ableman.research@gmail.com

Abstract

Semantic systems repeatedly reduce a field of possible interpretations into a structure that can guide further reasoning or action. Constitutional Binding Theory (CBT) describes a recurring form of that reduction: a system declares the relevant possibility manifold, resolves or constructs an anchor under explicit authority and criteria, crystallizes typed relations around that anchor, realizes only what the resulting constraints permit, and revises the binding when evidence changes.

The pattern appears at several scales in the corpus: lexical identity through Global Term Keys; compositional relations through semantic graphs; canonical machine-legible meaning through MCIR; procedural plans through execution representations; system configuration through constitutional specifications; and corpus topology through the Governed Meaning Base. These are proposed instances of a shared maneuver, not evidence that the systems are identical or that every semantic process has one architecture.

The central thesis is therefore bounded: **actionable meaning can be made accountable through successive governed bindings whose alternatives, authority, provenance, uncertainty, and revision conditions remain inspectable.** A binding may be provisional, plural, contested, or refused. Selection alone does not make it lawful, true, legitimate, or complete.

Source, Evidence, and Standing

This is an AI-assisted integrated edition derived from one exact author manuscript. The custody manifest is
`work/paper-saturation-v1/evidence/`

`constitutional-binding-theory/integration-custody-manifest.v0.1.json`,
SHA-256

4C1FC5976FD9C77F6A99DE95CA929DE69B9F3505E3E6CABEFE5FA52C11828EEF.
The source remains unchanged.

The governed-anchor thesis, recurring maneuver, layer examples, entropy metaphor, legitimacy distinction, structural-symmetry proposal, Turing-completeness comparison, implications, and original failure modes are author material. Formal records, uncertainty and plurality rules, corpus integration, full realization funnel, countertests, and publication decisions are AI editorial or synthetic candidates until adopted.

No empirical or universal claim is established. No external literature was consulted.

1. The Irreducible Maneuver

CBT proposes five recurrent operations:

1. **Declare the manifold.** Identify the relevant alternatives, including unknown and presently inexpressible cases.
2. **Resolve or construct an anchor.** Select, create, or retain one or more reference points under declared criteria and authority.
3. **Crystallize relations.** Type the local structure that follows from the anchor without erasing excluded alternatives.
4. **Realize within scope.** Interpret, store, plan, or act only within the binding's declared jurisdiction.
5. **Observe and revise.** Bind evidence, contradiction, appeal, expiration, and amendment to the exact binding.

The maneuver does not require a single winner. It may yield a distribution, an ambiguity set, a fork, an abstention, or a typed unknown. Some domains should delay collapse because the cost of a false anchor exceeds the cost of uncertainty.

2. A Binding Record

Let the possibility manifold at layer i be M_i and its candidate anchors be $A_i \subseteq M_i$. A governed binding record can be represented as:

$$B_i = (M_i, A_i, a_i, C_i, U_i, X_i, P_i, R_i),$$

where a_i is the selected anchor or anchor set, C_i the criteria and constraints, U_i the authority and jurisdiction, X_i the excluded or deferred alternatives, P_i provenance and evidence, and R_i revision conditions.

Admission requires more than selection:

$$
\begin{aligned}
&Admit(B_i) = Authorized(U_i) \\
&\wedge CriteriaDeclared(C_i) \\
&\wedge ProvenanceBound(P_i) \\
&\wedge RevisionOpen(R_i)
\end{aligned}
\quad .
$$

This predicate still does not prove that a_i is true. It states that the system may proceed under a declared, inspectable, revisable binding. A useful implementation should also carry confidence, contest, expiry, and the semantic remainder that the representation could not preserve.

3. Layered Instances

3.1 Lexical Binding

A surface form such as `bank` can denote a financial institution, river edge, aviation maneuver, or reserve. A Global Term Key can provide a stable candidate identity while retaining aliases, competing senses, invariant floor, provenance, and context. The token is not identical to the concept, and the chosen concept is not made true by the key.

3.2 Compositional Binding

Resolved terms do not determine a proposition. A semantic graph binds roles, predicates, modality, temporality, causality, scope, and implication. Multiple parses may remain admissible. The graph is a representation of a reading, not the utterance itself.

3.3 Canonical Meaning Binding

MCIR can transform admitted semantic structure into a canonical Intermediate Representation. Canonicalization is always relative to a declared schema and equivalence regime. Byte stability, structural equivalence, semantic equivalence, and behavioral equivalence remain different claims.

3.4 Procedural Binding

A procedural representation lowers a meaning-bearing specification into ordered, scoped, effect-bounded steps. Lowering can introduce choices and semantic remainder. It therefore requires obligations and evidence, not only translation.

3.5 System Binding

A constitutional system specification separates invariants, admissible configurations, preferred configurations, selected instance configuration, realized implementation, evidence, and revision. A selected configuration is not yet a working implementation.

3.6 Corpus Binding

The current architecture is the **Governed Meaning Base (GMB)** in the historical `CCF -> CMB -> GMB` lineage. GMB can retain sources, concepts, candidate identities, claims, conflicts, bindings, standing, evidence, and revisions. Inclusion in GMB does not grant truth, identity, or canonical standing.

4. Binding, Collapse, and Information Loss

The source describes binding as entropy reduction and crystallization. The metaphor is useful if bounded. A binding reduces the alternatives the system treats as actionable under one purpose, but it need not destroy the larger manifold. The system should retain:

- which alternatives were considered;
- which were excluded and why;
- what remained unknown;
- what representation loss occurred;
- who had authority to decide;
- what evidence could reopen the binding.

No thermodynamic or information-theoretic result follows from the metaphor without a formal probability space, measure, and transformation. CBT uses **high entropy** as a qualitative description of underdetermination unless a domain-specific measure is supplied.

5. Lawfulness Is Scope-Relative

A binding is constitutional only relative to a constitution, jurisdiction, authority, procedure, and subject. It may be procedurally admissible yet factually wrong, locally valid yet globally incompatible, or useful for one task and harmful for another.

Minimum legitimacy conditions are:

- declared subject and jurisdiction;
- identifiable authority and limits;
- inspectable selection or construction criteria;
- source and transformation provenance;
- alternatives and uncertainty retained at appropriate depth;
- effects attributable to the binding;
- contest, rollback, and amendment routes;
- evidence adequate to the claim made.

Calling a collapse constitutional cannot substitute for satisfying these conditions.

6. Recursive Symmetry Without Forced Uniformity

The recurring structure can be summarized as:

- **Scale:** Lexical
  Open manifold: senses
  Candidate anchor: GTK
  Product: resolved concept reference
  Main risk: false disambiguation
- **Scale:** Compositional
  Open manifold: readings
  Candidate anchor: semantic graph
  Product: proposition structure
  Main risk: scope loss
- **Scale:** Canonical
  Open manifold: representations
  Candidate anchor: MCIR schema
  Product: canonical object
  Main risk: false equivalence
- **Scale:** Procedural
  Open manifold: plans
  Candidate anchor: execution representation
  Product: bounded procedure
  Main risk: semantic remainder
- **Scale:** System
  Open manifold: configurations
  Candidate anchor: IC
  Product: selected instance
  Main risk: premature commitment
- **Scale:** Corpus
  Open manifold: claims and relations
  Candidate anchor: GMB entry and typed edges
  Product: governed topology
  Main risk: authority laundering

The table supports a family resemblance, not a proof of universality. Different layers may use different logics, evidence, authorities, and revision dynamics.

7. Relation to Computation

CBT does not oppose expressive computation. It distinguishes computational possibility from admissible continuation. A general-purpose substrate may support arbitrary programs, while a constitutional boundary restricts which programs, effects, and claims are admitted in a particular jurisdiction.

The relevant contrast is therefore not simply Turing-complete versus non-Turing-complete. It is:

$$\textit{Reachable} \neq \textit{Admissible} \neq \textit{Authorized} \neq \textit{Evidenced}.$$

Containment, resource bounds, capability boundaries, type systems, proof obligations, and effect gates can constrain a Turing-complete interior. Whether any particular root is computationally universal is an implementation property requiring proof.

8. Primitives, Invariants, Dimensions, and Adjacencies

Primitives: manifold, candidate anchor, selected anchor, anchor set, criterion, authority, jurisdiction, binding, exclusion, remainder, provenance, evidence, contest, expiry, realization, and revision.

Invariants: a binding identifies its subject and scope; selection does not erase alternatives; authority does not imply truth; representation does not imply realization; realization does not imply success; evidence remains claim-scoped; revision preserves lineage; and no layer silently promotes its output into standing at another layer.

Dimensions: cardinality of anchors, confidence, reversibility, authority centralization, provenance depth, semantic loss, time horizon, context sensitivity, pluralism, contestability, evidence strength, and effect severity.

Adjacencies: Semantic Manifold Topology describes the shape and traversal of meaning spaces; MCIR supplies one canonical representation profile; Ableman's Razor and the realization funnel separate stages of commitment; the GMB retains the resulting objects and disputes. These are typed interfaces, not identity mergers.

9. Universal GSM Projection

The universal GSM can represent `CANDIDATE_FOR`, `BOUND_AS`, `EXCLUDES`, `RETAINS_AS_ALTERNATIVE`, `AUTHORIZED_BY`, `SUPPORTED_BY`, `CONTESTED_BY`, `REALIZED_AS`,
`OBSERVED_BY`, `INVALIDATED_BY`,
and `REVISED_BY`. Every edge should retain source coordinates, standing, scope, authority, confidence, and revision lineage.

The pedagogical projection explains why a binding was made and what it enables. The agent projection supplies admissible next steps and unresolved obligations. The scholarly projection exposes sources, alternatives, counterevidence, and terminology history.

10. Realization Funnel

$$
\begin{aligned}
&\mathit{Possibility}\\
&\rightarrow \mathit{Specification}\\
&\rightarrow CM_1\\
&\rightarrow CM_2\\
&\rightarrow IC\\
&\rightarrow IR\\
&\rightarrow \mathit{Evidence}\\
&\rightarrow \mathit{Revision}
\end{aligned}
$$

- **Possibility:** expose the broad manifold, including harmful, trivial, contradictory, and presently unknown possibilities.
- **Specification:** define binding objects, jurisdictions, criteria, authority, loss, and revision semantics.
- **CM1:** enumerate admissible binding mechanisms and configurations.
- **CM2:** select preferable configurations under accuracy, pluralism, reversibility, cost, risk, and legibility criteria.
- **IC:** bind an Instance Constitution or Instance Configuration for a particular semantic system.
- **IR:** construct its Instance Realization or Implementation Realization.
- **Evidence:** test resolutions, transformations, effects, failure detection, contest, and rollback.
- **Revision:** amend the specification and bindings while preserving the earlier record.

In MCIR and comparable names, `IR` means **Intermediate Representation**. In this funnel, realization-stage

`IR` means **Instance Realization** or **Implementation Realization**. The senses must not be conflated.

Cross-Layer Anchor-Resolution Pattern

Across the completed P1 corpus, Constitutional Binding Theory (CBT) is best retained as the **cross-layer pattern for resolving an anchor to a governed target under explicit context, law, evidence, remainder, and revision**. It is not a claim that lexical, semantic, procedural, system, and corpus bindings are identical mechanisms or that every binding is constitutional.

- **Adjacent work:** *The Locus of Meaning*
  Supplies: A relational-constitutional account of semantic binding, jurisdiction, and consequence.
  CBT boundary: CBT abstracts the anchor-resolution maneuver across layers; it does not replace the broader meaning theory.
- **Adjacent work:** *Meaning as Binding*

Supplies: The compact semantic-binding thesis.
CBT boundary: CBT generalizes a governed resolution pattern beyond semantic meaning while preserving domain-specific differences.

- **Adjacent work:** *Global Term Key: Constitutional Lexical Identity Through Disambiguated Semantic Binding*
  Supplies: A registry and resolver for lexical identities and senses.
  CBT boundary: GTK is one lexical realization of the pattern.
- **Adjacent work:** *The Ableman Format Specification (AFS)*
  Supplies: Profiles, schemas, and conformance claims for governed artifacts.
  CBT boundary: AFS can encode binding obligations; CBT supplies the abstract resolution relation.
- **Adjacent work:** *Meta-Binding as Operational Invariant*
  Supplies: Obligations governing transformations of other bindings.
  CBT boundary: Meta-binding constrains how bindings survive change; CBT defines the basic anchor-resolution case.

A portable binding case is:

$$B = (anchor, anchor_identity, context, law, resolver, \\ candidates, target, evidence, remainder, standing,. \\ revision)$$

Anchor identity, candidate generation, resolution policy, selected target, evidence, and current standing remain separate. A resolver can deterministically produce the wrong target under a defective law. Two layers may instantiate the same abstract record while requiring different admissibility tests, evidence, consequences, and failure behavior.

The universality claim should therefore be comparative and defeasible. CBT is strengthened when the record exposes previously hidden common obligations and predicts failures across independently analyzed domains. It should be narrowed when the abstraction erases domain-specific constraints, adds no testable consequence, or merely renames ordinary lookup, linking, dispatch, or reference resolution.

The universal GSM can type `USES_ANCHOR`, `ANCHOR_IDENTIFIED_AS`, `RESOLVED_UNDER_CONTEXT`, `GOVERNED_BY_BINDING_LAW`, `CONSIDERS_CANDIDATE`, `RESOLVES_TO_TARGET`, `LEAVES_BINDING_REMAINDER`, `HAS_BINDING_STANDING`, `MISRESOLVED_AS`, and `REBOUND_BY_REVISION`. Recursive binding is represented through typed relations, not presumed uniform implementation.

This integration establishes four editorial commitments: adopt cross-layer anchor-resolution pattern as CBT's official corpus role; adopt the binding-case record; make universality a defeasible comparative claim; and require domain-specific evidence and failure semantics for every claimed instance.

Infrastructure Anchors, Cryptographic Profiles, Boundary Concretization, and Perspective-Safe Resolution

The fixed-seed comparison with constitutionally governed infrastructure, CHC, The Path Was Open, and The Locus of Shared Experience expands the binding case while preserving layer-specific differences:

$$\begin{aligned} B^* = (&anchor, anchor_identity, context, jurisdiction, law,\\ &resolver, candidates, target, evidence, concretization,\\ &permissions, perspective, remainder, standing, revision) \end{aligned} \quad .$$

Infrastructure resolves identities, requests, entitlements, priorities, routes, and remedies under rules that may shape practical continuation. The common binding pattern can expose hidden resolution choices, but it does not make the rule legitimate or every causal routing operation constitutional.

CHC can commit to the anchor bytes, claim envelope, canonicalizer, resolver profile, policy, and decision epoch. Cryptographic identity is one input to resolution; digest equality does not establish semantic identity, target correctness, or lawful standing.

The Path Was Open treats concrete-to-abstract effect mapping as a binding problem. A defective anchor, omitted candidate, unsound concretization, stale law, or wrong target can hide a reachable effect route. The resulting technical finding remains distinct from legal liability or moral fault.

The Locus of Shared Experience supplies a perspective and permission stress case. A bridge may resolve a participant's expression into a shared representation only within authorized access, direction, resolution, correction, and withdrawal constraints. Successful resolution does not merge participants, prove phenomenal sameness, or license withheld content.

The universal GSM can type
`RESOLVES_INFRASTRUCTURE_ANCHOR`,
`COMMITS_TO_BINDING_PROFILE`, `CONCRETIZES_EFFECT_CLASS`, `MISRESOLVES_BOUNDARY_TARGET`, `RESOLVES_UNDER_PARTICIPANT_PERMISSION`, `PRESERVES_PERSPECTIVE_DIFFERENCE`, and
`LEAVES_BINDING_REMAINDER`.

This randomized review establishes four editorial commitments: extend the binding record with concretization, permissions, and perspective; treat infrastructure routing as a governed but defeasible instance; use cryptographic profiles as bounded identity inputs; and require boundary and intersubjective applications to preserve legal, moral, and phenomenal non-inferences.

Concrete Profiles of the Anchor-Resolution Pattern

The frozen P3 field contains several downstream specializations of Constitutional Binding Theory. GOV uses it for source-to-record resolution; GTK uses it for lexical and semantic identity; CHC uses it to interpret canonicalized commitments; CGI uses it for requests, entitlements, routes, and remedies; boundary accountability uses it for concrete-to-abstract effect mapping; and shared-experience bridges use it for permissioned, directional participant resolution.

These uses support a comparative kernel:

$$\begin{aligned} B^* = (&anchor, anchor_identity, context, jurisdiction, law,\\ &resolver, candidates, target, evidence, concretization,\\ &permissions, perspective, remainder, standing, revision) \end{aligned} \quad .$$

They do not support one uniform mechanism. A lexical resolver, source pointer, policy router, effect concretizer, and intersubjective bridge require different admissibility tests, consequences, authorities, privacy constraints, and refusal behavior. The theory's universality claim is strongest when expressed as a reusable question set and record shape, not a claim of implementation equivalence.

Reverse dependency also exposes three additions. First, resolution must record who or what bears the consequence of a wrong target. Second, permissions and perspective are first-class for human-facing or participant-indexed bindings. Third, negative outcomes such as `AMBIGUOUS`, `WITHHELD`, `CONFLICT`, `OUT_OF_SCOPE`, and `REMAINDER` are lawful binding results rather than failures to force a target.

The universal GSM can type `SPECIALIZES_BINDING_PROFILE`, `RESOLVES_WITH_DOMAIN_TEST`, `BEARS_MISRESOLUTION_CONSEQUENCE`, `WITHHOLDS_UNDER_PERMISSION`, `RETURNS_BINDING_CONFLICT`, and `REFUSES_FORCED_UNIVERSALITY`.

This reverse-dependency review establishes four editorial commitments: retain CBT as a cross-layer record and question pattern; require profile-specific tests and consequences; add permission, perspective, and affected-party fields where relevant; and make typed non-resolution a first-class output.

11. Counterevidence and Failure Tests

CBT must narrow, revise, or fail if: (1) the same pattern cannot be defined across layers without equivocation; (2) anchor means identity in one layer and policy in another; (3) the manifold is invented after selection; (4) excluded alternatives are unrecoverable; (5) plural anchors are forced into one; (6) uncertainty cannot be represented; (7) selection authority is absent; (8) authority exceeds jurisdiction;

(9) criteria are hidden; (10) the selected anchor is circularly justified; (11) provenance is missing; (12) canonicalization changes meaning; (13) multiple forms falsely hash as equivalent; (14) identical forms receive incompatible meanings; (15) lowering drops obligations; (16) execution exceeds the binding; (17) effects cannot be attributed; (18) evidence is self-issued; (19) evidence supports only a narrower claim; (20) amendment rewrites history; (21) rollback cannot restore the prior state; (22) expiry is ignored; (23) context change leaves stale binding active; (24) a token is confused with a concept; (25) a graph is confused with a proposition; (26) a representation is confused with an implementation; (27) a GMB entry is treated as truth; (28) historical CCF or CMB terminology is presented as a separate current system; (29) entropy language lacks a measure but is used quantitatively; (30) thermodynamic analogy is treated as mechanism; (31) universality is claimed from corpus examples; (32) Turing-completeness claims lack implementation proof; (33) lawful is used as a synonym for correct; (34) contest has no effect; (35) a binding cannot express refusal; (36) harmful collapse is counted as progress; (37) the semantic remainder is hidden; (38) author and AI synthesis are mixed; (39) adjacent systems are merged by similarity; or (40) publication proceeds without citation and prior-art verification.

Binding Makes a Choice Accountable, Not True

Public orientation

Constitutional Binding Theory describes a recurring maneuver: declare alternatives, resolve or construct an anchor under stated criteria and authority, type relations around it, realize only within scope, and revise when evidence changes. The maneuver can produce plural, provisional, contested, refused, or unknown bindings. Selection is not truth, legitimacy, completeness, or lawful authority by itself.

Adversarial tests

1. **Manifold-closure attack.** The declared alternatives are treated as complete despite unknown, inexpressible, excluded, or newly emerging possibilities.
2. **Anchor-truth attack.** A selected name, identity, ontology node, configuration, or plan acquires truth because it is stable and useful.
3. **Authority-circularity attack.** The binding process validates the authority that authorized the binding.
4. **Premature-collapse attack.** A single anchor is chosen where ambiguity, plurality, contest, or delayed decision is safer and more faithful.
5. **Relation-inheritance attack.** Relations around an old anchor migrate to a successor, alias, translation, or merged node without revalidation.
6. **Cross-layer-uniformity attack.** Lexical, graph, compiler, workflow, system, and corpus bindings are treated as identical mechanisms because they share a pattern.

7. **Recursive-amplification attack.** An early defective binding constrains later manifolds and becomes harder to challenge at every layer.
8. **Universality-by-example attack.** Several corpus examples establish a universal semantic law without negative cases, rival patterns, or external comparison.

Claim and evidence ceiling

The paper specifies an accountable anchor-resolution pattern and cross-layer research program. It does not establish universal recurrence, Turing-like completeness, information-theoretic law, semantic truth, legitimate authority, complete manifolds, or identity among its example systems. Scope-relative lawfulness remains relative to an independently justified authority and domain.

Validation requires negative cases, rival binding models, explicit unknowns, delayed and plural outcomes, authority audits, propagation tests, cross-domain preservation contracts, a preregistered corpus, and current external research. None was performed in this pass.

Reader-facing consequence

CBT is useful when every actionable meaning can answer: what alternatives were considered, what anchor was chosen or refused, who could choose, what information was lost, which relations followed, where the choice applies, and how evidence can reopen it.

Conclusion

Meaning does not move directly from ambiguity to effect. It passes through bindings that select, relate, constrain, and expose a path for revision. CBT's useful claim is not that every semantic system performs one literal collapse. It is that actionable semantic commitment should carry its manifold, anchor, authority, provenance, exclusions, effects, and amendment route with it.

That formulation makes binding inspectable and corrigible. It also leaves room for abstention, plurality, and reopening when the evidence changes.

Reference and Verification Note

The exact comparison set inspected for this candidate includes *Semantic Manifold Topology - Worked Example*, *Meta-Compilation Intermediate Representation*, and *GMB: Integrating Semantic Manifold Topology*. No external literature was consulted. Further evidentiary strengthening requires verified citations for the corpus primitives and authorized prior-art review covering semantics, disambiguation, canonicalization, belief revision, type systems, compilation, constitutional theory, information theory, and constrained computation.

Corpus-Wide Reference Positioning

This paper argues that semantic systems repeatedly reduce a field of possible interpretations into a structure that can guide further reasoning or action. Its nearest external comparison fields are semantic, governance, provenance. The sources in [E1], [E2], [E3], [E4], [E5], [E6], [E7] are cited as predecessor literature, adjacent standards, or counterpressure - not as evidence that they caused the Ableman framework or that they validate its novel claims. The comparison isolates where established work already supplies provenance, formal assurance, institutional constraint, empirical method, or engineering practice, and where this paper adds a distinct claim about admissibility, authority, semantic custody, or governed realization.

Within the Ableman corpus, the highest-priority current cross-links are [A1], [A2], [A3], [A4], [A5], [A6], [A7]. These are links among separately custodied works, not silent identity mergers. Their role is to expose mutual dependencies, terminology collisions, and places where a reader should traverse the corpus before treating this paper as self-sufficient.

Reference-pass counterevidence and limit search

The pass applied the following pressure tests: Formal vocabularies and graph links make commitments explicit but cannot by themselves establish correct identity, shared interpretation, or lossless translation between contexts. A written constitution can legitimate domination as easily as constrain it unless amendment, participation, enforcement, and appeal remain effective in practice. A complete provenance graph can faithfully record a false or unauthorized process; provenance is evidence about lineage, not automatic truth or legitimacy. These limits are not generic disclaimers: they identify the assumptions that a later empirical, formal, or implementation review must try to break.

Reference-pass influence and novelty boundary

No newly added external source is asserted to be a documented authorial influence unless the predecessor source already said so. `Predecessor` means earlier relevant work;

`adjacent` means a useful comparison; `standard` means an interoperability or assurance baseline; and `counterevidence` marks work that narrows or pressures a claim. Novelty therefore remains a reviewable, claim-level question rather than an inference from a low similarity score or an absent citation.

References

External scholarship, standards, and prior art

[E1] Richard Cyganiak, David Wood, and Markus Lanthaler, eds. *RDF 1.1 Concepts and Abstract Syntax.* W3C Recommendation, 25 February 2014.

https://www.w3.org/TR/rdf11-concepts/ **Relationship:** Adjacent graph data model and identity baseline.

[**E2**] Alistair Miles and Sean Bechhofer, eds. *SKOS Simple Knowledge Organization System Reference*. W3C Recommendation, 18 August 2009. https://www.w3.org/TR/skos-reference **Relationship:** Adjacent standard for concepts, labels, schemes, notes, and semantic mappings.

[**E3**] W3C OWL Working Group. *OWL 2 Web Ontology Language Document Overview*, Second Edition. W3C Recommendation, 11 December 2012. https://www.w3.org/TR/owl2-overview/ **Relationship:** Adjacent formal ontology standard used to compare declared semantics and inference commitments.

[**E4**] Mark D. Wilkinson et al. "The FAIR Guiding Principles for Scientific Data Management and Stewardship." *Scientific Data* 3, 2016, 160018. DOI: 10.1038/sdata.2016.18. https://doi.org/10.1038/sdata.2016.18 **Relationship:** Predecessor stewardship principles for findability, accessibility, interoperability, and reuse.

[**E5**] Peter Gardenfors. *Conceptual Spaces: The Geometry of Thought*. MIT Press, 2000. mitpress.mit.edu source **Relationship:** Predecessor geometric treatment of concepts; cited as comparison, not as validation of the paper's manifold terminology.

[**E6**] Elinor Ostrom. *Governing the Commons: The Evolution of Institutions for Collective Action*. Cambridge University Press, 1990. DOI: 10.1017/CBO9780511807763. https://doi.org/10.1017/CBO9780511807763 **Relationship:** Predecessor institutional account of rule-governed collective action and polycentric governance.

[**E7**] Wil Waluchow and Dimitrios Kyritsis. "Constitutionalism." *Stanford Encyclopedia of Philosophy*, substantive revision 2023. https://plato.stanford.edu/entries/constitutionalism/ **Relationship:** Adjacent legal-philosophical account of limited authority; included to expose differences between political and computational constitutionalism.

Ableman corpus

[**A1**] Adam Ableman. *Meaning as Binding*. Ableman Corpus current edition; work identity
`AMCS-LOCAL-WORK-5F976917F0B283EA`;
source SHA-256
`A470D1A0B9ED7C3CEAB6BB88BE4B642A2BA36427447F787764329FD574DA0C97`.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A2**] Adam Ableman. *Governed Meaning Base (GMB)*. Ableman Corpus current edition; work identity
`AMCS-LOCAL-WORK-D95CCC4FB7B58BFB`;

source SHA-256
A3B62E50F8BEE125FDAE0D38C2839AFD1CCC138296268BF93217481E38AA48EA.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A3**] Adam Ableman. *Semantic Manifold Topology.* Ableman Corpus current edition; work identity PAPER.PUB.20257244;
source SHA-256
B8F28CC652A73A3EE4CF6FD0E23C1ABC922A6660319B2FB4CC1CCAAA606EC64A.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A4**] Adam Ableman. *Global Term Key: Identity Primitives in Governed Knowledge Systems.* Ableman Corpus current edition; work identity
AMCS-LOCAL-WORK-358AC09F5A13587E;
source SHA-256
AFB29CFCB4B58A78B79709AD453CEE9088CCB2AE40F30A70260F1B54F5160579.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A5**] Adam Ableman. *Semantic Legitimacy Before Context.* Ableman Corpus current edition; work identity
AMCS-LOCAL-WORK-091E34BA93992CE4;
source SHA-256
DEB7626CE1AB54F4B541347DCC3C4E14DC4F682230ACCCE1A93D1D536A50C44C.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A6**] Adam Ableman. *Ableman Constitutional Governance.* Ableman Corpus current edition; work identity
AMCS-LOCAL-WORK-79353AF163A4B0F1;
source SHA-256
FB0D9B2D3D54168FFE70B24308D1B2766D6D663ED24502D475E975939BE97C8B.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A7**] Adam Ableman. *Constitutional Theory.* Ableman Corpus current edition; work identity
AMCS-LOCAL-WORK-D2D97C4042FD281F;
source SHA-256
FACC256EDDE5A7D7EA18133CFC9C060CFB8C3811B0221E1969E62347F2BB69CF.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

Editorial source notes retained from predecessor

The entries below are corpus-internal comparison and dependency sources. Their inclusion does not establish external validation of this paper's empirical, safety,

novelty, or performance claims.

Adam Ableman *Semantic Manifold Topology.* Zenodo, 2026. doi:10.5281/zenodo.20257244

Adam Ableman *CARA: Constrained Artificial Reasoning Architecture.* Zenodo, 2025. doi:10.5281/zenodo.18099715

Adam Ableman *A Theory of Agentic Observation.* Zenodo, 2026. doi:10.5281/zenodo.20437813

Adam Ableman *Constitutional Computation.* Zenodo, 2026. doi:10.5281/zenodo.20624488

Adam Ableman *Constraint-Bearing Composability.* Zenodo, 2026. doi:10.5281/zenodo.21632061

Adam Ableman *Fractal Governance Architecture.* Zenodo, 2026. doi:10.5281/zenodo.20754189

Adam Ableman *Governed Semantic Compilation: Lawful Continuation, Refusal Semantics, and Epistemic Promotion in Large Language Models.* Zenodo, 2026. doi:10.5281/zenodo.18453681

Adam Ableman *MCIR: A Canonical Intermediate Representation for Governed Transformation.* Zenodo, 2026. doi:10.5281/zenodo.21095303

Corpus source and companion formats: https://github.com/AblemanMosaic/ableman-corpus

License: CC-BY-ND-4.0

DOI: 10.5281/zenodo.23847498