Human Validation Layer: Constitutional Coherence Through Human-Governed Refinement

Condexers and Accountable Coherence Gates in Constitutional Intelligence Systems

A Condexer prepares reviewable evidence candidates; only an actor or procedure with the required authority may admit or bind them.

Author
Adam Ableman
Constitutional Computing
Contact: ableman.research@gmail.com

Abstract

Large language models and automated decomposition systems can scaffold, decompose, index, and draft semantic structures at a scale that unaided review cannot match. Scale, however, does not establish fidelity, admissibility, authority, evidence, or global coherence. This paper proposes the **Human Validation Layer (HVL)** as a governed review and adjudication surface for deciding whether machine-generated or machine-assisted semantic artifacts may be promoted toward binding state.

HVL is neither an assertion that humans are infallible nor a synonym for proofreading. It is a protocol in which accountable reviewers inspect typed artifacts, preserve source custody, record findings, surface disagreement, and either promote, hold, revise, split, merge, escalate, contest, or refuse. **Condexing** names the preparation of Pre-Crystallized Material (PCM) into non-binding Context Index (CONDEX) artifacts. A **Condexer** prepares reviewable evidence candidates; only an actor or procedure with the required authority may admit or bind them.

The core claim is deliberately bounded: human participation can provide an accountable promotion boundary when its jurisdiction, evidence, criteria, conflicts, reasons, and authority are explicit and receipted. Human presence alone establishes none of those properties. The paper defines validation objects, role separation, promotion policy, failure modes, evaluation requirements, and interfaces with the Governed Meaning Base (GMB), Governed Context and Memory, semantic custody, governed semantic compilation, lexical and structural binding, authority-laundering tests, and reasoning by way of receipts.

Source, Evidence, and Standing

This is an AI-prepared successor revision candidate derived from one exact author manuscript. Its custody manifest is
`work/paper-saturation-v1/evidence/human-validation-layer/integration-custody-manifest.v0.1.json`,
SHA-256
`31A522A5F0DD62CD9DF6F236F85C899EF381D8BF9EC5B1583A5F921650004F63`.
The exact source remains unchanged.

The HVL thesis, PCM, CONDEX, Condexing, Condexer, validation dimensions, role-evolution thesis, debugging analogy, and original failure modes are author material. The formal records, role separation, narrower authority claims, GMB/GSM placement, realization funnel, expanded counterevidence, evaluation program, and open editorial questions are AI editorial or synthetic contributions until adopted.

No deployment, reviewer experiment, empirical comparison, labor-market study, external prior-art review, or Evidence-Readiness certification was performed. Nothing here grants identity, authority, implementation, canonical, conformance, or publication standing.

1. Problem and Bounded Thesis

The problem is not simply that machine outputs contain errors. The deeper problem is **implicit promotion**: a generated summary, classification, relation, or proposed invariant can acquire operational weight before anyone has established its source, meaning, authority, evidence, or relationship to existing state.

HVL supplies an accountable boundary between scalable semantic preparation and governed promotion. Its irreducible maneuver is:

1. receive a typed, non-binding artifact;
2. inspect it under declared criteria and jurisdiction;
3. record findings, uncertainty, disagreement, and conflicts;
4. select an authorized disposition; and
5. emit a review receipt before any permitted promotion.

The strongest defensible thesis is therefore not "humans guarantee coherence." It is:

> A semantic system can preserve accountable human governance at promotion boundaries by requiring typed review, explicit authority, reasoned disposition, and receipted lineage before machine-generated artifacts may enter binding state.

This remains a design claim pending operational evidence. Human reviewers can be mistaken, captured, fatigued, biased, coerced, or unauthorized. A human

signature proves that a review act was recorded; it does not prove that the artifact is true or legitimate.

2. PCM, CONDEX, and HVL

2.1 Pre-Crystallized Material

Pre-Crystallized Material (PCM) is source material not yet admitted as constitutional semantic state. It may include transcripts, chats, logs, books, messages, screenshots, documents, recordings, datasets, or observations. "Raw" does not mean neutral or complete: PCM can already contain selection effects, manipulation, omission, corruption, or disputed custody.

2.2 Context Index

CONDEX is a non-binding index of context artifacts derived from PCM. A CONDEX record should identify at least source, exact custody, actor, time, semantic class, authority posture, extraction method, linked artifacts, review state, and uncertainty. Indexing increases navigability; it does not convert evidence into truth, law, or authority.

2.3 Condexing

Condexing is the governed preparation of PCM into reviewable CONDEX records. It may include decomposition, indexing, authority tagging, candidate classification, semantic linking, correction, and uncertainty annotation. It must preserve the distinction between source text, extraction, interpretation, synthesis, and adjudication.

2.4 Human Validation Layer

HVL is the protocol surface through which authorized reviewers examine a prepared artifact and determine its next posture. It may be realized by one person, multiple reviewers, a mixed human-agent process, a court-like procedure, or another accountable institution. "Human" identifies a retained locus of accountable judgment; it does not prescribe a universal single-reviewer topology.

3. Typed Artifact and Validation Records

Let a reviewable context artifact be:

$$a = (i, p, s, h, alpha, t, J, au, q, sigma, D),$$

where i is identity, p is payload, s is source, h is the source hash or custody reference, α is the represented actor, t is time/version, J is jurisdiction, τ is semantic class, q is uncertainty and review posture, σ is standing, and D is dependency lineage.

A validation act produces:

$$v = (i, r, A, J, K, F, d, e, t, L),$$

where r is reviewer identity, A is the reviewer's authority, K is the declared criterion set, F is dimension-level findings, d is disposition, e is cited evidence and counterevidence, t is decision time, and L is prior and resulting lineage.

The review is structurally complete only if its required fields are present and its authority is valid for the requested effect. Structural completeness is not substantive correctness.

4. Validation Dimensions

The source proposes correctness, constitutional classification, authority, coherence, and promotion/refusal. This revision expands them into eight separable dimensions:

1. **Fidelity:** Does the artifact accurately represent its cited source?
2. **Custody and provenance:** Can the source, transformation, omissions, and authorship boundaries be reconstructed?
3. **Semantic identity:** Are entities, terms, slugs, and relation endpoints resolved without an unauthorized merger?
4. **Constitutional classification:** Is the artifact placed in the correct layer, claim posture, and jurisdiction?
5. **Authority:** Did every actor possess authority for the act attributed to it and for the requested promotion?
6. **Evidence:** Do the cited materials support the claim at its stated strength, and is counterevidence retained?
7. **Coherence:** How does the artifact relate to existing invariants, disputes, dependencies, and contradictions?
8. **Promotion:** Which next posture is permitted, and what remains prohibited?

Each dimension may be `pass`, `fail`, `uncertain`, `contested`, or `not_applicable`, accompanied by reasons and evidence. A global "approved" flag is insufficient because dimensions fail independently and may be evaluated by different authorities.

5. Roles and Authority Separation

The original paper distinguishes the Condexer from the Governor. The useful invariant is broader role separation:

- **Role:** Producer or extractor
  Permitted function: Create a non-binding candidate from PCM.
  Not implied: Fidelity, authority, or admission.

- **Role:** Condexer
  Permitted function: Prepare, index, classify, and connect a reviewable artifact.
  Not implied: Authority to promote it.
- **Role:** Reviewer
  Permitted function: Evaluate assigned dimensions under a declared criterion set.
  Not implied: Authority outside that jurisdiction.
- **Role:** Adjudicator or Governor
  Permitted function: Select a binding disposition when duly authorized.
  Not implied: Truth, impartiality, or unlimited scope.
- **Role:** Witness or auditor
  Permitted function: Verify custody, process, receipt, or replay.
  Not implied: Substantive agreement.
- **Role:** Appellant or dissenter
  Permitted function: Preserve a challenge and trigger review where allowed.
  Not implied: Automatic reversal.

One person may occupy several roles only when policy allows it and the receipt makes that concentration visible. High-consequence promotions may require separation of duties, independent review, quorum, minority reports, recusal, or appeal. A Condexer prepares **admissibility evidence candidates**; the paper should not say that preparation itself makes evidence admissible.

6. Protocol States and Outcomes

A minimal lifecycle is:

```
PCM
  -> extracted candidate
  -> CONDEX record
  -> validation pending
  -> reviewed
  -> promote | hold | revise | split | merge | escalate | contest |
  refuse
  -> receipt and lineage update
```

No state name alone grants standing. `reviewed` means only that a declared review occurred.

`human_validated` is unsafe as a final status unless the validating dimensions, authority, scope, time, evidence, and unresolved objections remain recoverable.

A machine-legible result may take the form:

```
artifact: CA-00123
reviewer: REVIEWER-07
authority: AUTH-SEMANTIC-CLASSIFICATION-V2
jurisdiction: CORPUS-X
findings:
  fidelity: pass
  custody: pass
  identity: uncertain
  classification: pass
  authority: pass
  evidence: contested
  coherence: fail
  promotion: hold
disposition: merge_or_split_review
reason: conflicts with CA-00098
appeal: available
```

The artifact remains non-binding unless a subsequent authorized transition admits it.

7. Promotion Policy: CM1 Before CM2

Promotion thresholds must distinguish mandatory admissibility from preference. **Configuration Manifold 1 (CM1)** contains candidates satisfying mandatory identity, custody, authority, evidence, safety, and jurisdiction requirements. A failure in a mandatory dimension cannot be averaged away by strengths elsewhere.

Configuration Manifold 2 (CM2) ranks or selects among already admissible candidates according to declared preferences such as clarity, explanatory power, compression, pedagogical usefulness, cost, or reversibility. A beautifully coherent artifact with invalid authority remains inadmissible. A merely awkward but well-supported artifact may remain admissible even if CM2 does not prefer it.

Thresholds should specify missing-data policy, uncertainty handling, required reviewers, conflict rules, escalation routes, expiry, and what happens when no qualified reviewer is available.

8. Governed Meaning Base and Context Interfaces

The **Governed Meaning Base (GMB)** is the current name in the author-confirmed `CCF -> CMB -> GMB` lineage. HVL does not replace GMB governance. It supplies candidate review and adjudication records that a GMB may store, link, challenge, supersede, or refuse.

Governed Context and Memory constrains which sources enter working context and how they remain cited, versioned, and retrievable. CONDEX is therefore best treated as a governed context index or profile, not as the entire context

architecture. Semantic custody preserves exact source and transformation lineage. The Global Term Key helps resolve lexical identity; Constitutional Binding Theory addresses governed anchor resolution. These functions are prerequisites or interfaces, not synonyms for human validation.

The universal GSM can represent PCM artifacts, CONDEX records, validation acts, reviewers, authorities, claims, evidence, disputes, receipts, and revisions as typed objects and relations. It must preserve source-derived statements separately from AI synthesis and author adjudication.

9. Realization Funnel

HVL spans the complete realization funnel:

$$\begin{aligned} & P \\ & \to S \\ & \to CM_1 \\ & \to CM_2 \\ & \to IC \\ & \to IR \\ & \to E \\ & \to R \end{aligned} .$$

- **Possibility:** propose review topologies, dimensions, and labor arrangements.
- **Specification:** define artifact schemas, roles, authority, required dimensions, outcomes, and invariants.
- **CM1:** exclude configurations that fail mandatory custody, identity, authority, evidence, or safety constraints.
- **CM2:** prefer among admissible configurations according to consequence, cost, diversity, latency, and reversibility.
- **IC:** select an **Instance Constitution** or **Instance Configuration** for a specific corpus and jurisdiction. The names are interchangeable.
- **IR:** build an **Instance Realization** or **Implementation Realization** of the same selected stage. The names are interchangeable.
- **Evidence:** retain review records, disagreement, calibration results, appeals, receipts, and observed outcomes.
- **Revision:** amend criteria, roles, authority, models, or topology without erasing prior lineage.

This paper specifies an architecture and evaluation program. It does not select an IC, certify an IR, or demonstrate operational effectiveness.

10. Receipts, Promotion, and Authority Laundering

Reasoning by Way of Receipts supplies the natural output contract for HVL. A promotion receipt should bind proposal identity, source custody, reviewer, authority, criterion version, findings, counterevidence, disposition, effect, time, and lineage. Refusal and hold receipts matter as much as promotion receipts because they show what did not enter state and why.

Authority Laundering Theory adds a necessary test: if the claimed reviewer authority were removed, would the promotion remain reachable? If yes, the review surface may be ceremonial. A human click that cannot prevent or reverse promotion is not meaningful governance. Conversely, a reviewer should not acquire new authority merely because an interface routes an artifact through them.

Governed Semantic Compilation distinguishes preview from validated commit. HVL is one possible validator or adjudication surface within that larger promotion architecture; it is not the only validator and need not always be the last one. Machine-verifiable checks, courts, downstream witnesses, or appeals may follow human review.

11. Scaling Without Rubber Stamping

Human review becomes valuable only if the system resists converting attention scarcity into ceremonial approval. Scalable designs may use risk tiers, sampling, specialization, independent review, disagreement routing, reviewer rotation, and machine assistance. They must also preserve:

- the right and ability to refuse;
- bounded queues and workload visibility;
- conflict-of-interest disclosure;
- reviewer competence and calibration;
- minority or dissent records;
- escalation for unresolved uncertainty;
- privacy and least-disclosure constraints; and
- appeal or revalidation for consequential decisions.

Automation may triage or explain; it must not silently choose the evidence that makes its own output appear valid.

12. Feedback Into Decomposition Systems

Review findings can improve extraction and classification, but feedback is itself governed transformation. A failure label may reflect model error, ambiguous source material, defective criteria, reviewer disagreement, or institutional preference. Feeding every decision back as ground truth would amplify reviewer bias and governance capture.

Feedback records should therefore preserve the reason, confidence, authority, privacy posture, dissent, model/version, and permitted training or reuse effect. Some review evidence may be valid for local correction but forbidden for model training or cross-jurisdictional reuse.

Human Adjudication and Promotion Workflow

Across the completed P1 corpus, the Human Validation Layer (HVL) is best defined as the **human adjudication and promotion workflow for AI-prepared or otherwise provisional semantic material**. It records review, refinement, disagreement, refusal, and promotion across governed states. It is not a human truth oracle, an authorship-transfer mechanism, or automatic evidence that a reviewer was independent, competent, informed, or authorized.

- **Adjacent work:** *Constitutional/Crystallized Meaning Base (CMB)*
  Supplies: The historical meaning-base work in the current GMB lineage.
  HVL boundary: GMB stores candidates, reviews, standing, and revisions; HVL supplies one promotion workflow.
- **Adjacent work:** *Reasoning by Way of Receipts*
  Supplies: Records of reasoning, alternatives, decisions, and revision.
  HVL boundary: HVL reviews should emit receipts; receipt presence does not establish review quality.
- **Adjacent work:** *Authority Laundering Theory*
  Supplies: Tests of normative and causal authority paths.
  HVL boundary: HVL must prevent a nominal reviewer from laundering the generator's control.
- **Adjacent work:** *Semantic Legitimacy Before Context*
  Supplies: Admission discipline before semantic material becomes binding context.
  HVL boundary: HVL can be one human-governed admission route without becoming the only legitimate route.
- **Adjacent work:** *A Formal Theory of Work Custody*
  Supplies: Responsibility, transfer, return, and completion for exact work.
  HVL boundary: Review custody identifies who must advance the case; it does not confer ratifying authority.

A validation case should bind:

$$\begin{aligned} V = (&candidate, source, generator, reviewer, review_profile, \\ &dimensions, findings, changes, disagreements, decision,. \\ &standing, receipt, appeal) \end{aligned}$$

The candidate remains AI-authored or source-authored according to its actual provenance. Human review can adopt, edit, reject, or grant bounded standing; it

does not retroactively make the original generation human-authored. Promotion to CM1 records admissibility under mandatory constraints. Promotion to CM2 additionally records preference under an explicit regime. Neither equals truth, publication, or implementation authority.

Scaling requires sampling, calibration, disagreement preservation, reviewer conflict disclosure, workload limits, and appeal. Rubber stamping, correlated reviewers, hidden generator influence, vague approval labels, and review without source access are counterevidence. Refusal and unresolved disagreement are valid outcomes.

The universal GSM can type
`SUBMITTED_FOR_HUMAN_VALIDATION`, `REVIEWED_UNDER_PROFILE`, `REVIEWED_BY`, `CONFLICT_OF_INTEREST_WITH`, `FOUND_TO_HAVE_ISSUE`, `EDITED_BY_REVIEW`, `PROMOTED_TO_CM1`, `PREFERRED_IN_CM2`, `REJECTED_WITH_REASON`, `APPEALED_TO`, and `HAS_REVIEW_STANDING`. Authorship and standing remain independent dimensions.

This integration establishes four editorial commitments: adopt human adjudication and promotion workflow as HVL's official corpus role; adopt the validation-case envelope; preserve original authorship through human review; and require independence, competence, calibration, disagreement, and appeal evidence for high-standing promotions.

Operational Escalation, Profiled Review, and Historical Crystallization

The fixed-seed comparison with Operational ESA, AFS, event-driven craft research, and historical CCF turns a validation case into a custodied transition:

$$\begin{aligned} V^* = (&candidate, source, generator, operational_trigger,\\ &review_profile, reviewer, competence, authority,\\ &findings, dissent, decision, promotion, remainder,\\ &appeal, receipt) \end{aligned}.$$

Operational ESA can escalate a conflict, unknown, stale binding, or blocked decision while preserving custody and stop conditions. AFS may encode the case and validation profile. Neither the trigger nor the format appoints a qualified reviewer or preordains promotion.

Craft research makes practitioner validation constitutive. Relevant competence may be embodied, local, community-recognized, safety-specific, or instrument-specific and must not be replaced by generic fluency. Dissent can reflect legitimate plurality rather than failed review.

Historical CCF supplies extraction, stabilization, promotion, refusal, residual, and revision stages. HVL is one human-governed route through that pipeline;

current promoted state belongs in the GMB lineage, not a revived CCF umbrella.

The universal GSM can type
`ESCALATED_FROM_OPERATIONAL_ESA`,
`VALIDATED_UNDER_AFS_PROFILE`, `REQUIRES_PRACTITIONER_COMPETENCE`,
`PRESERVES_REVIEW_DISSENT`, `ADVANCES_HISTORICAL_CRYSTALLIZATION_STAGE`,
`PROMOTES_WITHOUT_AUTHORSHIP_TRANSFER`, and
`APPEALED_WITH_REMAINDER`.

This randomized review establishes four editorial commitments: adopt the custodied validation transition; preserve trigger/profile/reviewer separation; recognize domain-specific practitioner competence; and situate HVL as one route through historical crystallization into current GMB state.

Consequence-Calibrated Human Adjudication

Six downstream uses establish HVL as a review and promotion workflow rather than a human truth oracle. AFS packages review profiles; adversarial alternation supplies repeated builder-auditor cases; historical CCF situates review inside extraction, stabilization, refusal, and promotion; craft research makes practitioner competence constitutive evidence; Operational ESA uses HVL for contested interpretations; and Proxy Collapse uses human review to recalibrate a proxy without pretending provenance or target validity has been restored.

The reusable validation case is:

$$\begin{aligned} V^* = (&trigger, case, sources, prepared_artifact, profile,\\ &consequence_class, reviewers, competence, independence,\\ &conflicts, findings, dissent, decision, authority,\\ &effect, appeal, calibration, expiry, successor) \end{aligned}.$$

Review depth, reviewer plurality, independence, evidence access, and appeal must scale with the consequence class. Practitioner or affected-party knowledge may be required for domain validity; it remains typed evidence rather than infallible testimony. A human decision cannot transfer authorship from source or generator, create missing evidence, or legalize an authority the reviewer does not possess.

Calibration should retain false promotion, false refusal, reversal, disagreement, appeal, downstream defect, and reviewer-drift evidence by profile and consequence class. A review surface that cannot change, stop, split, qualify, or reverse promotion is ceremonial. Mixed human-agent review remains HVL only when the accountable human or institution and its actual negative power are explicit.

The universal GSM can type
`TRIGGERS_HUMAN_VALIDATION`, `REQUIRES_DOMAIN_COMPETENCE`,
`PRESERVES_REVIEW_DISSENT`, `EXERCISES_NEGATIVE_PROMOTION_POWER`,

`CALIBRATES_REVIEWER_PROFILE`, `APPEALS_VALIDATION_DECISION`, and `DOES_NOT_TRANSFER_AUTHORSHIP`.

This reverse-dependency review establishes four editorial commitments: adopt the consequence-calibrated validation case; make competence, independence, dissent, appeal, and calibration mandatory fields; require causally effective negative power; and preserve source authorship, evidence, and authority boundaries through human review.

13. Counterevidence and Failure Modes

The HVL thesis must be narrowed or rejected where:

1. reviewers lack the claimed authority;
2. promotion occurs even when review fails;
3. review is a rubber stamp caused by workload or incentives;
4. the same actor produces, reviews, and promotes without visible safeguards;
5. fidelity is inferred from fluency rather than checked against source custody;
6. coherent prior structure suppresses true anomalies;
7. majority agreement erases legitimate minority meanings;
8. reviewer bias or institutional capture becomes encoded as constitutional truth;
9. automation bias makes humans defer to model scaffolding;
10. adversarial PCM manipulates the reviewer or review interface;
11. missing or private evidence is treated as negative evidence;
12. review expires while artifacts continue to circulate;
13. authority or criterion changes are not propagated to prior validations;
14. `human_validated` is mistaken for true, lawful, or canonical;
15. disagreement has no durable representation or appeal path;
16. feedback loops train systems on contested judgments as if settled;
17. no qualified human is available but the system promotes by default;
18. review latency creates a shadow ungoverned workflow;
19. privacy or safety obligations are violated to enable inspection;
20. human participation adds no measurable improvement over simpler custody, schema, and evidence checks.

Validation capture drift from the source is especially important: coherence can be preserved while epistemic integrity is destroyed. The system must reward correction of the constitution as well as conformity to it.

14. Evaluation Program

An HVL evaluation should compare governed review configurations under declared consequence classes. Candidate measures include:

- source-fidelity error rate;
- unsupported promotion rate;

- authority-mismatch detection;
- contradiction and duplicate detection;
- inter-rater agreement with disagreement reasons retained;
- calibration of `uncertain` and `contested` outcomes;
- reviewer workload, latency, and abstention;
- appeal and reversal rates;
- downstream correction cost;
- promotion reachability after authority removal;
- resistance to adversarial or selectively framed PCM; and
- performance against simpler non-human baselines.

Experiments should distinguish whether gains come from human judgment, additional time, better source access, improved schemas, independent evidence, or the ability to stop promotion. No such results are claimed here.

15. Condexing as an AI-Era Labor Hypothesis

The source proposes Condexer, Constitutional Editor, Semantic Refiner, Authority Auditor, and Context Validator as emerging labor roles. This is a plausible institutional projection, not an established labor-market fact or externally verified novelty claim.

The durable contribution may be less a job title than a capability profile: source-custody inspection, semantic classification, authority reasoning, conflict analysis, uncertainty annotation, and governed promotion. As extraction improves, effort may move from transcription and correction toward adjudication, invariant design, architecture, and revision. It may also move toward automation or consolidation; the direction is an empirical question.

16. What HVL Is Not

HVL is not:

- proof that human review is correct;
- a universal final gate for every system;
- passive proofreading or content moderation;
- permission to merge disputed identities;
- a substitute for exact custody, external evidence, tests, or formal verification;
- an automatic grant of authority to reviewers;
- the whole GMB, universal GSM, or context architecture; or
- a claim that machine-only checks have no place.

It is a proposed accountable protocol for preparing, reviewing, and dispositioning semantic artifacts before permitted promotion.

17. Corpus Integration

The paper interfaces with the corpus as follows:

- **Governed Context and Memory:** controls context admission, retrieval, citation, ignorance, and amendment.
- **Semantic Custody:** preserves exact source, transformation, and continuity lineage.
- **Global Term Key:** supports lexical identity resolution before validation.
- **Constitutional Binding Theory:** supplies governed anchor-resolution questions.
- **Semantic Binding Quality:** evaluates binding quality under declared profiles without substituting for admissibility.
- **Governed Semantic Compilation:** separates preview, validation, refusal, and commit.
- **Authority Laundering Theory:** tests whether human authority is causally load-bearing rather than decorative.
- **Reasoning by Way of Receipts:** records the structured justification and lineage of validation outcomes.
- **GMB and universal GSM:** store and connect source, claim, review, authority, evidence, conflict, receipt, and revision objects.

These are typed interfaces, not identity mergers. Their exact comparison artifacts are bound in the custody manifest.

Human Review Creates Accountability Only When the Review Is Governed

Public orientation

The Human Validation Layer places an accountable promotion boundary between scalable machine preparation and binding semantic state. Condexers prepare non-binding CONDEX artifacts from Pre-Crystallized Material; authorized reviewers may promote, hold, revise, split, merge, escalate, contest, or refuse them. Human presence is neither truth nor authority by default.

Adversarial tests

1. **Rubber-stamp attack.** Volume, deadlines, fatigue, automation bias, or organizational pressure turns human review into ceremonial approval.
2. **Authority-laundering attack.** A human signature converts machine synthesis into authorial, evidentiary, institutional, or canonical standing the reviewer cannot grant.
3. **Expertise-mismatch attack.** Reviewers have procedural authority but lack the domain, source, cultural, legal, or technical competence needed for the claim.
4. **Selection-bias attack.** The system chooses easy, agreeable, or institutionally preferred reviewers and suppresses affected or dissenting perspectives.

5. **Coherence-suppression attack.** Global consistency is optimized by erasing anomaly, minority interpretation, unresolved conflict, or legitimate plurality.
6. **Automation-feedback attack.** Reviewer decisions train decomposition and ranking systems that then shape future review queues and normalize earlier bias.
7. **Labor-extraction attack.** Condexing creates hidden, precarious, psychologically burdensome, or uncompensated semantic labor without voice or recourse.
8. **Receipt-proof attack.** A completed validation record is treated as proof of truth, legitimacy, source fidelity, actual promotion, or absence of bypass.

Claim and evidence ceiling

The paper specifies a human-governed promotion workflow. It does not establish human infallibility, reviewer competence, representative legitimacy, truth, global coherence, scalability, improved outcomes, fair labor, successful promotion, or complete mediation. A validation receipt proves a recorded review event under a profile, not the correctness of its disposition.

Validation requires consequence-calibrated sampling, reviewer qualification and conflict rules, independent and affected-party review, disagreement preservation, blind quality audits, workload and labor evidence, appeals, bypass tests, longitudinal error tracking, and current external research. No deployment, reviewer study, or labor-market research occurred in this pass.

Reader-facing consequence

The public value is not putting a person somewhere in the loop. It is making the responsible decision, evidence, jurisdiction, competence, disagreement, reason, and appeal visible before machine-prepared meaning can acquire binding force.

19. Conclusion

Machines can scaffold, decompose, index, and propose. Humans can inspect, contest, refuse, and authorize, but human presence is not a substitute for authority, evidence, or process.

The Human Validation Layer becomes constitutionally meaningful when review is typed, bounded, causally effective, and receipted. Condexing then serves as governed preparation rather than invisible promotion, and the Condexer becomes an accountable participant in a larger architecture rather than a truth oracle.

The durable shift is from informal approval to inspectable semantic adjudication: from "a human looked at it" to a reconstructable account of what was reviewed, under whose authority, against which criteria, with what evidence and disagreement, and with what permitted effect.

Realization Scope and Evidence Boundary

This successor makes the paper's stage boundary explicit. It narrows claims rather than manufacturing missing evidence: a stage named as context is not thereby claimed as implemented, validated, or complete.

- **Possibility Space.** Existing source passages use this stage only as bounded context or an obligation. The paper does not claim an independently validated contribution at this stage.

Corpus-Wide Reference Positioning

This paper argues that large language models and automated decomposition systems can scaffold, decompose, index, and draft semantic structures at a scale that unaided review cannot match. Its nearest external comparison fields are governance, semantic, provenance. The sources in [E1], [E2], [E3], [E4], [E5], [E6], [E7] are cited as predecessor literature, adjacent standards, or counter-pressure - not as evidence that they caused the Ableman framework or that they validate its novel claims. The comparison isolates where established work already supplies provenance, formal assurance, institutional constraint, empirical method, or engineering practice, and where this paper adds a distinct claim about admissibility, authority, semantic custody, or governed realization.

Within the Ableman corpus, the highest-priority current cross-links are [A1], [A2], [A3], [A4], [A5], [A6], [A7]. These are links among separately custodied works, not silent identity mergers. Their role is to expose mutual dependencies, terminology collisions, and places where a reader should traverse the corpus before treating this paper as self-sufficient.

Reference-pass counterevidence and limit search

The pass applied the following pressure tests: A written constitution can legitimate domination as easily as constrain it unless amendment, participation, enforcement, and appeal remain effective in practice. Formal vocabularies and graph links make commitments explicit but cannot by themselves establish correct identity, shared interpretation, or lossless translation between contexts. A complete provenance graph can faithfully record a false or unauthorized process; provenance is evidence about lineage, not automatic truth or legitimacy. These limits are not generic disclaimers: they identify the assumptions that a later empirical, formal, or implementation review must try to break.

Reference-pass influence and novelty boundary

No newly added external source is asserted to be a documented authorial influence unless the predecessor source already said so. `Predecessor` means earlier relevant work;

`adjacent` means a useful comparison; `standard` means an interoperability or

assurance baseline; and `counterevidence` marks work that narrows or pressures a claim. Novelty therefore remains a reviewable, claim-level question rather than an inference from a low similarity score or an absent citation.

References

External scholarship, standards, and prior art

[**E1**] Elinor Ostrom. *Governing the Commons: The Evolution of Institutions for Collective Action*. Cambridge University Press, 1990. DOI: 10.1017/CBO9780511807763. https://doi.org/10.1017/CBO9780511807763 **Relationship:** Predecessor institutional account of rule-governed collective action and polycentric governance.

[**E2**] Wil Waluchow and Dimitrios Kyritsis. "Constitutionalism." *Stanford Encyclopedia of Philosophy*, substantive revision 2023. https://plato.stanford.edu/entries/constitutionalism/ **Relationship:** Adjacent legal-philosophical account of limited authority; included to expose differences between political and computational constitutionalism.

[**E3**] Lawrence Lessig. *Code: Version 2.0*. Basic Books, 2006. https://codev2.cc/ **Relationship:** Predecessor argument that software architecture regulates behavior; the paper's contribution may be to make such regulation inspectable and revisable.

[**E4**] OECD. *Recommendation of the Council on Artificial Intelligence*. OECD/LEGAL/0449, adopted 2019 and updated 2024. legalinstruments.oecd.org source **Relationship:** Adjacent policy standard for accountability, traceability, transparency, safety, and human-centered values.

[**E5**] Richard Cyganiak, David Wood, and Markus Lanthaler, eds. *RDF 1.1 Concepts and Abstract Syntax*. W3C Recommendation, 25 February 2014. https://www.w3.org/TR/rdf11-concepts/ **Relationship:** Adjacent graph data model and identity baseline.

[**E6**] Alistair Miles and Sean Bechhofer, eds. *SKOS Simple Knowledge Organization System Reference*. W3C Recommendation, 18 August 2009. https://www.w3.org/TR/skos-reference **Relationship:** Adjacent standard for concepts, labels, schemes, notes, and semantic mappings.

[**E7**] W3C OWL Working Group. *OWL 2 Web Ontology Language Document Overview*, Second Edition. W3C Recommendation, 11 December 2012. https://www.w3.org/TR/owl2-overview/ **Relationship:** Adjacent formal ontology standard used to compare declared semantics and inference commitments.

Ableman corpus

[**A1**] Adam Ableman. *Ableman Constitutional Governance*. Ableman Corpus current edition; work identity

AMCS-LOCAL-WORK-79353AF163A4B0F1;
source SHA-256
FB0D9B2D3D54168FFE70B24308D1B2766D6D663ED24502D475E975939BE97C8B.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A2**] Adam Ableman. *Constitutional Theory.* Ableman Corpus current edition; work identity
AMCS-LOCAL-WORK-D2D97C4042FD281F;
source SHA-256
FACC256EDDE5A7D7EA18133CFC9C060CFB8C3811B0221E1969E62347F2BB69CF.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A3**] Adam Ableman. *Governance Engineering.* Ableman Corpus current edition; work identity PAPER.PUB.18749870;
source SHA-256
372169F315D192733856B1F4A3F1038BBC73F57CF3ED9ACABAE72B965A69C8D0.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A4**] Adam Ableman. *Universal Governance Kernel (UGK).* Ableman Corpus current edition; work identity
AMCS-LOCAL-WORK-1F9BFB2BF8370226;
source SHA-256
AA5106EA71E5DF120E141435C280DFC532715CA5DE0C75B8862BB7784ECCFACD.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A5**] Adam Ableman. *Legitimacy Without Self-Ratification.* Ableman Corpus current edition; work identity
AMCS-LOCAL-WORK-EF2382F9397335AC;
source SHA-256
0186A39C808F8FDDB5C8F42384DF1A26678928434BD50A0EAE8D4947390F68A2.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A6**] Adam Ableman. *Meaning as Binding.* Ableman Corpus current edition; work identity
AMCS-LOCAL-WORK-5F976917F0B283EA;
source SHA-256
A470D1A0B9ED7C3CEAB6BB88BE4B642A2BA36427447F787764329FD574DA0C97.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A7**] Adam Ableman. *Governed Meaning Base (GMB).* Ableman Corpus current edition; work identity
AMCS-LOCAL-WORK-D95CCC4FB7B58BFB;
source SHA-256

A3B62E50F8BEE125FDAE0D38C2839AFD1CCC138296268BF93217481E38AA48EA.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

Editorial source notes retained from predecessor

The entries below are corpus-internal comparison and dependency sources. Their inclusion does not establish external validation of this paper's empirical, safety, novelty, or performance claims.

Adam Ableman *Semantic Custody.* Zenodo, 2026. doi:10.5281/zenodo.20300952

Adam Ableman *CARA: Constrained Artificial Reasoning Architecture.* Zenodo, 2025. doi:10.5281/zenodo.18099715

Adam Ableman *A Theory of Agentic Observation.* Zenodo, 2026. doi:10.5281/zenodo.20437813

Adam Ableman *Constitutional Computation.* Zenodo, 2026. doi:10.5281/zenodo.20624488

Adam Ableman *Constraint-Bearing Composability.* Zenodo, 2026. doi:10.5281/zenodo.21632061

Adam Ableman *Fractal Governance Architecture.* Zenodo, 2026. doi:10.5281/zenodo.20754189

Adam Ableman *Governed Semantic Compilation: Lawful Continuation, Refusal Semantics, and Epistemic Promotion in Large Language Models.* Zenodo, 2026. doi:10.5281/zenodo.18453681

Adam Ableman *MCIR: A Canonical Intermediate Representation for Governed Transformation.* Zenodo, 2026. doi:10.5281/zenodo.21095303

Corpus source and companion formats: https://github.com/AblemanMosaic/ableman-corpus
License: CC-BY-ND-4.0

DOI: 10.5281/zenodo.23847892