Semantic Manifold Topology

Constitutional Reachability, Collapse, and Governance-Relative Continuity

Meaning Does Not Persist Because It Is Similar. It Persists Because Authority Licensed Its Survival.

Author
Adam Ableman
Constitutional Computing
Contact: ableman.research@gmail.com

Abstract

Most semantic systems assume continuity before they evaluate it.

They assume:

- meaning drifts gradually,
- transformations compose,
- geometry remains stable,
- embeddings preserve neighborhoods,
- observers may eventually reconcile disagreement,
- and successful operation retroactively legitimizes transformation.

Semantic Manifold Topology (SMT) rejects these assumptions.

SMT is a constitutional diagnostic framework for evaluating whether declared semantic commitments survive transformation under explicit authority regimes. It does not model meaning, optimize semantics, infer intent, reconcile disagreement, or redeem collapse through usefulness, convergence, pragmatics, or time. It evaluates only whether a transformation preserved what it explicitly declared it would preserve under the authority that licensed the transformation.

The central claim is:

> Semantic continuity is not guaranteed by similarity, geometry, usefulness, or convergence. It exists only where authority explicitly licenses preservation.

SMT reframes:

- semantic identity,
- continuity,
- collapse,
- admissibility,

- and transformation

as governance-relative participation structures rather than intrinsic semantic properties.

Under SMT:

- semantic spaces are not globally metric,
- continuity is not guaranteed,
- embeddings are local instruments rather than universal geometry,
- undeclared transformations possess no continuity rights,
- and collapse may be structurally irreversible.

The resulting structure is not a classical topology but a governance-relative directed reachability system over admissible semantic transitions.

This paper additionally argues that SMT is not merely descriptive. A constitutional agent orchestration harness demonstrates SMT-like operational behavior in live governance systems through:

- admissibility-gated retrieval,
- governed path traversal,
- receipt-bound semantic continuity,
- authority-relative observation,
- and constitutional collapse management.

SMT composes naturally with:

- Constitutional Semantic Hashing (CSH),
- MCIR,
- CONDEX,
- Constitutional Context Management (CCM),
- Constitutional Meaning Bases (CMB),
- admissibility-governed AI systems,
- and governance-aware semantic infrastructure.

Rather than asking:

> what something means,

SMT asks:

> who authorized its survival.

---

1. Introduction

Most semantic systems silently assume continuity.

This assumption appears in many forms:

- embedding neighborhoods,

- latent manifolds,
- semantic interpolation,
- vector similarity,
- ontological inheritance,
- schema evolution,
- model fine-tuning,
- institutional reinterpretation,
- and conversational memory.

The shared assumption is:

> sufficiently similar states preserve identity.

SMT rejects this premise.

Similarity does not preserve continuity.

Geometry does not authorize persistence.

Utility does not legitimize transformation.

Convergence does not repair undeclared motion.

Under SMT:

> continuity exists only where preservation was explicitly declared and authority licensed the declaration.

This reframes semantic systems from:

- geometric interpolation systems

into:

- governance-relative continuity systems.

The implications are substantial.

Semantic systems become:

- admissibility systems,
- lineage systems,
- collapse systems,
- and authority-bound transformation systems.

---

2. Contributions

This paper makes five primary contributions:

1. It defines Semantic Manifold Topology (SMT) as a governance-relative continuity framework rather than a similarity-based semantic geometry.
2. It formalizes:

- bindings,
- authority regimes,
- admissibility constraints,
- invariants,
- transformations,
- paths,
- and collapse semantics

as constitutional continuity objects.

3. It introduces the principle that:

   > continuity is path-governed rather than similarity-governed.

4. It demonstrates that SMT is operationalizable through constitutional orchestration systems using:

   - admissibility receipts,
   - constrained semantic traversal,
   - constitutional memory structures,
   - and governed execution paths.

5. It argues that many failures in modern AI systems are fundamentally:

   > undeclared continuity violations rather than merely retrieval or optimization failures.

---

3. SMT Is Not a Smooth Semantic Geometry

The term *manifold* in SMT is intentionally non-classical.

SMT does not assume:

- smoothness,
- differentiability,
- metric continuity,
- global embeddings,
- latent Euclidean structure,
- or recoverable interpolation.

The manifold in SMT is not:

> a universal semantic geometry.

It is:

> a governance-relative reachability structure over admissible transformations.

This distinction is essential because many modern semantic systems implicitly assume:

- continuity is geometric,
- proximity implies preservation,
- and transformations compose smoothly.

SMT rejects these assumptions.

The natural mathematical intuition behind SMT is therefore:

- not metric geometry first, but:
- homological survival under constrained transformation.

The core SMT question is not:

> how close are two semantic states?

It is:

> what declared invariants survived passage through admissible transformations?

This shifts SMT closer to:

- homological reasoning,
- reachability structures,
- constrained transition systems,
- proof-carrying state graphs,
- and governance-relative continuity auditing

than to latent vector geometry.

The "topology" in SMT is therefore:

- conditional,
- authority-relative,
- revocable,
- and path-dependent.

Continuity itself may collapse when:

- admissibility changes,
- authority changes,
- or invariant declarations change.

Geometry is not foundational in SMT.

Geometry is:

> a temporary local instrument licensed under stable governance conditions.

---

4. The Failure of Implicit Continuity

Classical semantic architectures generally assume one or more of the following:

- local continuity,
- compositionality,
- recoverability,
- metric stability,
- embedding coherence,
- latent-space smoothness,
- or eventual convergence.

These assumptions frequently remain implicit.

A model may:

- rewrite memory,
- reinterpret policy,
- collapse schema distinctions,
- migrate representations,
- or mutate embeddings

while still claiming continuity because:

- outputs remain useful,
- users remain satisfied,
- retrieval remains statistically coherent,
- or latent neighborhoods remain stable.

SMT rejects continuity-by-performance.

A transformation either:

- preserved what it declared it would preserve, or:
- it did not.

No later appeal to:

- usefulness,
- convergence,
- intent,
- or gradual adaptation

restores undeclared continuity.

Undeclared motion leaves no alibi.

---

5. Bindings and Governance-Relative Semantics

SMT begins from the binding:

$$B = (D,\ C,\ K,\ A)$$

Where:

Symbol	Meaning
D	semantic dimensions
C	admissibility constraints
K	semantic couplings
A	authority regime

Dimensions are not assumed:

- enumerable,
- metrizable,
- stable,
- mutually consistent,
- or latent-space grounded.

Dimensions exist because:

> authority permits reference to them.

This is critical.

SMT does not ask whether a semantic distinction is:

- ontologically real,
- psychologically grounded,
- or statistically discoverable.

It asks only:

> whether the distinction was declared and licensed.

The result is:

> governance-relative semantics rather than intrinsic semantics.

---

6. Authority and Admissibility

Authority is one of SMT's most important objects and one of its most easily misunderstood.

Authority is not:

- consensus,
- utility,
- popularity,

- convergence,
- optimization pressure,
- or latent equilibrium.

Authority is:

> the regime licensed to declare preservation conditions, admissibility constraints, observation permissions, and continuity boundaries.

An authority regime may:

- fork,
- stratify,
- overlap,
- or conflict.

SMT does not require:

- global reconciliation,
- authority convergence,
- or universal admissibility agreement.

Multiple authorities may simultaneously evaluate:

- the same transformation,
- under incompatible admissibility regimes,
- producing divergent continuity judgments.

SMT records this divergence without synthesis.

This is intentional.

Authority in SMT is:

> operational rather than metaphysical.

The framework audits:

- declared continuity contracts,

not:

- legitimacy of the contract writer.

For minimal formalization, SMT treats:

> A as a labeled governance-regime identifier with no required global ordering relation.

Specific implementations may impose:

- hierarchies,
- lattices,
- namespace partitioning,
- or merge rules,

but SMT itself requires none.

6.1 Authority Transition

An authority transition is defined as:

$$\tau : A_1 \to A_2$$

where A_1 is the originating authority regime and A_2 is the successor authority regime.

An authority transition does not automatically preserve continuity.

Continuity survives an authority transition only if:

- the transition itself is admissible,
- the declared invariants survive rebinding,
- and the successor authority accepts the continuity contract.

Authority transition therefore behaves as:

> governed rebinding rather than implicit inheritance.

This distinction matters because many semantic systems silently assume:

> reinterpretation preserves continuity.

SMT rejects this assumption.

---

7. Transformations

A transformation is defined as:

$$T : B_1 \to B_2$$

under:

$$(I_{\text{declared}},\ I_{\text{forbidden}})$$

Where I_{declared} are invariants promised to survive, and $I_{\text{forbidden}}$ are prohibited violations.

Transformations are not assumed:

- reversible,
- composable,
- total,
- or geometrically smooth.

This is one of SMT's strongest technical departures from conventional semantic systems.

Most semantic architectures implicitly assume:

> admissible transformations compose.

SMT rejects this.

Two individually admissible transformations may compose into collapse.

Continuity is therefore:

> path-dependent rather than merely state-dependent.

A useful restatement is:

> Continuity is not closed under composition unless authority explicitly closes it.

This matters directly for:

- multi-hop reasoning,
- tool-using AI systems,
- compiler pipelines,
- schema evolution,
- distributed reconciliation,
- and semantic memory systems.

---

8. Invariants and Expressive Survival Contracts

An invariant is:

> any property explicitly declared to survive a transformation.

This definition is intentionally narrow.

SMT does not infer:

- implied intent,
- pragmatic continuity,
- semantic resemblance,
- or latent equivalence.

Only declared invariants participate in continuity evaluation.

This creates a critical consequence:

> silence binds.

Undeclared continuity claims possess no standing inside SMT.

An invariant may be:

- structural,
- relational,
- observational,
- temporal,
- probabilistic,
- or governance-relative.

Examples include:

- "field ordering preserved,"
- "observationally indistinguishable under O,"
- "execution ordering remains admissible,"
- or "holds with probability $\geq p$ under declared evaluation conditions."

Probabilistic invariants are therefore admissible in SMT, but only when the probability semantics, observation conditions, and admissibility thresholds are explicitly declared.

This distinction matters because:

> uncertainty itself must be governed.

SMT evaluates:

> declared survival contracts.

Not:

> semantic plausibility.

---

9. Observation and Authority

Observation under SMT is itself governed.

A policy bundle:

$$P = (I_{\text{required}},\ I_{\text{optional}},\ I_{\text{forbidden}},\ O)$$

defines:

- admissible invariants,
- required invariants,
- forbidden invariants,
- and admissible observation mechanisms.

There is no neutral observer.

A collapse may exist:

- structurally,

- irreversibly,
- and permanently

while remaining:

- inadmissible to observe.

This leads to one of SMT's strongest claims:

> Under fixed authority, "not yet observable" and "never observable" are operationally equivalent.

Time possesses no continuity rights.

Only authority change does.

---

10. Collapse Semantics

Collapse occurs when:

$$I_{\text{declared}} \not\subseteq I_{\text{observed}}$$

Collapse is:

- structural,
- registrational,
- and governance-relative.

It is not:

- moral,
- psychological,
- temporal,
- or pragmatic.

SMT distinguishes:

- partial collapse,
- total collapse,
- and cascading collapse.

A partial collapse produces:

> a reduced admissible binding preserving only surviving invariants.

A total collapse produces:

> invalidation of the declared continuity relation itself.

Cascading collapse occurs when:

- undeclared coupling loss,

- schema drift,
- authority substitution,
- memory reinterpretation,
- or semantic compression

propagate continuity failure through dependent bindings.

Collapse is therefore:

> localizable, compositional, and path-sensitive.

Not merely:

> binary invalidation.

Formally:

$$\text{Collapse}(B, T) := \exists\, i \in I_{\text{declared}} \text{ such that } i \notin I_{\text{observed}}$$

This definition intentionally avoids:

- semantic interpretation,
- latent similarity,
- or probabilistic rescue.

Collapse in SMT is:

> invariant failure under governed observation.

---

11. Path Governance

A path is a finite directed sequence of admissible transformations.

A path is not merely:

> a collection of locally admissible steps.

Paths themselves may possess:

- declared invariants,
- admissibility constraints,
- observation rules,
- and continuity contracts.

Define:

$$\Pi = (T_1,\ T_2,\ \ldots,\ T_n)$$

with:

$$I_{\text{path}} \neq \bigcup I_{\text{step}}$$

This distinction is foundational.

Path continuity cannot be inferred from local transformation admissibility alone.

A path-level admissibility declaration may therefore require:

- invariants never mentioned by any individual step,
- cross-step preservation conditions,
- or globally constrained observation rules.

This formalizes SMT's central composition claim:

> Local admissibility does not imply global continuity rights.

A path is admissible iff:

$$\forall\, T_i \in \Pi : \text{Admissible}(T_i) \;\wedge\; \text{Preserves}(I_{\text{path}}) \;\wedge\; \text{NoForbiddenViolation}(\Pi)$$

This is intentionally minimal.

The purpose is not exhaustive formal semantics, but a minimally executable continuity logic.

---

12. Constitutional Traversal Systems

SMT becomes operationally significant when semantic systems execute:

- governed traversal,
- admissibility-gated retrieval,
- constrained interpretation,
- and receipt-bound continuity auditing.

A constitutional orchestration harness demonstrates this directly.

In the harness:

- retrieval is admission-gated,
- context is lane-governed,
- execution is receipted,
- interpretation is bounded,
- and continuity is reconstructed constitutionally rather than statistically.

The interpretation loop itself behaves as:

> a governed semantic traversal engine.

Its stages correspond closely to SMT path governance:

Interpretation Stage	SMT Function
File prediction	Candidate path projection
Prediction validation	Traversal admissibility evaluation
Mode-1 interpretation loop	Constrained semantic traversal
`interpretation_unknown`	Admissible non-resolution
Receipts	Traversal continuity artifacts

The critical shift is that:

> retrieval does not imply participation.

A retrieved artifact becomes semantically active only after admissibility evaluation through structures such as `FileAdmissibilityReceipt`.

This operationalizes one of SMT's strongest claims:

> participation is constitutionally granted rather than statistically inferred.

---

13. Evaluation Case Study

A minimal constitutional orchestration evaluation demonstrates a concrete SMT advantage over similarity-only semantic systems.

Scenario

An agentic orchestration system retrieves two configuration artifacts:

Artifact A:

```
{
  "mode": "district_power",
  "authority": "grid_v1",
  "admissibility": "law_alpha"
}
```

Artifact B:

```
{
  "mode": "district_power",
  "authority": "grid_v2",
  "admissibility": "law_alpha"
}
```

Embedding similarity remains extremely high because:

- structure remains nearly identical,
- token overlap is large,
- and operational semantics appear superficially stable.

A similarity-based retrieval system therefore treats A and B as continuity-equivalent.

Under SMT:

- authority transition was not declared admissible,
- lineage rebinding was not authorized,
- and continuity inheritance was not explicitly granted.

Result:

$$\text{Collapse}(A \to B)$$

despite high semantic similarity.

This demonstrates SMT's central operational distinction:

> similarity cannot rescue undeclared continuity.

The constitutional orchestration harness detects this divergence through:

- admissibility receipts,
- authority-bound traversal,
- and governed continuity reconstruction.

---

14. Constitutional Meaning Bases and Projection

Constitutional Meaning Bases (CMBs) operationalize SMT's distinction between:

- persistent semantic continuity, and:
- transient conversational projection.

In the harness architecture:

> conversation is not the semantic substrate.

The semantic substrate is:

- the receipt chain,
- the CMB,
- the admissibility topology,
- and the constitutional working state.

Conversation becomes:

> a temporary projection surface reconstructed from governed continuity artifacts.

This distinction is extremely important.

Most conversational AI systems assume:

- the token stream itself is the continuity substrate.

Under SMT:

- token streams are projections,
- continuity exists in governed semantic bindings,
- and conversational state is reconstructed from admissible participation structures.

This reframes:

- memory,
- retrieval,
- context windows,
- and conversational continuity

as:

> projection problems over constitutional semantic topology.

---

15. Geometry as a Revocable Instrument

SMT does not reject geometry.

It rejects:

> geometry as an unconditional continuity guarantee.

Embeddings, metrics, manifolds, vector neighborhoods, and semantic interpolation remain useful local instruments.

But under SMT:

- geometric validity is authority-relative,
- continuity is revocable,
- and manifolds are conditional participation structures rather than globally stable semantic spaces.

A semantic manifold is not:

> a universal latent geometry.

It is:

> a temporary governance-relative projection surface over admissible continuity assumptions.

When:

- authority changes,

- admissibility changes,
- or invariants shift,

the manifold itself may collapse.

This reframes embeddings from:

- semantic truth spaces

into:

- local continuity instruments licensed under declared authority regimes.

---

16. Paths, Reachability, and Homological Intuition

Connectivity under SMT is:

> governance-relative reachability.

Not:

> geometric proximity.

The resulting structure resembles:

- directed admissibility graphs,
- constrained transition systems,
- governance-relative reachability manifolds,
- proof-carrying transition structures,
- and homological survival systems

more than classical metric topology.

The useful mathematical intuition is therefore not:

- smooth geometry first,

but:

- invariant survival under admissible transformation.

Bindings behave analogously to generators.

Transformations behave analogously to boundary operations.

Collapse behaves analogously to invariant failure under traversal.

The receipt chain in constitutional orchestration systems operationalizes this structure directly.

A receipt is not merely:

- a log entry.

It is:

a constitutive continuity artifact.

Continuity therefore exists:

- through admissible traversability across governed transformations, not:
- through geometric similarity alone.

SMT therefore tracks:

> authorized invariant survival classes over admissible paths,

rather than:

> equivalence classes over spaces.

This does not make SMT:

- algebraic topology,
- homological algebra,
- or embedded contact homology.

But the structural resemblance is real:

> SMT is homological before it is geometric.

Its central question is not:

> how near are two semantic states?

It is:

> what survives passage through admissible boundaries?

---

17. Constitutional Semantic Hashing and SMT

CSH operationalizes many SMT principles directly.

Under CSH:

- identity is regime-relative,
- continuity depends on declared interpretation,
- admissibility laws participate in identity,
- and lineage participates in continuity commitments.

This is structurally identical to SMT's core claims.

CSH therefore functions as:

> cryptographic continuity instrumentation for SMT systems.

SMT provides:

- the governance-relative topology.

CSH provides:

- deterministic continuity commitments over that topology.

Together they form:

- governance-aware semantic continuity infrastructure.

---

18. SMT in AI Systems

Modern AI systems increasingly exhibit:

- undeclared semantic drift,
- authority laundering,
- hidden reinterpretation,
- context collapse,
- retrieval mutation,
- and silent schema substitution.

Most current architectures detect these failures heuristically:

- embeddings,
- similarity thresholds,
- statistical retrieval,
- or narrative review.

SMT reframes these failures structurally.

A conversational memory system is not merely:

> retrieving similar text.

It is:

> traversing governance-relative semantic manifolds under continuity claims.

This distinction is profound.

CCM, Constitutional Meaning Bases (CMB), CONDEX, MCIR, and governance-aware semantic systems become:

> continuity governance systems.

Their role is not merely:

- storage,
- retrieval,
- or optimization.

Their role is:

> preserving admissible semantic continuity under declared authority regimes.

---

19. Toward Path Collapse Receipts

Current governance systems already produce:

- execution receipts,
- admissibility receipts,
- retrieval receipts,
- and continuity receipts.

A natural extension is a `PathCollapseReceipt`.

A `PathCollapseReceipt` would crystallize:

- violated invariants,
- collapse locality,
- upstream dependency structure,
- authority regime,
- observability scope,
- recovery admissibility,
- and cascade propagation estimates

as first-class constitutional artifacts.

This matters because collapse is currently inferred structurally.

Under full SMT realization:

- collapse itself becomes governable,
- traversable,
- replayable,
- and constitutionally auditable.

This would allow:

- continuity replay,
- governance-aware rollback,
- admissible branch simulation,
- semantic fork analysis,
- and constrained speculative traversal.

---

20. Minimal Execution Model

A minimal SMT runtime may consist of:

- a binding registry,
- a transformation declaration format,
- an invariant specification language,
- an admissibility-policy registry,

- a path auditor,
- a collapse verifier,
- and a receipt substrate.

A transformation execution loop proceeds as follows:

1. Register binding.
2. Declare admissible invariants.
3. Execute transformation.
4. Evaluate invariant survival.
5. Register admissible collapse or continuity state.
6. Update path-level continuity receipts.

This allows:

- deterministic continuity auditing,
- governance-relative replay,
- admissibility-aware composition verification,
- and structural collapse detection.

The purpose of SMT is therefore not:

> semantic interpretation itself,

but:

> governance-relative continuity verification over semantic transformation systems.

---

21. Limits

SMT does not provide:

- a theory of meaning,
- semantic truth,
- optimization,
- latent geometry,
- reconciliation,
- or redemption.

It does not:

- repair collapse,
- infer undeclared invariants,
- justify transformations retroactively,
- or rescue continuity through usefulness.

SMT is intentionally diagnostic rather than restorative.

This is not a weakness.

It is the core methodological stance.

---

22. Conclusion

Most semantic systems ask:

> what does this mean?

SMT asks:

> who authorized its survival?

This is not merely a philosophical shift.

It is a systems shift.

Meaning no longer persists because:

- similarity remained high,
- embeddings remained nearby,
- outputs remained useful,
- or convergence appeared smooth.

Meaning persists only where:

- continuity was declared,
- authority licensed preservation,
- admissibility permitted observation,
- and invariants survived transformation.

Undeclared motion leaves no continuity rights.

Collapse leaves a trace.

Silence binds.

Corpus-Wide Reference Positioning

This paper argues that most semantic systems assume continuity before they evaluate it. Its nearest external comparison fields are semantic, governance, formal. The sources in [E1], [E2], [E3], [E4], [E5], [E6], [E7] are cited as predecessor literature, adjacent standards, or counterpressure - not as evidence that they caused the Ableman framework or that they validate its novel claims. The comparison isolates where established work already supplies provenance, formal assurance, institutional constraint, empirical method, or engineering practice, and where this paper adds a distinct claim about admissibility, authority, semantic custody, or governed realization.

Within the Ableman corpus, the highest-priority current cross-links are [A1], [A2], [A3], [A4], [A5], [A6], [A7]. These are links among separately custodied works, not silent identity mergers. Their role is to expose mutual dependencies,

terminology collisions, and places where a reader should traverse the corpus before treating this paper as self-sufficient.

Reference-pass counterevidence and limit search

The pass applied the following pressure tests: Formal vocabularies and graph links make commitments explicit but cannot by themselves establish correct identity, shared interpretation, or lossless translation between contexts. A written constitution can legitimate domination as easily as constrain it unless amendment, participation, enforcement, and appeal remain effective in practice. Formal assurance remains relative to the encoded model, trusted base, and refinement chain; proof does not remove specification error or unmodeled environmental behavior. These limits are not generic disclaimers: they identify the assumptions that a later empirical, formal, or implementation review must try to break.

Reference-pass influence and novelty boundary

No newly added external source is asserted to be a documented authorial influence unless the predecessor source already said so. `Predecessor` means earlier relevant work;

`adjacent` means a useful comparison; `standard` means an interoperability or assurance baseline; and `counterevidence` marks work that narrows or pressures a claim. Novelty therefore remains a reviewable, claim-level question rather than an inference from a low similarity score or an absent citation.

References

External scholarship, standards, and prior art

[**E1**] Richard Cyganiak, David Wood, and Markus Lanthaler, eds. *RDF 1.1 Concepts and Abstract Syntax*. W3C Recommendation, 25 February 2014. https://www.w3.org/TR/rdf11-concepts/ **Relationship:** Adjacent graph data model and identity baseline.

[**E2**] Alistair Miles and Sean Bechhofer, eds. *SKOS Simple Knowledge Organization System Reference*. W3C Recommendation, 18 August 2009. https://www.w3.org/TR/skos-reference **Relationship:** Adjacent standard for concepts, labels, schemes, notes, and semantic mappings.

[**E3**] W3C OWL Working Group. *OWL 2 Web Ontology Language Document Overview*, Second Edition. W3C Recommendation, 11 December 2012. https://www.w3.org/TR/owl2-overview/ **Relationship:** Adjacent formal ontology standard used to compare declared semantics and inference commitments.

[**E4**] Mark D. Wilkinson et al. "The FAIR Guiding Principles for Scientific Data Management and Stewardship." *Scientific Data* 3, 2016, 160018. DOI: 10.1038/sdata.2016.18. https://doi.org/10.1038/sdata.2016.18 **Relationship:**

Predecessor stewardship principles for findability, accessibility, interoperability, and reuse.

[**E5**] Peter Gardenfors. *Conceptual Spaces: The Geometry of Thought.* MIT Press, 2000. mitpress.mit.edu source **Relationship:** Predecessor geometric treatment of concepts; cited as comparison, not as validation of the paper's manifold terminology.

[**E6**] Elinor Ostrom. *Governing the Commons: The Evolution of Institutions for Collective Action.* Cambridge University Press, 1990. DOI: 10.1017/CBO9780511807763. https://doi.org/10.1017/CBO9780511807763 **Relationship:** Predecessor institutional account of rule-governed collective action and polycentric governance.

[**E7**] Wil Waluchow and Dimitrios Kyritsis. "Constitutionalism." *Stanford Encyclopedia of Philosophy*, substantive revision 2023. https://plato.stanford.edu/entries/constitutionalism/ **Relationship:** Adjacent legal-philosophical account of limited authority; included to expose differences between political and computational constitutionalism.

Ableman corpus

[**A1**] Adam Ableman. *Meaning as Binding.* Ableman Corpus current edition; work identity
`AMCS-LOCAL-WORK-5F976917F0B283EA`;
source SHA-256
`A470D1A0B9ED7C3CEAB6BB88BE4B642A2BA36427447F787764329FD574DA0C97`.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A2**] Adam Ableman. *Governed Meaning Base (GMB).* Ableman Corpus current edition; work identity
`AMCS-LOCAL-WORK-D95CCC4FB7B58BFB`;
source SHA-256
`A3B62E50F8BEE125FDAE0D38C2839AFD1CCC138296268BF93217481E38AA48EA`.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A3**] Adam Ableman. *Global Term Key: Identity Primitives in Governed Knowledge Systems.* Ableman Corpus current edition; work identity
`AMCS-LOCAL-WORK-358AC09F5A13587E`;
source SHA-256
`AFB29CFCB4B58A78B79709AD453CEE9088CCB2AE40F30A70260F1B54F5160579`.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A4**] Adam Ableman. *Semantic Legitimacy Before Context.* Ableman Corpus current edition; work identity
`AMCS-LOCAL-WORK-091E34BA93992CE4`;

source SHA-256
DEB7626CE1AB54F4B541347DCC3C4E14DC4F682230ACCCE1A93D1D536A50C44C.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A5**] Adam Ableman. *Ableman Constitutional Governance*. Ableman Corpus current edition; work identity
AMCS-LOCAL-WORK-79353AF163A4B0F1;
source SHA-256
FB0D9B2D3D54168FFE70B24308D1B2766D6D663ED24502D475E975939BE97C8B.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A6**] Adam Ableman. *Constitutional Theory*. Ableman Corpus current edition; work identity
AMCS-LOCAL-WORK-D2D97C4042FD281F;
source SHA-256
FACC256EDDE5A7D7EA18133CFC9C060CFB8C3811B0221E1969E62347F2BB69CF.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

[**A7**] Adam Ableman. *Governance Engineering*. Ableman Corpus current edition; work identity PAPER.PUB.18749870;
source SHA-256
372169F315D192733856B1F4A3F1038BBC73F57CF3ED9ACABAE72B965A69C8D0.
Corpus relationship: priority cross-link selected by corpus profile and similarity review; no identity merger or publication effect.

Corpus source and companion formats: https://github.com/AblemanMosaic/ableman-corpus
License: CC-BY-ND-4.0

DOI: 10.5281/zenodo.20257244