



Overview of Jigg Holder Case





Front View



Iso View



SEALAB	
63 Flushing Ave Building 3, Suite 1108 Brooklyn, NY 11205	
Project: Jigg Holder Case	396 15th St.
Description	Overview
Issue	P-OV






The top frame is designed with a CNC-machined lip, which allows for the insertion baseplate for jigs.


Piano Hinge



The left side of the top frame has to be seam-welded together with the piano hinge.






Top View



Insert Jigg (1) or (2) or (3) and attach it to the top frame by inserting it into the lip



Right View




Spacer Blocks(1)(2)(3):
The purpose of spacer blocks is to support the top frame and hold the insert jig in place. Additionally, the spacer blocks aid in aligning the jigs and serve as the baseplate position for the jigs.


Description

Issue


P-04,05,06-01



Spacer Block 1




Spacer Block 2




Spacer Block 3

Description	Spacer Blocks(1)(2)(3): The purpose of spacer blocks is to support the top frame and hold the insert jig in place. Additionally, the spacer blocks aid in aligning the jigs and serve as the baseplate position for the jigs.



Issue
P-04,05,06-02



Top View



Right View



Finished Jigg

Iso View and Wireframe

SEALAB	
63 Flushing Ave Building 3, Suite 1108 Brooklyn, NY 11205	
Project: Jigg Holder Case	396 15th St
Finished Jigg	
Description	
Issue	P-07