

Name: Asnaira B. Mucalam

Year/Course/Section: 3- BSCS-B

Booking.com

Amazon.com

AliExpress

Lazada

Agoda.com

Would you like to make Opera your everyday browser?

How do I do that?

Yes, set it as default browser

x

MySQL Community Downloads

- MySQL Yum Repository
- MySQL APT Repository
- MySQL SUSE Repository
- MySQL Community Server
- MySQL Cluster
- MySQL Router
- MySQL Shell
- MySQL Workbench
- MySQL Installer for Windows
- MySQL for Visual Studio

- C API (libmysqlclient)
- Connector/C++
- Connector/J
- Connector/NET
- Connector/Node.js
- Connector/ODBC
- Connector/Python
- MySQL Native Driver for PHP
- MySQL Benchmark Tool
- Time zone description tables
- Download Archives

ORACLE

© 2021, Oracle Corporation and/or its affiliates

Legal Policies | Your Privacy Rights | Terms of Use | Trademark Policy | Contributor Agreement | Cookie Preferences

Type here to search

25°C Heavy t-storms

8:57 pm

ENG



Would you like to make Opera your everyday browser? [How do I do that?](#)

Yes, set it as default browser



MySQL Community Downloads

MySQL Installer

General Availability (GA) Releases

Archives



MySQL Installer 8.0.27

Select Operating System:

Microsoft Windows

[Looking for previous GA versions?](#)

Windows (x86, 32-bit), MSI Installer

8.0.27

2.3M

Download

(mysql-installer-web-community-8.0.27.1.msi)

MD5: 44b7f3e4c1bdcc641621cf3aa31ea18f4 | [Signature](#)

Windows (x86, 32-bit), MSI Installer

8.0.27

470.2M

Download

(mysql-installer-community-8.0.27.1.msi)

MD5: 9b7af5c91139659b10b84b1ca357d08f | [Signature](#)



We suggest that you use the MD5 checksums and GnuPG signatures to verify the integrity of the

<https://dev.mysql.com/downloads/file/?id=508935>

Type here to search



25°C Heavy t-storms





Would you like to make Opera your everyday browser? [How do I do that?](#)

Yes, set it as default browser



MySQL Community Downloads

Login Now or Sign Up for a free account.

An Oracle Web Account provides you with the following advantages:

- Fast access to MySQL software downloads
- Download technical White Papers and Presentations
- Post messages in the MySQL Discussion Forums
- Report and track bugs in the MySQL bug system

Login »

using my Oracle Web account

Sign Up »

for an Oracle Web account

MySQL.com is using Oracle SSO for authentication. If you already have an Oracle Web account, click the Login link. Otherwise, you can signup for a free account by clicking the Sign Up link and following the instructions.

No thanks, just start my download.



Would you like to make Opera your everyday browser? [How do I do that?](#)

Yes, set it as default browser

MySQL Community Downloads

Login Now or Sign Up for a free account.

An Oracle Web Account provides you with the following:

- Fast access to MySQL software downloads
- Download technical White Papers and Presentation
- Post messages in the MySQL Discussion Forums
- Report and track bugs in the MySQL bug system

Login »

using my Oracle Web account

MySQL.com is using Oracle SSO for authentication. If you already have an Oracle Web account, click the Login link. Otherwise, you can sign up for a free account by clicking the Sign Up link and following the instructions.

No thanks, just start my download.

Open File - Security Warning

Do you want to run this file?



Name: ...wnloads\mysql-installer-web-community-8.0.27.1.msi
Publisher: [Oracle America, Inc.](#)
Type: Windows Installer Package
From: C:\Users\HP\Downloads\mysql-installer-web-commu...

Run

Cancel

☒ Always ask before opening this file



While files from the Internet can be useful, this file type can potentially harm your computer. Only run software from publishers you trust.
[What's the risk?](#)

Type here to search



25°C Heavy t-storms



ENG

8:59 pm
15/11/2021





Would you like to make Opera your everyday browser? [How do I do that?](#)

Yes, set it as default browser



MySQL Community Downloads

Login Now or Sign Up for a free account.

An Oracle Web Account provides you with the following advantages:

- Fast access to MySQL software downloads
- Download technical White Papers and Presentations
- Post messages in the MySQL Discussion Forums
- Report and track bugs in the MySQL bug system

Login »

using my Oracle Web account

Sign Up »

for an Oracle Web account

MySQL.com is using Oracle SSO for authentication. If you already have an Oracle Web account, click the Login link. Otherwise, you can signup for a free account by clicking the Sign Up link and following the instructions.

MySQL Installer - Community



Please wait while Windows configures MySQL Installer - Community

Cancel

No thanks, just start my download.



Type here to search



25°C Heavy t-storms



9:00 pm
15/11/2021





Would you like to make Opera your everyday browser? [How do I do that?](#)

[Yes, set it as default browser](#)



MySQL Community Downloads

Login Now or Sign Up for a free account

An Oracle Web Account provides you with the

- Fast access to MySQL software downloads
- Download technical White Papers and Presentations
- Post messages in the MySQL Discussion Forums
- Report and track bugs in the MySQL bug system

Login »

using my Oracle Web account

MySQL.com is using Oracle SSO for authentication. If you already have an Oracle Web account, click the Login link. Otherwise, you can signup for a free account by clicking the Sign Up link and following the instructions.



[No thanks, just start my download.](#)

Type here to search



25°C Heavy t-storms



9:02 pm
15/11/2021



dev.mysql.com/downloads/file/

Booking.com Amazon.com MySQL Installer

Would you like to make Opera your default browser?

Yes, set it as default browser

MySQL. Installer
Adding Community

Choosing a Setup Type

Download

Installation

Installation Complete

MySQL Com

Login Now or Sign Up for MySQL

An Oracle Web Account provides:

- Fast access to MySQL software
- Download technical Whitepapers
- Post messages in the MySQL Community
- Report and track bugs in the MySQL Bug Tracker

Log in using my Oracle Web account

MySQL.com is using Oracle Web account, click the Log in button or clicking the Sign Up link

No thanks, just start my download.

Choosing a Setup Type

Please select the Setup Type that suits your use case.

☒ Developer Default
Installs all products needed for MySQL development purposes.

☐ Server only
Installs only the MySQL Server product.

☐ Client only
Installs only the MySQL Client products, without a server.

☐ Full
Installs all included MySQL products and features.

☐ Custom
Manually select the products that should be installed on the system.

Setup Type Description

Installs the MySQL Server and the tools required for MySQL application development. This is useful if you intend to develop applications for an existing server.

This Setup Type includes:

- * MySQL Server
- * MySQL Shell
The new MySQL client application to manage MySQL Servers and InnoDB cluster instances.
- * MySQL Router
High availability router daemon for InnoDB cluster setups to be installed on application

Next >

Cancel

Type here to search

25°C Heavy t-storms

9:02 pm 15/11/2021

Booking.com

Amazon.com

MySQL Installer

Would you like to make Opera your default browser?

MySQL.com

Login Now or Sign Up for MySQL

- Fast access to MySQL software
- Download technical Whitepapers
- Post messages in the MySQL community
- Report and track bugs in the MySQL bug database

Log in

using my Oracle account

MySQL.com is using Oracle Web account, click the Log in button, or clicking the Sign Up link

No thanks, just start my download.

MySQL Installer

Adding Community

Choosing a Setup Type

Check Requirements

Download

Installation

Product Configuration

Installation Complete

Check Requirements

The following products have failing requirements. MySQL Installer will attempt to resolve them automatically. Requirements marked as manual cannot be resolved automatically. Click on each item to try and resolve it manually.

| For Product | Requirement | Status |
|--|---|--------|
| <input type="radio"/> MySQL Server 8.0.27 | Microsoft Visual C++ 2019 Redistributable | |
| <input type="radio"/> MySQL Workbench 8.0.27 | Microsoft Visual C++ 2019 Redistributable | |
| <input type="radio"/> MySQL for Visual Studio 1.2.10 | Visual Studio version 2015, 2017 or 2019 | Manual |
| <input type="radio"/> MySQL Shell 8.0.27 | Microsoft Visual C++ 2019 Redistributable | |
| <input type="radio"/> MySQL Router 8.0.27 | Microsoft Visual C++ 2019 Redistributable | |
| <input type="radio"/> Connector/ODBC 8.0.27 | Microsoft Visual C++ 2019 Redistributable | |
| <input type="radio"/> Connector/C++ 8.0.27 | Microsoft Visual C++ 2017 Redistributable | |

< Back

Execute

Next >

Cancel

Type here to search

25°C Heavy t-storms

9:02 pm 15/11/2021

The screenshot displays the MySQL Installer application window, specifically the 'Check Requirements' step. The window is titled 'MySQL Installer' and has a sidebar on the left with the following options: 'Adding Community', 'Choosing a Setup Type', 'Check Requirements' (which is currently selected), 'Download', 'Installation', 'Product Configuration', and 'Installation Complete'. The main area of the window is titled 'Check Requirements' and contains the following text: 'The following products have failing requirements. MySQL Installer will attempt to resolve them automatically. Requirements marked as manual cannot be resolved automatically. Click on each item to try and resolve it manually.'

Below this text is a table with three columns: 'For Product', 'Requirement', and 'Status'. The table lists the following products and their requirements:

| For Product | Requirement | Status |
|--------------------------------|---|--------|
| MySQL for Visual Studio 1.2.10 | Visual Studio version 2015, 2017 or 2019 | Manual |
| MySQL Shell 8.0.27 | Microsoft Visual C++ 2019 Redistributable | Manual |
| MySQL Router 8.0.27 | Microsoft Visual C++ 2019 Redistributable | Manual |
| Connector/ODBC 8.0.27 | Microsoft Visual C++ 2019 Redistributable | Manual |
| Connector/C++ 8.0.27 | Microsoft Visual C++ 2017 Redistributable | Manual |
| Connector/Python 8.0.27 | Microsoft Visual C++ 2015 Redistributable | Manual |
| Connector/Python 8.0.27 | Python 64-bit (3.6, 3.7, 3.8 or 3.9) is not installed | Manual |

At the bottom of the window, there are four buttons: '< Back', 'Execute', 'Next >', and 'Cancel'. The background of the screenshot shows the MySQL.com website, which is partially obscured by the installer window. The website has a header with the MySQL logo and a navigation bar with links to 'Login Now or Sign Up for MySQL.com', 'Download', 'Installation', 'Product Configuration', and 'Installation Complete'. The main content area of the website is titled 'MySQL.com is using Oracle Web account' and contains a large blue button labeled 'Log in using my Oracle Web account'. Below this button, there is a paragraph of text: 'MySQL.com is using Oracle Web account. To log in, click the Log in button. If you are not a user, click the Sign Up link.' At the bottom of the website, there is a footer with the text 'No thanks, just start my download.'

Booking.com

Amazon.com

MySQL Installer

Would you like to make Opera your default browser?

MySQL.com

Login Now or Sign Up for MySQL

- Fast access to MySQL software
- Download technical Whitepapers
- Post messages in the MySQL Community
- Report and track bugs in the MySQL bug database

Log in using my Oracle account

MySQL.com is using Oracle Web account, click the Log in link or clicking the Sign Up link

No thanks, just start my download.

MySQL Installer

Adding Community

Choosing a Setup Type

Check Requirements

Download

Installation

Product Configuration

Installation Complete

Check Requirements

The following products have failing requirements. MySQL Installer will attempt to resolve them automatically. Requirements marked as manual cannot be resolved automatically. Click on each item to try and resolve it manually.

| For Product | Requirement | Status |
|--------------------------------|--|-------------|
| MySQL for Visual Studio 1.2.10 | Visual Studio version 2015, 2017 or 2019 | Manual |
| MySQL Shell 8.0.27 | Microsoft Visual C++ 2019 Redistributable Package (x64) is not installed. Latest binary compatible version will be installed if agreed | INSTL FAIL? |
| MySQL Router 8.0.27 | Microsoft Visual C++ 2019 Redistributable Package (x64) is not installed. Latest binary compatible version will be installed if agreed | INSTL FAIL? |
| Connector/ODBC 8.0.27 | Microsoft Visual C++ 2019 Redistributable Package (x64) is not installed. Latest binary compatible version will be installed if agreed | INSTL DONE |
| Connector/C++ 8.0.27 | Microsoft Visual C++ 2017 Redistributable Package (x64) is not installed. Latest binary compatible version will be installed if agreed | INSTL DONE |
| Connector/Python 8.0.27 | Microsoft Visual C++ 2015 Redistributable Package (x64) is not installed. Latest binary compatible version will be installed if agreed | INSTL DONE |
| Connector/Python 8.0.27 | Python 64-bit (3.6, 3.7, 3.8 or 3.9) is not installed. Latest binary compatible version will be installed if agreed | Manual |

Requirement Details

MySQL Installer is trying to resolve this requirement automatically. There is nothing you need to do.

Requirement: Microsoft Visual C++ 2019 Redistributable Package (x64) is not installed. Latest binary compatible version will be installed if agreed

Status:

< Back

Next >

Cancel

Yes, set it as default browser

Type here to search

Taskbar icons: File Explorer, Mail, Settings, Edge, MySQL Installer

25°C Heavy t-storms

9:15 pm 15/11/2021

Booking.com

Amazon.com

MySQL Installer

Would you like to make Opera your default browser?

MySQL Community

Login Now or Sign Up for MySQL

Fast access to MySQL software

Download technical Whitepapers

Post messages in the MySQL Forums

Report and track bugs in the MySQL Bug Tracker

Log in

using my Oracle account

MySQL.com is using Oracle Web account, click the Log in link or clicking the Sign Up link

No thanks, just start my download.

MySQL. Installer

Adding Community

Choosing a Setup Type

Installation

Product Configuration

Installation Complete

Installation

The following products will be installed.

| Product | Status | Progress | Notes |
|-----------------------------|----------|----------|-------|
| MySQL Server 8.0.27 | Complete | | |
| MySQL Workbench 8.0.27 | Complete | | |
| MySQL Shell 8.0.27 | Complete | | |
| MySQL Router 8.0.27 | Complete | | |
| Connector/ODBC 8.0.27 | Complete | | |
| Connector/C++ 8.0.27 | Complete | | |
| Connector/J 8.0.27 | Complete | | |
| Connector/.NET 8.0.27 | Complete | | |
| MySQL Documentation 8.0.27 | Complete | | |
| Samples and Examples 8.0.27 | Complete | | |

Show Details >

< Back

Next >

Cancel


Yes, set it as default browser


Type here to search


26°C Rain showers


10:35 pm


15/11/2021














dev.mysql.com/downloads/file/

Booking.com Amazon.com MySQL Installer

Would you like to make Opera your default browser?

MySQL.com

Login Now or Sign Up for MySQL

An Oracle Web Account provides:

- Fast access to MySQL software
- Download technical Whitepapers
- Post messages in the MySQL community
- Report and track bugs in the MySQL community

Log in using my Oracle Web account

MySQL.com is using Oracle Web account, click the Log in link or clicking the Sign Up link

No thanks, just start my download.

MySQL Installer

Adding Community

Choosing a Setup Type

Installation

Product Configuration

Installation Complete

Product Configuration

We'll now walk through a configuration wizard for each of the following products.

You can cancel at any point if you wish to leave this wizard without configuring all the products.

| Product | Status |
|-----------------------------|-------------------------|
| MySQL Server 8.0.27 | Configuration complete. |
| MySQL Router 8.0.27 | Ready to configure |
| Samples and Examples 8.0.27 | Ready to configure |

Next > Cancel

Yes, set it as default browser

Type here to search

26°C Rain showers 10:41 pm 15/11/2021

dev.mysql.com/downloads/file/

Booking.com Amazon.com

Would you like to make Opera your default browser?

MySQL.com

Login Now or Sign Up for MySQL

An Oracle Web Account provides:

- Fast access to MySQL software
- Download technical Whitepapers
- Post messages in the MySQL community
- Report and track bugs in the MySQL bug database

Log in using my Oracle account

MySQL.com is using Oracle Web account, click the Log in link or clicking the Sign Up link

No thanks, just start my download.

MySQL Installer

Samples and Examples

Connect To Server

Apply Configuration

Connect To Server

Select the MySQL server instances from the list to receive sample schemas and data.

| | Server | Port | Arch... | Type | Status |
|-------------------------------------|---------------------|------|---------|--------------------|---------|
| <input checked="" type="checkbox"/> | MySQL Server 8.0.27 | 3306 | X64 | Stand-alone Server | Running |

Provide the credentials that should be used (requires root privileges). Click "Check" to ensure they work.

User name: root Credentials provided in Server configuration

Password:


Check

Next > Cancel

Type here to search

26°C Rain showers

10:42 pm 15/11/2021



dev.mysql.com/downloads/file/

Booking.com Amazon.com MySQL Installer

Would you like to make Opera your default browser?

MySQL Installer

Adding Community

Choosing a Setup Type

Installation

Product Configuration

Installation Complete

MySQL.com

Login Now or Sign Up for MySQL

An Oracle Web Account provides you with:

- Fast access to MySQL software
- Download technical Whitepapers
- Post messages in the MySQL community
- Report and track bugs in the MySQL community

Log in using my Oracle Web account

MySQL.com is using Oracle Web account, click the Log in link or clicking the Sign Up link

No thanks, just start my download.

Installation Complete

The installation procedure has been completed.

Copy Log to Clipboard

☒ Start MySQL Workbench after setup

☒ Start MySQL Shell after setup

The MySQL Shell is an advanced MySQL client application that can be used to work with single MySQL Server instances. Further, it can be used to create and manage an InnoDB cluster, an integrated solution for high availability and scalability of MySQL databases, without requiring advanced MySQL expertise.

```
graph LR; ClientApp[Client App] --> MySQLRouter[MySQL Router]; MySQLRouter --> MySQLShell[MySQL Shell]; MySQLShell --> InnoDBCluster[InnoDB Cluster]; InnoDBCluster --> MySQLRouter;
```

Refer to the following links for documentation, tutorials and examples on MySQL Shell:

[MySQL Shell Documentation](#)

[Setting up a Real World Cluster Blog](#)


[The All New MySQL InnoDB ReplicaSet Blog](#)

[Changing Cluster Options Live Blog](#)

Finish

Type here to search

26°C Rain showers 10:45 pm 15/11/2021



MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

INSTANCE

Startup / Shutdown

Server Logs

Options File

PERFORMANCE

Dashboard

Performance Reports

Performance Schema Setup

Administration

Schemas

Information

No object selected

Query 1

SQLAdditions

Limit to 10

Jump to

1

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help

Snippets

Output

Action Output

Type here to search

26°C Rain showers

10:47 pm 15/11/2021

MySQL Workbench

File Edit View Database Tools Scripting Help

MySQL Workbench icons

Welcome to MySQL Workbench

MySQL Workbench is the official graphical user interface (GUI) tool for MySQL. It allows you to design, create and browse your database schemas, work with database objects and insert data as well as design and run SQL queries to work with stored data. You can also migrate schemas and data from other database vendors to your MySQL database.

[Browse Documentation >](#)[Read the Blog >](#)[Discuss on the Forums >](#)

MySQL Connections


Local instance MySQL80
root
localhost:3306

Type here to search

Taskbar icons

26°C Rain showers

10:46 pm 15/11/2021



MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

sakila

sys

Tables

Views

Stored Procedures

Functions

world

Query 1

```
122 • INSERT INTO `order_items` VALUES (8,5,2,6.94);
123 • INSERT INTO `order_items` VALUES (8,8,2,8.59);
124 • INSERT INTO `order_items` VALUES (9,6,5,7.28);
125 • INSERT INTO `order_items` VALUES (10,1,10,6.01);
126 • INSERT INTO `order_items` VALUES (10,9,9,4.28);
127
128 • CREATE TABLE `sql_store`.`order_item_notes` (
129     `note_id` INT NOT NULL,
130     `order_id` INT NOT NULL,
131     `product_id` INT NOT NULL,
132     `note` VARCHAR(255) NOT NULL,
133     PRIMARY KEY (`note_id`));
134
135 • INSERT INTO `order_item_notes` (`note_id`, `order_id`, `product_id`
136 • INSERT INTO `order_item_notes` (`note_id`, `order_id`, `product_id`
137
```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Administration Schemas

Information

Schema: sys

Object Info Session

Output

Action Output

| # | Time | Action | Message | Duration / Fetch |
|----|----------|--|--|------------------|
| 61 | 13:13:30 | INSERT INTO `order_items` VALUES (8,5,2,6.94) | 1 row(s) affected | 0.063 sec |
| 62 | 13:13:30 | INSERT INTO `order_items` VALUES (8,8,2,8.59) | 1 row(s) affected | 0.125 sec |
| 63 | 13:13:31 | INSERT INTO `order_items` VALUES (9,6,5,7.28) | 1 row(s) affected | 0.203 sec |
| 64 | 13:13:31 | INSERT INTO `order_items` VALUES (10,1,10,6.01) | 1 row(s) affected | 0.078 sec |
| 65 | 13:13:31 | INSERT INTO `order_items` VALUES (10,9,9,4.28) | 1 row(s) affected | 0.079 sec |
| 66 | 13:13:31 | CREATE TABLE `sql_store`.`order_item_notes` (`note_id` INT NOT NULL, `order_id` INT ... | Error Code: 1049. Unknown database 'sql_store' | 0.093 sec |

Windows Taskbar

Type here to search

29°C Rain showers

1:13 pm 16/11/2021

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

- sakila
- store
 - Tables
 - customers
 - order_items
 - order_statuses
 - orders
 - products
 - shippers
 - Views
 - Stored Procedures
 - Functions
- sys
- world

Query 1 customers x

1 • SELECT * FROM store.customers;

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

| | customer_id | first_name | last_name | birth_date | phone | address |
|---|-------------|------------|------------|--------------|-----------------|---------|
| 1 | Babara | MacCaffrey | 1986-03-28 | 781-932-9754 | 0 Sage Terrace | |
| 2 | Ines | Brushfield | 1986-04-13 | 804-427-9456 | 14187 Commer | |
| 3 | Freddi | Boagey | 1985-02-07 | 719-724-7869 | 251 Springs Jun | |
| 4 | Ambur | Roseburgh | 1974-04-14 | 407-231-8017 | 30 Arapahoe Te | |
| 5 | Clemmie | Betchley | 1973-11-07 | NULL | 5 Spohn Circle | |
| 6 | Elka | Twiddell | 1991-09-04 | 312-480-8498 | 7 Manley Drive | |

Administration Schemas

customers 1 x

Apply Revert

Context Help Snippets

Information: Schema: store

Output

Action Output

| # | Time | Action | Message | Duration / Fetch |
|---|----------|---|--------------------|-----------------------|
| 1 | 13:17:17 | SELECT * FROM store.customers LIMIT 0, 1000 | 10 row(s) returned | 0.047 sec / 0.000 sec |

Object Info Session

Type here to search

29°C Rain showers 1:17 pm 16/11/2021

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: SCHEMAS

Filter objects

- sakila
- store
 - Tables
 - customers
 - order_items
 - order_statuses
 - orders
 - products
 - shippers
 - Views
 - Stored Procedures
 - Functions
- sys
- world

Query 1 customers order_items x

1 • `SELECT * FROM store.order_items;`

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

| | order_id | product_id | quantity | unit_price |
|---|----------|------------|----------|------------|
| 1 | 4 | 4 | 4 | 3.74 |
| 2 | 1 | 2 | 2 | 9.10 |
| 2 | 4 | 4 | 4 | 1.66 |
| 2 | 6 | 2 | 2 | 2.94 |
| 3 | 3 | 10 | 10 | 9.12 |
| 4 | 3 | 7 | 7 | 6.99 |
| 4 | 10 | 7 | 7 | 6.40 |

Administration Schemas order_items 1 x Apply Revert Context Help Snippets

Information: Schema: store

Output

Action Output

| # | Time | Action | Message | Duration / Fetch |
|---|----------|---|--------------------|-----------------------|
| 1 | 13:17:17 | SELECT * FROM store.customers LIMIT 0, 1000 | 10 row(s) returned | 0.047 sec / 0.000 sec |
| 2 | 13:17:29 | SELECT * FROM store.order_items LIMIT 0, 1000 | 18 row(s) returned | 0.015 sec / 0.000 sec |

Object Info Session

Type here to search

29°C Rain showers 1:17 pm 16/11/2021

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

- sakila
- store
 - Tables
 - customers
 - order_items
 - order_statuses
 - orders
 - products
 - shippers
 - Views
 - Stored Procedures
 - Functions
- sys
- world

Query 1 customers order_items order_statuses x

1 • SELECT * FROM store.order_statuses;

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

| | order_status_id | name |
|---|-----------------|-----------|
| ▶ | 1 | Processed |
| | 2 | Shipped |
| | 3 | Delivered |
| * | NULL | NULL |

der_statuses 1 x

Administration Schemas

Information: Schema: store

Output

Action Output

| # | Time | Action | Message | Duration / Fetch |
|-----|----------|--|--------------------|-----------------------|
| ✓ 1 | 13:17:17 | SELECT * FROM store.customers LIMIT 0, 1000 | 10 row(s) returned | 0.047 sec / 0.000 sec |
| ✓ 2 | 13:17:29 | SELECT * FROM store.order_items LIMIT 0, 1000 | 18 row(s) returned | 0.015 sec / 0.000 sec |
| ✓ 3 | 13:17:34 | SELECT * FROM store.order_statuses LIMIT 0, 1000 | 3 row(s) returned | 0.109 sec / 0.000 sec |

Object Info Session

Windows taskbar: 29°C Rain showers 1:17 pm 16/11/2021

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

- sakila
- store
 - Tables
 - customers
 - order_items
 - order_statuses
 - orders
 - products
 - shippers
 - Views
 - Stored Procedures
 - Functions
- sys
- world

Query 1 customers order_items order_statuses orders x

1 • `SELECT * FROM store.orders;`

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

| | order_id | customer_id | order_date | status | comments |
|---|----------|-------------|------------|--------|-----------------------------------|
| 1 | 6 | | 2019-01-30 | 1 | NULL |
| 2 | 7 | | 2018-08-02 | 2 | NULL |
| 3 | 8 | | 2017-12-01 | 1 | NULL |
| 4 | 2 | | 2017-01-22 | 1 | NULL |
| 5 | 5 | | 2017-08-25 | 2 | |
| 6 | 10 | | 2018-11-18 | 1 | Aliquam erat volutpat. In congue. |

Administration Schemas

orders 1 x

Apply Revert

Context Help Snippets

Information: Schema: store

Object Info Session

Output

Action Output

| # | Time | Action | Message | Duration / Fetch |
|-----|----------|--|--------------------|-----------------------|
| ✓ 1 | 13:17:17 | SELECT * FROM store.customers LIMIT 0, 1000 | 10 row(s) returned | 0.047 sec / 0.000 sec |
| ✓ 2 | 13:17:29 | SELECT * FROM store.order_items LIMIT 0, 1000 | 18 row(s) returned | 0.015 sec / 0.000 sec |
| ✓ 3 | 13:17:34 | SELECT * FROM store.order_statuses LIMIT 0, 1000 | 3 row(s) returned | 0.109 sec / 0.000 sec |
| ✓ 4 | 13:17:40 | SELECT * FROM store.orders LIMIT 0, 1000 | 10 row(s) returned | 0.016 sec / 0.000 sec |

Windows taskbar: 29°C Rain showers 1:17 pm 16/11/2021

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas

Filter objects

- sakila
 - store
 - Tables
 - customers
 - order_items
 - order_statuses
 - orders
 - products
 - shippers
 - Views
 - Stored Procedures
 - Functions
 - sys
 - world

products - Table

Limit to 1000 rows

1 • `SELECT * FROM store.products;`

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

| | product_id | name | quantity_in_stock | unit_price |
|---|------------|------------------------------|-------------------|------------|
| ▶ | 1 | Foam Dinner Plate | 70 | 1.21 |
| | 2 | Pork - Bacon,back Peameal | 49 | 4.65 |
| | 3 | Lettuce - Romaine, Heart | 38 | 3.35 |
| | 4 | Brocolinni - Gaylan, Chinese | 90 | 4.53 |
| | 5 | Sauce - Ranch Dressing | 94 | 1.63 |
| | 6 | Petit Baguette | 14 | 2.39 |
| | 7 | Sweet Pea Sprouts | 98 | 3.29 |
| | 8 | Teland Oasic - Raenheru | 76 | 0.74 |

Administration Schemas

Information: Schema: store

Object Info Session

Output

Action Output

| # | Time | Action | Message | Duration / Fetch |
|-----|----------|--|--------------------|-----------------------|
| ✓ 3 | 13:17:34 | SELECT * FROM store.order_statuses LIMIT 0, 1000 | 3 row(s) returned | 0.109 sec / 0.000 sec |
| ✓ 4 | 13:17:40 | SELECT * FROM store.orders LIMIT 0, 1000 | 10 row(s) returned | 0.016 sec / 0.000 sec |
| ✓ 5 | 13:17:49 | SELECT * FROM store.products LIMIT 0, 1000 | 10 row(s) returned | 0.016 sec / 0.000 sec |
| ✓ 6 | 13:17:50 | SELECT * FROM store.products LIMIT 0, 1000 | 10 row(s) returned | 0.000 sec / 0.000 sec |
| ✓ 7 | 13:17:50 | SELECT * FROM store.products LIMIT 0, 1000 | 10 row(s) returned | 0.000 sec / 0.000 sec |
| ✓ 8 | 13:17:51 | SELECT * FROM store.products LIMIT 0, 1000 | 10 row(s) returned | 0.000 sec / 0.000 sec |

Windows Taskbar: 29°C Rain showers 1:17 pm 16/11/2021

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- sakila
- store
 - Tables
 - customers
 - order_items
 - order_statuses
 - orders
 - products
 - shippers
 - Views
 - Stored Procedures
 - Functions
- sys
- world

products - Table products products products products shippers x

Limit to 1000 rows

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

1 • `SELECT * FROM store.shippers;`

Result Grid

| shipper_id | name |
|------------|-----------------------------|
| 1 | Hettinger LLC |
| 2 | Schinner-Predovic |
| 3 | Satterfield LLC |
| 4 | Mraz, Renner and Nolan |
| 5 | Waters, Mayert and Prohaska |
| * NULL | NULL |

Administration Schemas

shippers 1 x

Apply Revert

Context Help Snippets

Information

Schema: store

Object Info Session

Output

Action Output

| # | Time | Action | Message | Duration / Fetch |
|-----|----------|--|--------------------|-----------------------|
| ✓ 4 | 13:17:40 | SELECT * FROM store.orders LIMIT 0, 1000 | 10 row(s) returned | 0.016 sec / 0.000 sec |
| ✓ 5 | 13:17:49 | SELECT * FROM store.products LIMIT 0, 1000 | 10 row(s) returned | 0.016 sec / 0.000 sec |
| ✓ 6 | 13:17:50 | SELECT * FROM store.products LIMIT 0, 1000 | 10 row(s) returned | 0.000 sec / 0.000 sec |
| ✓ 7 | 13:17:50 | SELECT * FROM store.products LIMIT 0, 1000 | 10 row(s) returned | 0.000 sec / 0.000 sec |
| ✓ 8 | 13:17:51 | SELECT * FROM store.products LIMIT 0, 1000 | 10 row(s) returned | 0.000 sec / 0.000 sec |
| ✓ 9 | 13:18:29 | SELECT * FROM store.shippers LIMIT 0, 1000 | 5 row(s) returned | 0.016 sec / 0.000 sec |

Windows Taskbar

Type here to search

29°C Rain showers

1:18 pm 16/11/2021