

1 Two periods European put option pricing

Risk neutral probability q

$$q = \frac{e^{rT} - d}{u - d} = \frac{e^{0.05 \cdot \frac{1}{2}} - 0.8}{1.2 - 0.8} = \frac{0.2253}{0.4} = 0.5633$$

Find f_u and f_d

$$\begin{aligned} f_u &= e^{-rT} [q \times \max(K - S_0 u^2, 0) + (1 - q) \max(K - S_0 u d, 0)] \\ &= e^{-0.05 \cdot \frac{1}{2}} [0.5633 \times 0 + 0.4367 \times 4] = 0.9753(0.4367 \times 4) = 1.704 \end{aligned}$$

$$\begin{aligned} f_d &= e^{-rT} [q \times \max(K - S_0 d u, 0) + (1 - q) \max(K - S_0 d^2, 0)] \\ &= e^{-0.05 \cdot \frac{1}{2}} [0.5633 \times 4 + 0.4367 \times 20] = 0.9753(0.5633 \times 4 + 0.4367 \times 20) = 10.72 \end{aligned}$$

Find f

$$\begin{aligned} f &= e^{-rT} [q \times \max(K - S_0 u, 0) + (1 - q) \max(K - S_0 d, 0)] \\ &= e^{-0.05 \cdot \frac{1}{2}} [0.5633 \times 1.704 + 0.4367 \times 10.72] \\ &= 0.9753(0.5633 \times 1.704 + 0.4367 \times 10.72) = 5.5 \end{aligned}$$

2 Two periods American put option pricing

In American put option, we need to consider whether the investor will exercise the put option before the expire day.

1. When $S_0 u$, the value of early exercise will be 0, smaller then the value of waiting for expire day which = 1.704
2. When $S_0 d$, the value of early exercise will be 12, larger then the value of waiting for expire day which = 10.72

So, the price of put option f is

$$f = 0.9753(0.5633 \times 1.704 + 0.4367 \times 12) = 6.05$$

3 The price of European call option when $\Delta t = \frac{T}{N}$

$$\begin{aligned} f_u &= e^{-r\Delta t}[q \times f_{uu} + (1-q) \times f_{ud}] , \quad f_d = e^{-r\Delta t}[q \times f_{du} + (1-q) \times f_{dd}] \\ f &= e^{-r\Delta t}[q \times f_u + (1-q) \times f_d] \\ &= e^{-2r\Delta t}[q^2 f_{uu} + 2q(1-q)f_{ud} + (1-q)^2 f_{dd}] \end{aligned}$$

From the above formula, we observed that it is following the Binominal Distribution. So the generalized formula when $\Delta t = \frac{T}{N}$ is

$$\begin{aligned} f &= e^{-Nr\Delta t} \left[C_N^N q^N (1-q)^0 f_{C_N^N u^N d^0} + C_{N-1}^N q^{N-1} (1-q)^1 f_{C_{N-1}^N u^{N-1} d^1} + \cdots + C_0^N q^0 (1-q)^N f_{C_0^N u^0 d^N} \right] \\ &= e^{-Nr\Delta t} \left[\sum_{j=0}^N C_j^N p^j (1-p)^{N-j} \max [0, u^j d^{N-j} S - K] \right] \end{aligned}$$

Let a stand for the minimum number of upward moves that the stock must make over the next n periods for the call to finish in-the-money.

$$\forall j < a,$$

$$\max [0, u^j d^{N-j} S - K] = 0$$

$$\forall j \geq a,$$

$$\max [0, u^j d^{N-j} S - K] = u^j d^{N-j} S - K$$

So,

$$f = e^{-Nr\Delta t} \left[\sum_{j=a}^N C_j^N p^j (1-p)^{N-j} [u^j d^{N-j} S - K] \right]$$

4 Issues from *Option Pricing-A Simplified Approach*

$$\begin{aligned}
 f &= e^{-Nr\Delta t} \left[\sum_{j=a}^N C_j^N p^j (1-p)^{N-j} [u^j d^{N-j} S - K] \right] \\
 &= S \left\{ \sum_{j=a}^N C_j^N p^j (1-p)^{N-j} \left[\frac{u^j d^{N-j}}{e^{Nr\Delta t}} \right] \right\} - K e^{-Nr\Delta t} \left[\sum_{j=a}^N C_j^N p^j (1-p)^{N-j} \right]
 \end{aligned}$$

We know that

$$\sum_{j=a}^N C_j^N p^j (1-p)^{N-j}$$

is a complementary Binominal Distribution. So we can denote it as

$$\phi(a; N, p)$$

We also define that

$$p' \equiv \frac{u}{e^{Nr\Delta t}} p \quad \text{and} \quad 1 - p' \equiv \frac{d}{e^{Nr\Delta t}} (1 - p)$$

So

$$p^j (1-p)^{N-j} \left[\frac{u^j d^{N-j}}{e^{Nr\Delta t}} \right] = p'^j (1-p')^{N-j}$$

and

$$\sum_{j=a}^N C_j^N p'^j (1-p')^{N-j} = \phi(a; n, p')$$

Now, we can rewrite the full formula as

$$f = S \phi(a; n, p') - K e^{-Nr\Delta t} \phi(a; n, p')$$

In the continuous time model, and $N \rightarrow \infty$, Binominal Distribution asymptotically approaches to the Normal Distribution. So the formula will be

$$f = S N(x) - K e^{-Nr\Delta t} N(x)$$