
Advanced Software Engineering & Systems Modeling Seminar

Master of Computer Science Program (Preparatory Stage)

College of Computer Science & Information Technology — University of Wasit

Candidate: Master Candidate

Course & Subject: CS-MCS-504: Advanced Software Engineering

Supervising Professor: Asst. Prof. Dr. Ali Fahim Ni'ma

Academic Term: Semester 1 (Fall 2026) | **Date:** 2026-09-16

1. Problem Statement & Research Motivation

- **The Core Architectural Challenge:**

- High-concurrency distributed systems frequently fail non-functional requirements (QAs) despite functionally correct algorithms.
- Macro-patterns (e.g., Microservices, Event-Driven) lack atomic mechanisms to guarantee deterministic quality attribute bounds.

- **Research & Engineering Question:**

- *How can fine-grained Architectural Tactics (SEI & ISO/IEC 25010) be systematically synthesized to guarantee strict availability (99.999%) and latency ($p99 \leq 50\text{ms}$) under volatile workloads?*

- **Academic & Practical Significance:**

- Bridges high-level architectural design with concrete source-code level quality enforcement.
- Prevents catastrophic cascade failures in mission-critical and cloud-native systems.

2. Academic & Industrial Context

- **Evolution of Software Architecture:**

- *1990s (Foundational)*: Structural topologies, Module-Interconnection Languages (Perry & Wolf, Garlan & Shaw).
- *2000s (Quality Attributes)*: SEI Formalization of Quality Attribute Scenarios and Architecture Trade-off Analysis Method (ATAM).
- *2010s–Present*: Cloud-native resilience, Chaos Engineering, and automated tactic traceability (ISO/IEC 25010 / IEEE 42010).

- **Industrial & Curricular Pressures:**

- Microservice sprawl introduces exponential communication failure surfaces.
- SWEBOK v4 and University of Wasit curriculum mandate rigorous trade-off modeling over intuitive guesswork.

3. Core Theoretical Mechanism & Formulation

- **SEI 6-Part Quality Attribute Scenario:**

$$\mathcal{S}_{QA} = \langle \text{Stimulus, Source, Environment, Artifact, Response, Response Measure} \rangle$$

- **Mathematical Model of System Availability ($\mathcal{A}$):**


$$\mathcal{A} = \frac{\text{MTBF}}{\text{MTBF} + \text{MTTR}} = \frac{\text{MTBF}}{\text{MTBF} + (\tau_{\text{detect}} + \tau_{\text{recover}} + \tau_{\text{verify}})}$$

- **Invariants of Tactic Selection:**

1. *Availability Tactic Goal*: $\lim_{\text{MTTR} \rightarrow 0} \mathcal{A} = 1.0$ (via Active Redundancy & Heartbeats).

2. *Performance Tactic Goal*: Minimize contention queue delay $\mathcal{W}_q \leq \frac{\rho}{\mu(1-\rho)}$ (via Caching & Throttling).

4. System Architecture & Tactic Workflow Model



5. State-of-the-Art Literature Survey

Paper Title & Authors	Venue & Year	Core Focus / Methodology	Key Architectural Finding	Verified DOI
Detecting Tactics in Code Mirakhorli & Cleland-Huang	IEEE TSE 2016	Information retrieval & ML classifiers for tactic footprints	Proves architectural degradation stems from eroded code tactics	10.1109/TSE.2015.2479234
Pattern-Tactic Interaction Harrison & Avgeriou	Elsevier JSS 2010	Taxonomic analysis of pattern-tactic semantic coupling	Tactics form atomic building blocks of architectural patterns	10.1016/j.jss.2010.04.067
Software Architecture: Roadmap David Garlan	ACM/IEEE ICSE 2000	Foundational landscape of formal architectural models	Establishes explicit architectural rationale as first-class asset	10.1145/336512.336537

6. Architectural Trade-off Matrix

Tactic & Quality Focus	Primary Benefit (+)	Critical Trade-off / Penalty (-)	Complexity	Optimal Use Case
Active Redundancy <i>(Availability)</i>	Near-zero failover (MTTR ≈ 0); instantaneous session survival	$N \times$ infrastructure cost; consensus latency overhead	$\mathcal{O}(N)$ nodes $\mathcal{O}(\log N)$ sync	Financial ledgers, aerospace, healthcare
Multi-Tier Caching <i>(Performance)</i>	Sub-millisecond reads ($p99 < 5\text{ms}$); offloads database I/O	Cache invalidation complexity; eventual consistency / stale reads	$\mathcal{O}(1)$ lookup $\mathcal{O}(M)$ RAM	E-commerce catalogs, streaming metadata
End-to-End Encryption <i>(Security)</i>	Total confidentiality; zero-trust network perimeter defense	High CPU cryptographic tax; increased per-request latency	$\mathcal{O}(k)$ cipher Key lifecycle	Banking APIs, HIPAA medical data
Introduce Intermediary <i>(Modifiability)</i>	Loose coupling; centralized telemetry & security policy injection	Single point of failure risk; +3ms network hop penalty	$\mathcal{O}(1)$ routing $\mathcal{O}(R)$ table	Polyglot enterprise microservices

7. Technical Bottlenecks & Critical Limitations

- **Tactic Interference & Negative Side-Effects:**

- Injecting *Security Tactics* (e.g., deep TLS payload inspection) severely degrades *Performance Efficiency* (reduces throughput by up to 35%).
- Over-applying *Availability Tactics* (e.g., heavy heartbeats & synchronous checkpoints) induces network saturation and jitter.

- **Failure Modes under Extreme Conditions:**

- *Thundering Herd / Cache Stampede*: Simultaneous key expiry causes database connection pool exhaustion.
- *Split-Brain under Asymmetric Partitions*: Redundant nodes with inadequate quorum isolation accept conflicting writes.

- **Traceability Decay:**

- Source code evolutions often violate initial tactic constraints due to developer ignorance.

8. Future Research & Thesis Trajectory

- **Emerging Research Frontiers:**

- AI-driven self-adaptive tactic switching (e.g., reinforcement learning to dynamically tune circuit breaker thresholds).
- Automated formal verification of quality attribute trade-offs using TLA+ and SMT solvers.

- **Proposed Master's Thesis Direction:**

- *"Automated Architectural Tactic Synthesis and Conflict Resolution in Cloud-Native Microservice Ecosystems."*
- *Contribution:* An automated framework detecting QA tactic conflicts at pull-request time and recommending Pareto-optimal configurations.

- **Departmental Alignment:**

- Directly supports the Advanced Software Engineering and Distributed Intelligent Systems research group at University of Wasit.

9. Open Defense & Committee Viva Prompts

“ Simulated Master's Examination & Committee Cross-Examination: ”

1. Trade-off Defense Prompt:

"Candidate, how do you resolve the fundamental contradiction between the 'Active Redundancy' tactic (demanding immediate consistency) and the 'Asynchronous Event Sourcing' tactic (introducing eventual consistency) under the PACELC theorem?"

2. Standardization & Verification Prompt:

"Demonstrate how your proposed architectural model satisfies ISO/IEC 25010 maintainability and fault-tolerance sub-characteristics during a zero-downtime rolling upgrade."

3. Traceability & Code Conformance:

"If developer commits degrade your caching tactic into an un-synchronized shared state, what automated metric detects this architectural drift?"

Thank you! Questions and academic discussion are welcomed.