


M3M 3000



İnsan İçin Teknoloji...

MBM 3000 -







Technology For Human...

STANDARD

ELECTRO MECHANIC HOSPITAL BED



TECHNICAL INFORMATION *Lockable headboard and footboard

- *Metal lying surface

 * Mattress platform is four section, four cranks with integrated plastic Two-ply
- surface, and strengthened chassis.
- * Backrest, knee raise , Hi- Low and Trend/
- Rev. Trend adjustments are electrically. * Four segmented plastic sideboard
- * One ACP can adjustable of the two side board and be locked by the nurse.
- * One, three- function positioning control
- accessible to the patient
- * Detachable head/ foot boards
- * Washable and disinfectable
- * Airflow capability under the mattress
- * Electrical CPR is available for falttening bed rapidly.

- * Backup battery
 * Four castors with central/directional
- * Foot section is adjustable by means of a electrical system.
- * Four rubber bumpers at each corner
- * Main power supply 220V-50 Hz, 24 DC * Max. power input 500 watt
- * Electrical current protection Class1 Electrical shock position Type B
- * Duty cycle %10
- * Dust proof and water resistant IP66



STANDARD MODEL HOSPITAL BED DIMENSIONS

Width (Over All)	Length (Over All)	Lying Surface Width	Lying Surface Length	Heigth Min.	Heigth Maks.
105 cm	210 cm	90 cm	190 cm	43 cm	78 cm

Positions









Normal Bed













E PLUS

ELECTRO MECHANIC HOSPITAL BED



TECHNICAL INFORMATION

- *Touch screen interface
- *Digital patient documention
- *Electrical brake system
- *Lockable headboard and footboard
- *Metal lying surface
- * Mattress platform is four section, four cranks with integrated plastic Two-ply
- surface, and strengthened chassis.
- * Backrest, knee raise , Hi- Low and Trend/
- Rev. Trend adjustments are electrically.
- * Four segmented plastic sideboard
- * One ACP can adjustable of the two side board and be locked by the nurse.
- * One, three- function positioning control accessible to the patient
- * Detachable head/ foot boards
- * Washable and disinfectable
- * Airflow capability under the mattress
- * Electrical CPR is available for falttening bed rapidly.

- * Backup battery
- * Four castors with central/directional brakes
- * Foot section is adjustable by means of a electrical system.
- * Four rubber bumpers at each corner
- * Main power supply 220V-50 Hz, 24 DC
- * Max. power input 500 watt * Electrical current protection Class1
- Electrical shock position Type B * Duty cycle %10
- * Dust proof and water resistant IP66








E PLUS MODEL HOSPITAL BED DIMENSIONS

Width (Over All)	Length (Over All)	Lying Surface Width	Lying Surface Length	Heigth Min.	Heigth Maks.
105 cm	210 cm	90 cm	190 cm	43 cm	78 cm

Positions


















www.mbm3000.com

MBM 3000

MBM 3000

www.mbm3000.com